

26. Family CHIRONOMIDAE

By Peter S. Cranston & Jon Martin

Chironomidae (nonbiting midges) are distributed from the Arctic to the Antarctic and from the seas to permanent montane snowfields. Larvae are important in biomass and species diversity in aquatic biotopes, from the most pristine to the most polluted. Several species are semiterrestrial, some fully terrestrial (even in cow dung); and are among the dominant insects in the intertidal zone of marine shores, with *Pontomyia* truly marine. Adult midges are short-lived, but large aerial mating swarms may occur (e.g., *Chironomus duplex* and *Polypedilum nubifer* in Australia). Elsewhere such nuisance midges can cause allergic reactions in exposed humans (Cranston *et al.* 1984), and this has recently been reported for "*Chironomus*" *longilobus* and *Tanytarsus barbitarsis* at Dampier in Western Australia.

The major taxonomic works on the Chironomidae of the regions covered here are those of Freeman (1959, New Zealand; 1961, Australia) and Tokunaga (1964a, Micronesia). These works consider only adults; however, current chironomid systematics depends upon integration of morphological features from all life history stages. The great accumulation of knowledge of the metamorphosis of Northern Hemisphere species has led to a modern holomorphological generic concept strongly biased towards Holarctic taxa. We have attempted to place all species in currently accepted genera by using reared material where possible or by reexamining adults using new characters.

However, in many genera apparently restricted to Australasia, or at least to the austral continents, the immature stages are still unknown. The discovery of larvae and pupae belonging to species currently known only from the adults may result in reassessment of generic classifications.

An additional source of taxonomic instability is the undoubted existence of many undescribed species and genera in the regions covered here. Virtually all regional ecological studies of aquatic biotopes, especially lotic systems, reveal a substantial number of undescribed larval chironomids. This is particularly true of western Australia (D.H. Edward, pers. comm.), Queensland, and New Zealand, where rearing to pupae and adults confirms the novelty of the fauna.

The cataloged regional fauna contains 461 species in 116 genera and 7 subfamilies. Worldwide there are about 5,000 described valid species of Chironomidae in 330 genera and 10 subfamilies. Several genera are included in this catalog without named species; these are mostly based on recognition of larval characters. Subfamilies are listed in postulated phylogenetic sequence. Tribes (where recognized) are listed in phylogenetic sequence.

Refs.: Freeman (1959, 1961, keys, rev., adults), Tokunaga (1964a, keys, adults), Brundin (1966, rev., esp. Podonominae), Roback (1982a,b, rev., Tanypodinae), Wiederholm (1983, keys, larval gen.), Ashe (1983, cat. world gen.), Pinder (1986, biol. rev.).

Subfamily PODONOMINAE

Genus ARCHAEOCHLUS Brundin

ARCHAEOCHLUS Brundin, 1966: 288. Type species: *Archaeochlus drakensbergensis* Brundin, 1966, orig. des.

brundini Cranston, Edward & Colless, 1987: 323. Australia (WA).

Genus PAROCHLUS Enderlein

PAROCHLUS Enderlein, 1912e: 109. Type species: *Parochlus fuegianus* Enderlein, 1912, orig. des.

- aotearoae** Brundin, 1966: 138. NZ (NZ).
bassianus Brundin, 1966: 144. Australia (Tas).
kiefferi, Freeman, 1961, not Garrett, 1925, ?misid.
brevis Sublette & Wirth, 1980: 307. NZ (Campbell I); NZ (Auckland Is).
carinatus Brundin, 1966: 151. NZ (NZ).
conjugens Brundin, 1966: 128. NZ (NZ).
glacialis Brundin, 1966: 155. NZ (NZ).
gressitti Sublette & Wirth, 1980: 306. NZ (Auckland Is).
longicornis Brundin, 1966: 155. NZ (NZ).
maorii Brundin, 1966: 144. NZ (NZ).
novaehollandiae Brundin, 1966: 138. NZ (NZ).
ohakunensis Freeman, 1959: 409 (*Podonomus*). NZ (NZ).
pauperatus Brundin, 1966: 153. NZ (NZ).
reductus Sublette & Wirth, 1980: 305. NZ (Campbell I).
rennelli Sublette & Wirth, 1980: 304. NZ (Campbell I); NZ (Antipodes Is, Auckland Is).
rieki Brundin, 1966: 182. Australia (Tas).
spinosus Brundin, 1966: 138. NZ (NZ).
tasmaniæ Freeman, 1961: 632 (*Podonomus*). Australia (Tas).
tonnoiri Brundin, 1966: 181. Australia (NSW); Australia (Tas).

Genus PODOCHLUS Brundin

- PODOCHLUS** Brundin, 1966: 240. Type species: *Podochlus grandis* Brundin, 1966, orig. des.
australiensis Brundin, 1966: 258. Australia (NSW); Australia (?Tas).
cockaynei Brundin, 1966: 252. NZ (NZ).
grandis Brundin, 1966: 248. NZ (NZ).
knoxi Brundin, 1966: 253. NZ (NZ).
stouti Brundin, 1966: 250. NZ (NZ).
tasmaniensis Brundin, 1966: 258. Australia (Tas).

Genus PODONOMOPSIS Brundin

- PODONOMOPSIS** Brundin, 1966: 272. Type species: *Podonomus muticus* Edwards, 1931, orig. des.
discoceros Brundin, 1966: 285. Australia (NSW); Australia (Tas, Vic).
muticus, Freeman, 1961, not Edwards, 1931, ?misid.
evansi Brundin, 1966: 272. Australia (Tas); Australia (NSW, Qld).

Genus PODONOMUS Philippi

- PODONOMUS** Philippi, 1865: 601. Type species: *Podonomus stigmaticus* Philippi, 1865, mon.
collessi Brundin, 1966: 214. Australia (NSW); Australia (Tas).
derwentensis Brundin, 1966: 215. Australia (Tas).
parochloides Brundin, 1966: 199. NZ (NZ).
pygmaeus Brundin, 1966: 200. NZ (NZ).
waikukupae Brundin, 1966: 200. NZ (NZ).

Genus RHEOCHLUS Brundin

- RHEOCHLUS** Brundin, 1966: 269. Type species: *Rheochlus insignis* Brundin, 1966, orig. des.
wirthi Freeman, 1961: 632 (*Podonomus*). Australia (NSW).

Genus ZELANDOCHLUS Brundin

- ZELANDOCHLUS** Brundin, 1966: 106. Type species: *Zelandochlus latipalpis* Brundin, 1966, mon.
latipalpis Brundin, 1966: 107. NZ (NZ).

Subfamily APHROTEINAE

Genus ANAPHROTENIA Brundin

ANAPHROTENIA Brundin, 1983: 423. Type species: *Anaphrotenia lacustris* Brundin, 1983, orig. des. *lacustris* Brundin, 1983: 427. Australia (Qld).

Genus APHROTENIA Brundin

APHROTENIA Brundin, 1966: 338. Type species: *Aphrotenia tsitsikamae* Brundin, 1966, orig. des. Undetermined sp.—Australia (ACT, SA).

Genus APHROTEIELLA Brundin

APHROTEIELLA Brundin, 1966: 348. Type species: *Aphroteniella filicornis* Brundin, 1966, orig. des. *filicornis* Brundin, 1966: 348. Australia (Qld); Australia (NSW, WA).
tenuicornis Brundin, 1966: 352. Australia (NSW); Australia (ACT).

Genus PARAPHROTENIA Brundin

PARAPHROTENIA Brundin, 1966: 352. Type species: *Paraphrotenia excellens* Brundin, 1966, orig. des.
fascipennis Brundin, 1966: 358. Australia (NSW); Australia (Vic).

Subfamily TANYPODINAE

Tribe TANYPODINI

Genus TANYPUS Meigen

TANYPUS Meigen, 1803: 261. Type species: *Tipula cincta* Fabricius, 1775 [misid., = *Tanypus punctipennis* Meigen, 1818], des. Latreille, 1810: 442.
 Unidentified sp.—Australia (NT) (Roback, 1982b: 81).

Tribe COELOTANYPODINI

Genus COELOTANYPUS Kieffer

COELOTANYPUS Kieffer, 1913d: 154. Type species: *Tanypus humeralis* Loew, 1866, orig. des. *wirthi* Freeman, 1961: 624. Australia (NSW).

Genus CLINOTANYPUS Kieffer

CLINOTANYPUS Kieffer, 1913d: 157. Type species: *Procladius fuscosignatus* Kieffer, 1910, des. Sublette & Sublette, 1965: 145.
crux Wiedemann, 1824: 10 (*Tanypus*). “India or.”; Australia (NSW, NT, Qld); Oriental Reg.
australiensis Kieffer, 1926: 104. Australia (Qld).
guamensis Tokunaga, 1964a: 492. Guam.

Tribe COELOPYNIINI

Genus COELOPYNIA Freeman

COELOPYNIA Freeman, 1961: 626. Type species: *Coelopynia pruinosa* Freeman, 1961, orig. des.

pruinosa Freeman, 1961: 626. Australia (Vic); widesp. Australia (excl. SA).

Tribe MACROPELOPINI

Genus APSECTROTANYPUS Fittkau

APSECTROTANYPUS Fittkau, 1962: 141. Type species: *Tanypterus trifascipennis* Zetterstedt, 1838, orig. des.

maculosus Freeman, 1961: 622 (*Anatopynia*). Australia (Tas); Australia (NSW, Vic).

Genus FITTKAUIMYIA Karunakaran

FITTKAUIMYIA Karunakaran, 1969: 75. Type species: *Fittkauimyia disparipes* Karunakaran, 1969, orig. des.

disparipes Karunakaran, 1969: 75. Singapore; Australia (NT).

Genus GRESSITTIUS Sublette & Wirth

GRESSITTIUS Sublette & Wirth, 1980: 302. Type species: *Corethra antarctica* Hudson, 1892, orig. des. *antarcticus* Hudson, 1892: 43 (*Corethra*). NZ (NZ); NZ (Antipodes Is, Auckland Is).

hudsoni Kieffer, 1922a: 148 (*Macropelopia*). NZ (NZ).

umbrosus Freeman, 1959: 406 (*Anatopynia*). NZ (NZ). N. comb.

Genus MACROPELOPIA Thienemann

MACROPELOPIA Thienemann, 1916: 497. Type species: *Isoplatus bimaculata* Kieffer, 1909 (as *Isoplatus*) [= *Tanypterus nebulosus* Meigen, 1804], orig. des.

Subgenus ALOTANYPUS Roback

ALOTANYPUS Roback, 1971: 95 (as gen.). Type species: *Tanypterus venustus* Coquillett, 1902, orig. des. *dalyupensis* Freeman, 1961: 624 (*Anatopynia*). Australia (WA); Australia (SA).

Unplaced species of Macropelopini

apicincta Freeman, 1959: 403 (*Anatopynia*). NZ (NZ).

apicinella Freeman, 1959: 406 (*Anatopynia*). NZ (NZ).

boninensis Tokunaga, 1964a: 501 (*Anatopynia*). NZ (NZ).

cana Freeman, 1959: 408 (*Anatopynia*). NZ (NZ).

debilis Hutton, 1902b: 186 (*Tanypterus*). NZ (NZ).

novaehollandiae Kieffer, 1922a: 147 (*Macropelopia*). NZ (NZ).

elongata Tokunaga, 1964a: 501 (*Anatopynia*). Northern Marianas; Micronesia.

flavipes Freeman, 1959: 405 (*Anatopynia*). NZ (NZ).

languidus Hutton, 1902b: 186 (*Tanypterus*). NZ (NZ).

masteri Skuse, 1889e: 278 (*Tanypterus*). Australia (NSW); Australia (ACT).

pallipes Freeman, 1961: 623 (*Anatopynia*). Australia (Tas); Australia (NSW).

pennipes Freeman, 1961: 623 (*Anatopynia*). NZ (NZ).

quadricincta Freeman, 1959: 407 (*Anatopynia*). NZ (NZ).

quinquepunctata Freeman, 1959: 405 (*Anatopynia*). NZ (NZ).

Tribe PROCLADIINI

Genus DJALMABATISTA Fittkau

DJALMABATISTA Fittkau, 1968: 328. Type species: *Djalmabatista director* Fittkau, 1968, orig. des.

DJALMABASTICA, error for *Djalmabatista*.
Undetermined sp.—Australia (NSW, NT).

Genus PROCLADIUS Skuse

PROCLADIUS Skuse, 1889e: 283. Type species: *Procladius paludicola* Skuse, 1889, des. Coquillett, 1910: 594.
goanna Roback, 1982b: 94. Australia (NT).
martini Roback, 1982b: 97. Australia (Vic); Australia (NSW).
paludicola Skuse, 1889e: 284. Australia (NSW); widesp. Australia.
pentastictus Kieffer, 1917a: 201. Australia (NSW).
pictipennis Skuse, 1889e: 284. Australia (NSW).
subglaber Kieffer, 1917a: 202 (*Trichotanypus*). Australia (NSW).
villosimanus Kieffer, 1917a: 202. Australia (NSW); widesp. Australia (excl. Qld).
australiensis Kieffer, 1917a: 200. Australia (NSW).

Unplaced species of *Procladius* Skuse

squamifer Freeman, 1961: 629. Australia (NSW); Australia (ACT, Tas, Vic).

Tribe PENTANEURINI

Genus ABLABESMYIA Johannsen

ISOPLASTUS Skuse, 1889e: 279. Typespecies: *Isoplastus notabilis* Skuse, 1889, des. Coquillett, 1910: 556. [Preocc. Horn, 1880.]
ABLABESMYIA Johannsen, 1905: 135. Type species: *Tipula monilis* Linnaeus, 1758, des. Johannsen, 1907: 400.
atromaculata Edwards, 1928c: 59. Western Samoa.
hilli Freeman, 1961: 620. Australia (Qld); Australia (Vic, WA), PNG (PNG), Western Samoa.
mala Hutton, 1902b: 187 (*Tanypus*). NZ (NZ); NZ (Campbell I).
monilis Linnaeus, 1758: 587 (*Tipula*). "Europa"; Micronesia; Holarctic, Oriental Regs.
notabilis Skuse, 1889e: 280 (*Isoplastus*). Australia (NSW); widesp. Australia (excl. NT), Western Samoa.
monilis, Kieffer, 1917, not Linnaeus, 1758, misid.

Genus LARSIA Fittkau

LARSIA Fittkau, 1962: 339. Type species: *Ablabesmyia atrocincta* Goetghebuer, 1942, orig. des.
planensis Johannsen, 1946: 284 (*Pentaneura*). Canada; Hawaiian Is; Nearctic Reg.

Genus NILOTANYPUS Kieffer

NILOTANYPUS Kieffer, 1923: 191. Type species: *Nilotanypus remotissimus* Kieffer, 1923, mon.
Unnamed sp.—Australia (NSW, NT, Qld).

Genus PARAMERINA Fittkau

PARAMERINA Fittkau, 1962: 317. Type species: *Paramerina cingulata* Walker, 1856, orig. des.
dolosa Johannsen, 1932b: 500 (*Pentaneura*). Indonesia (Java); Micronesia.
ignobilis Johannsen, 1932b: 496 (*Pentaneura*). Indonesia (Sumatra); Micronesia.
levidensis Skuse, 1889e: 281 (*Isoplastus*). Australia (NSW); widesp. Australia (excl. NT).
parva Freeman, 1961: 617 (*Pentaneura*). Australia (Qld); Australia (NT).
taylori Roback, 1982b: 102. Australia (Qld).

Genus ZAVRELYMIA Fittkau

ZAVRELYMIA Fittkau, 1962: 285. Type species: *Tanypus melanurus* Meigen, 1804, orig. des.

harrisi Freeman, 1959: 400 (*Pentaneura*). NZ (NZ). **N. comb.**

Unplaced species of Pentaneurini

carolinensis Tokunaga, 1964a: 498 (*Pentaneura*). Guam; Micronesia.

formulosus Skuse, 1889e: 282 (*Isoplatus*). Australia (NSW).

ponapensis Tokunaga, 1964a: 495 (*Pentaneura*). Micronesia.

punctipennis Freeman, 1961: 618 (*Pentaneura*). Australia (ACT); Australia (NSW, Tas, Vic).

Subfamily DIAMESINAE

Tribe HEPTAGYINI

Genus PARAHEPTAGYIA Brundin

PARAHEPTAGYIA Brundin, 1966: 379. Type species: *Heptagyia cinerascens* Edwards, 1931, orig. des.

tasmaniae Freeman, 1961: 635 (*Heptagyia*). Australia (Tas).

tonnoiri Freeman, 1961: 636 (*Heptagyia*). Australia (ACT); Australia (NSW).

Tribe LOBODIAMESINI

Genus LOBODIAMESA Pagast

LOBODIAMESA Pagast, 1947: 446. Type species: *Lobodiamesa campbelli* Pagast, 1947, mon.

campbelli Pagast, 1947: 446. NZ (NZ).

Genus MAORIDIAMESA Pagast

MAORIDIAMESA Pagast, 1947: 448. Type species: *Maoridiamesa harrisi* Pagast, 1947, mon.

glacialis Brundin, 1966: 414. NZ (NZ).

harrisi Pagast, 1947: 448. NZ (NZ).

insularis Brundin, 1966: 414. NZ (Campbell I).

intermedia Brundin, 1966: 411. NZ (NZ).

stouti Brundin, 1966: 412. NZ (NZ).

Subfamily TELMATOGETONINAE

Genus TELMATOGETON Schiner

TELMATOGETON Schiner, 1866c: 931 [1868: 25]. Type species: *Telmatogeton sanctipauli* Schiner, 1866 (as *St. Pauli*), mon.

PARACLUNIO Kieffer, 1911f: 103. Type species: *Paraclunio trilobatus* Kieffer, 1911, orig. des.

CHARADROMYIA Terry, 1913: 292. Type species: *Charadromyia torrenticola* Terry, 1913, orig. des.

abnormis Terry, 1913: 295 (*Charadromyia*). Hawaiian Is.

antipodensis Sublette & Wirth, 1980: 310. NZ (Antipodes Is.).

australicus Womersley, 1936: 437. Australia (SA); Australia (Vic).

fluvialis Wirth, 1947b: 166. Hawaiian Is.

hirtus Wirth, 1947b: 158. Hawaiian Is.

japonicus Tokunaga, 1933a: 95. Japan; Australia (NSW, SA, Vic, WA), Hawaiian Is; Holarctic, Oriental Regs.

macquariensis Brundin, 1962: 945 (*Haliryctus*). Macquarie I.

mortoni Leader, 1975: 209. NZ (NZ).

pacificus Tokunaga, 1935: 15. Japan; Hawaiian Is.

pusillum Edwards, 1933b: 88. French Polynesia (Marquesas); Northern Marianas.

torrenticola Terry, 1913: 292 (*Charadromyia*). Hawaiian Is.
williamsi Wirth, 1947b: 162. Hawaiian Is.

Genus THALASSOMYA Schiner

THALASSOMYA Schiner, 1856: 219. Type species: *Thalassomya frauenfeldi* Schiner, 1856, mon.
THALASSOMYIA, error for *Thalassomya*.
africana Edwards, 1926c: 787. Tanzania; French Polynesia (Marquesas).
maritima Wirth, 1947a: 131. Hong Kong; Belau, Guam, Marshall Is, New Caledonia (New Caledonia), Northern Marianas, Western Samoa.
pilipes Edwards, 1933b: 110. American Samoa; French Polynesia (Marquesas), Vanuatu; Hong Kong.
sabroskyi Tokunaga, 1964a: 542. Belau; Micronesia.
setosipennis Wirth, 1947a: 121. Hawaiian Is.

Subfamily ORTHOCLADIINAE

Genus ALLOMETRIOCNEMUS Freeman

ALLOMETRIOCNEMUS Freeman, 1961: 657. Type species: *Allometriocnemus coloensis* Freeman, 1961,
 orig. des.
coloensis Freeman, 1961: 659. Australia (NSW).
pictus Freeman, 1961: 659. Australia (NSW).

Genus ALLOTRISSOCLADIUS Freeman

ALLOTRISSOCLADIUS Freeman, 1964: 148. Type species: *Allotrisocladius amphibius* Freeman, 1964,
 orig. des.
amphibius Freeman, 1964: 149. Australia (WA).

Genus AUSTROBRILLIA Freeman

AUSTROBRILLIA Freeman, 1961: 640. Type species: *Austrobrillia longipes* Freeman, 1961, mon.
 [Freeman, 1961: 640 designated *Austrobrillia nudipennis* as "type and only known species." *A. nudipennis* is a *nomen nudum* and error for *longipes*, the only included species.]
longipes Freeman, 1961: 640. Australia (Tas); Australia (Vic).
nudipennis, error for *longipes*.

Genus AUSTROCLADIUS Freeman

AUSTROCLADIUS Freeman, 1961: 647. Type species: *Camptocladius terjugus* Skuse, 1889, orig. des.
harrisi Freeman, 1959: 418 (*Chaetocladius*). NZ (NZ).
numerous Skuse, 1889e: 256 (*Orthocladius*). Australia (NSW); Australia (ACT, Tas, Vic).
terjugus Skuse, 1889e: 262 (*Camptocladius*). Australia (NSW); Australia (ACT, Vic).
trichiatus Freeman, 1961: 649. Australia (Vic).

Genus CAMPTOCLADIUS Wulp

CAMPTOCLADIUS Wulp, 1874: 133. Type species: *Tipula byssina* Schrank, 1803 [= *Tipula stercoraria* De Geer, 1776], des. Coquillet, 1910: 518.
stercorarius De Geer, 1776: 388 (*Tipula*). Sweden; Australia (NSW), NZ (NZ); Holarctic Reg.

Genus CARDIOCLADIUS Kieffer

CARDIOCLADIUS Kieffer, 1912a: 22. Type species: *Cardiocladus ceylanicus* Kieffer, 1912, mon.
australiensis Freeman, 1961: 639. Australia (Tas); Australia (ACT, NSW).

Genus CLUNIO Haliday

CLUNIO Haliday, 1855: 62. Type species: *Clunio marinus* Haliday, 1855, mon.
CLUNEO, error for *Clunio*.
brevis Stone & Wirth, 1947: 212. Hawaiian Is.
littoralis Stone & Wirth, 1947: 203. Hawaiian Is.
martini Hashimoto, 1973: 1. Australia (Vic).
pacificus Edwards, 1926c: 790. Western Samoa; American Samoa, Australia (NSW), Belau, Northern Marianas, Vanuatu; Ryukyu.
tsushimensis Tokunaga, 1933a: 92. Japan; Hawaiian Is.
tuthilli Tokunaga, 1964a: 537. Marshall Is.
vagans Stone & Wirth, 1947: 206. Hawaiian Is.

Genus COMPTEROSMITTIA Saether

COMPTEROSMITTIA Saether, 1981: 20. Type species: *Compterosmittia dentispina* Saether, 1981, orig. des.
claggi Tokunaga, 1964a: 506 (*Metriocnemus*). Bonin Is; Belau, Micronesia. N. comb.
pectinata Freeman, 1961: 662 (*Gymnometriocnemus*). Australia (NSW). N. comb.
tuberculifera Tokunaga, 1964a: 530 (*Smittia*). Micronesia; Belau, Bonin Is, Guam. N. comb.

Genus CORYNONEURA Winnertz

CORYNONEURA Winnertz, 1846: 12. Type species: *Corynoneura scutellata* Winnertz, 1846, des.
Coquillett, 1910: 528.
australiensis Freeman, 1961: 673. Australia (ACT).
scutellata Winnertz, 1846: 13. Germany; Australia (Vic, WA), ?NZ (NZ); widesp. Holarctic, Neotrop. Regs.
?donovani Forsyth, 1971: 121. NZ (NZ).

Genus CRICOTOPUS Wulp

CRICOTOPUS Wulp, 1874: 132. Type species: *Chironomus tibialis* Meigen, 1804, des. Coquillett, 1910: 528.

Subgenus CRICOTOPUS Wulp

CRICOTOPUS Wulp, 1874: 132 (as gen.). Type species: *Chironomus tibialis* Meigen, 1804, des.
Coquillett, 1910: 528.
albitibia Walker – not Australasian/Oceanian.
annuliventris Skuse, 1889e: 255 (*Orthocladius*). Australia (NSW); Australia (ACT, SA, Tas, Vic).
aucklandensis Sublette & Wirth, 1980: 313. NZ (Auckland Is).
bicinctus Meigen, 1818: 41 (*Chironomus*). Germany; Hawaiian Is; widesp. Afrotrop., Holarctic (incl. Japan) Regs.
cingulatus Hutton, 1902b: 184 (*Orthocladius*). NZ (NZ).
gressitti Tokunaga, 1964a: 510. Micronesia; PNG (PNG).
quadrizonatus Tokunaga, 1964a: 512. Bonin Is.
sabroskyi Tokunaga, 1964a: 511. Belau.
zealandicus Freeman, 1959: 413. NZ (NZ).

Subgenus ISOCLADIUS Kieffer

ISOCLADIUS Kieffer, 1909: 44. Type species: *Isocladius albipes* Kieffer, 1909 [= *Tipula silvestris* Fabricius, 1794], orig. des.
Unidentified sp. – Australia (Vic).

Genus DOLOPLASTUS Skuse

DOLOPLASTUS Skuse, 1889e: 260. Type species: *Doloplastus monticola* Skuse, 1889, orig. des. *monticola* Skuse, 1889e: 260. Australia (Vic).

Genus EUKIEFFERIELLA Thienemann

EUKIEFFERIELLA Thienemann, 1926: 325. Type species: *Dactylocladius longicalcar* Kieffer, 1911 [misid., = *Spaniotoma graciei* Edwards, 1929], orig. des.
heveli Sublette & Wirth, 1980: 312. NZ (Campbell I); NZ (Auckland Is).
insolida Skuse, 1889e: 258 (*Orthocladius*). Australia (NSW).

Genus GYMNONMETRICOCNEMUS Goetghebuer

GYMNONMETRICOCNEMUS Goetghebuer, 1932: 23 (*Metriocnemus* subg.). Type species: *Metriocnemus subnudus* Edwards, 1929, des. Edwards, 1932a: 141. [Unavailable name; genus-group name proposed after 1930 without type-species designation; authors prefer to retain current authorship and date pending ruling by I.C.Z.N.]
lobifer Freeman, 1959: 412 (*Metriocnemus*). NZ (NZ). N. comb.
nitidulus Skuse, 1889e: 276 (*Metriocnemus*). Australia (NSW).
wilsoni Freeman, 1961: 661. Australia (Vic).

Genus GYNNIDOCLADIUS Sublette & Wirth

GYNNIDOCLADIUS Sublette & Wirth, 1980: 322. Type species: *Gynnidocladius pilulus* Sublette & Wirth, 1980, orig. des.
pilulus Sublette & Wirth, 1980: 322. NZ (Campbell I).

Genus HEVELIUS Sublette & Wirth

HEVELIUS Sublette & Wirth, 1980: 320. Type species: *Hevelius carinatus* Sublette & Wirth, 1980, orig. des.
carinatus Sublette & Wirth, 1980: 321. NZ (Campbell I); NZ (Auckland Is).

Genus KIEFFEROPHYES Freeman

KIEFFEROPHYES Freeman, 1961: 663. Type species: *Camptocladius invenustulus* Skuse, 1889, orig. des.
invenustulus Skuse, 1889e: 265 (*Camptocladius*). Australia (NSW); Australia (Tas, Vic).
leei Freeman, 1961: 665. Australia (NSW).
lobifer Freeman, 1961: 664. Australia (Vic).

Genus KUSCHELIUS Sublette & Wirth

KUSCHELIUS Sublette & Wirth, 1980: 314. Type species: *Kuschelius dentifer* Sublette & Wirth, 1980, orig. des.
dentifer Sublette & Wirth, 1980: 315. NZ (Auckland Is).

Genus LIMNOPHYES Eaton

LIMNOPHYES Eaton, 1875: 60. Type species: *Limnophyes pusillus* Eaton, 1875 [= *Chironomus minimus* Meigen, 1818], mon.
vestitus Skuse, 1889e: 263 (*Camptocladius*). Australia (NSW); Australia (WA).

Genus MARYELLA Sublette & Wirth

MARYELLA Sublette & Wirth, 1980: 325. Type species: *Maryella reducta* Sublette & Wirth, 1980, orig. des.
reducta Sublette & Wirth, 1980: 126. NZ (Auckland Is).

Genus MECAORUS Sublette & Wirth

MECAORUS Sublette & Wirth, 1980: 316. Type species: *Mecaorus elongatus* Sublette & Wirth, 1980, orig. des.
elongatus Sublette & Wirth, 1980: 316. NZ (Auckland Is).

Genus METRIOCNEMUS Wulp

METRIOCNEMUS Wulp, 1874: 136. Type species: *Chironomus albolineatus* Meigen, 1818, des.
 Coquillett, 1910: 569.
hornsbyensis Freeman, 1961: 657. Australia (NSW).

Genus NAKATAIA Sublette & Wirth

NAKATAIA Sublette & Wirth, 1980: 324. Type species: *Nakataia cisdentifier* Sublette & Wirth, 1980, orig. des.
cisdentifier Sublette & Wirth, 1980: 324. NZ (Auckland Is).

Genus NANOCLADIUS Kieffer

NANOCLADIUS Kieffer, 1913b: 31. Type species: *Nanocephalus vitellinus* Kieffer, 1913, orig. des.
 Undescribed spp.—widesp. Australia, Micronesia.

Genus NASUTICLADIUS Freeman

NASUTICLADIUS Freeman, 1961: 650. Type species: *Nasuticladus tonnoiri* Freeman, 1961, orig. des.
 ater Freeman, 1961: 651. Australia (Tas).
niger Freeman, 1961: 651. Australia (Tas).
tonnoiri Freeman, 1961: 650. Australia (Tas).
wilsoni Freeman, 1961: 654. Australia (Vic).
wirthi Freeman, 1961: 651. Australia (NSW).

Genus NESIOCLADIUS Sublette & Wirth

NESIOCLADIUS Sublette & Wirth, 1980: 323. Type species: *Nesiocladus gressitti* Sublette & Wirth, 1980, orig. des.
gressitti Sublette & Wirth, 1980: 323. NZ (Auckland Is).

Genus ORTHOCLADIUS Wulp

ORTHOCLADIUS Wulp, 1874: 132. Type species: *Tipula stercoraria* De Geer, 1776 [misid., = *Chironomus oblidens* Walker, 1856], des. Coquillett, 1910: 581.
pictipennis Freeman, 1959: 419. NZ (NZ).

Genus PARAKIEFFERIELLA Thienemann

PARAKIEFFERIELLA Thienemann, 1936: 195. Type species: *Spaniotoma coronata* Edwards, 1929, orig. des.
 Unidentified sp.—Australia (ACT, SA, Vic).

Genus PARALIMNOPHYES Brundin

PARALIMNOPHYES Brundin, 1966: 129. Type species: *Campyocladius hydrophilus* Goetghebuer, 1921, orig. des.
albibasis Freeman, 1961: 656 (*Limnophyes*). Australia (NSW); Australia (ACT, Tas). N. comb.
pullulus Skuse, 1889e: 259 (*Orthocladius*). Australia (NSW); Australia (Vic, WA). N. comb.

Genus PARAMETRIOCNEMUS Goetghebuer

PARAMETRIOCNEMUS Goetghebuer, 1932: 22 (*Metriocnemus* subg.). Type species: *Metriocnemus stylatus* Kieffer, 1924, mon.
flavellus Tokunaga, 1964a: 502 (*Metriocnemus*). Micronesia. N. comb.
ornaticornis Kieffer, 1917a: 225 (*Metriocnemus*). Australia (NSW); Australia (ACT, WA).

Genus PARATRICHOCCLADIUS Santos Abreu

PARATRICHOCCLADIUS Santos Abreu, 1918: 204. Type species: *Orthocladius tenuipes* Becker, 1908 [= *Chironomus rufiventris* Meigen, 1830], des. Hirvenoja, 1973: 88.
SYNCRICOTOPUS Brundin, 1956: 106. Type species: *Chironomus rufiventris* Meigen, 1830, orig. des.
TRICHOCCLADIUS, Freeman, 1959, not Kieffer, 1906, ?misid.
pluriserialis Freeman, 1959: 414 (*Trichocladius*). NZ (NZ); Australia (ACT, NSW, Vic).

Genus PSEUDOSMITTIA Goetghebuer

PSEUDOSMITTIA Goetghebuer, 1932: 126 (*Smittia* subg.). Type species: *Spaniotoma angusta* Edwards, 1929, des. Edwards, 1932a: 141. [Unavailable name; genus-group name proposed after 1930 without type-species designation; authors prefer to retain current authorship and date pending ruling by I.C.Z.N.]
brachydicrana Edwards, 1927b: 243 (*Orthocladius*). French Polynesia (Society Is); Belau. N. comb.
setiforceps Tokunaga, 1964a: 519 (*Smittia*). Belau. N. syn.
brachidicranus, error for *brachydicrana*.
dupla Tokunaga, 1964a: 522 (*Smittia*). Marshall Is; Belau. N. comb.
fusivenosa Tokunaga, 1964a: 534 (*Smittia*). Micronesia. N. comb.
imperfecta Skuse, 1889e: 307 (*Ceratopogon*). Australia (NSW).
insulsa Johannsen, 1946: 191 (*Smittia*). Guam; Belau; Northern Marianas. N. comb.
kraussi Tokunaga, 1964a: 523 (*Smittia*). Belau; Micronesia. N. comb.
latifurca Freeman, 1961: 670. Australia (NSW).
macrobranchia Edwards, 1928c: 62 (*Orthocladius*). Western Samoa.
maculiventris Edwards, 1933b: 89 (*Spaniotoma*). French Polynesia (Marquesas); Belau, Hawaiian Is.
postcinctura Tokunaga, 1964a: 533 (*Smittia*). Belau. N. syn.
micronesia Tokunaga, 1964a: 526 (*Smittia*). Micronesia; Marshall Is. N. comb.
palaensis Tokunaga, 1964a: 520 (*Smittia*). Belau. N. comb.
paracon juncta Hardy, 1960: 143 (*Orthocladius*). Hawaiian Is. N. comb.
triangula Tokunaga, 1964a: 524 (*Smittia*). Belau; Marshall Is. N. comb.
yapensis Tokunaga, 1964a: 525 (*Smittia*). Micronesia; Marshall Is. N. comb.

Genus PTEROSIS Sublette & Wirth

PTEROSIS Sublette & Wirth, 1980: 317. Type species: *Pterosis wisei* Sublette & Wirth, 1980, orig. des.
wisei Sublette & Wirth, 1980: 317. NZ (Auckland Is); NZ (Campbell I).

Genus RHEOCRICOTOPUS Thienemann & Harnish

RHEOCRICOTOPUS Thienemann & Harnish, 1932: 135. Type species: *Chironomus effusus* Walker, 1856, des. Brundin, 1956: 118. [Unavailable name; genus-group name proposed after 1930

without type-species designation; authors prefer to retain current authorship and date pending ruling by I.C.Z.N.]
Undetermined sp.—Australia (NSW, NT, Vic).

Genus RHINOCLADIUS Edwards

RHINOCLADIUS Edwards, 1931c: 268. Type species: *Rhinocladius culicinus* Edwards, 1931, orig. des.
tonnoiri Freeman, 1961: 662. Australia (Tas); Australia (Vic).

Genus SEMIOCLADIUS Sublette & Wirth

SEMOCLADIUS Sublette & Wirth, 1980: 318. Type species: *Camptocladius crassipennis* Skuse, 1889,
orig. des.
brevicornis Tokunaga, 1964a: 518 (*Smittia*). Belau; Micronesia. N. comb.
crassipennis Skuse, 1889e: 264 (*Camptocladius*). Australia (NSW).
kuscheli Sublette & Wirth, 1980: 319. NZ (Auckland Is); NZ (Antipodes Is, Campbell I).
reinga Leader, 1975: 211 (*Smittia*). NZ (NZ). N. comb.
whangaroa Leader, 1975: 213 (*Smittia*). NZ (NZ). N. comb.

Genus SMITTIA Holmgren

SMITTIA Holmgren, 1869: 47. Type species: *Chironomus brevipennis* Boheman, 1866, mon.
ORTHO SMITTIA Goetghebuer, 1943: 110 (*Smittia* subg.). Type species: *Orthocladius brevifurcatus*
Edwards, 1926, orig. des.
aterrima Meigen, 1818: 47 (*Chironomus*). Germany; Australia (ACT, NSW, Qld, Tas, WA); Holarctic
Reg. (incl. Japan).
macleayi Skuse, 1889e: 266 (*Camptocladius*). Australia (NSW).
retracta Freeman, 1961: 667. Australia (NSW).
reyei Freeman, 1961: 671 (*Orthosmittia*). Australia (Qld).
verna Hutton, 1902b: 185 (*Camptocladius*). NZ (NZ).
wirthi Freeman, 1961: 666. Australia (NSW).

Genus STICTOCLADIUS Edwards

STICTOCLADIUS Edwards, 1931c: 279 (*Spaniotoma* subg.). Type species: *Spaniotoma pulchripennis*
Edwards, 1931, orig. des.
lacuniferus Freeman, 1959: 416 (*Diplocladius*). NZ (NZ).
multiserialis Freeman, 1961: 641. Australia (NSW); Australia (Tas).
pictus Freeman, 1959: 417 (*Diplocladius*). NZ (NZ).
uniserialis Freeman, 1961: 643. Australia (Tas); Australia (ACT, NSW, Vic, WA).
victoriensis Freeman, 1961: 643. Australia (Vic); Australia (ACT, NSW, Vic).

Genus SYMBIOCLADIUS Kieffer

SYMBIOCLADIUS Kieffer, 1925: 565. Type species: *Phaenocladius rhithrogenae* Zavrel, 1924, orig. des.

Subgenus ACLETIUS Roback

ACLETIUS Roback, 1965: 115. Type species: *Symbiocladus wygodzinskyi* Roback, 1965, orig. des.
aurifodinae Hynes, 1976: 49. Australia (Vic).

Genus SYNORTHOCCLADIUS Thienemann

SYNORTHOCCLADIUS Thienemann, 1935: 211. Type species: *Dactylocladius semivirens* Kieffer, 1909,
orig. des.
Unidentified sp.—Australia (ACT, NSW, SA).

Genus THIENEMANNIELLA Kieffer

THIENEMANNIELLA Kieffer, 1911a: 201 (*Corynoneura* subg.). Type species: *Corynoneura clavicornis* Kieffer, 1911, des. Goetghebuer, 1939: 7.
trivittata Goetghebuer, 1935: 377. Zaire; Australia (NSW); Afrotrop. Reg.

Unplaced species of Orthocladiinae

- adjectus** Tokunaga, 1964a: 508 (*Metrocnemus*). Micronesia.
- aequalis** Kieffer, 1917a: 227 (*Cricotopus*). PNG (PNG).
- bicinctura** Tokunaga, 1964a: 533 (*Smittia*). Belau.
- campestris** Hardy, 1960: 138 (*Orthocladius*). Hawaiian Is.
- commensalis** Tonnoir, 1923d: 284 (*Dactylocladius*). NZ (NZ).
- davisi** Hardy, 1960: 131 (*Orthocladius*). Hawaiian Is.
- grimshawi** Hardy, 1960: 132 (*Orthocladius*). Hawaiian Is.
- guamensis** Tokunaga, 1964a: 532 (*Smittia*). Guam.
- herbicola** Hardy, 1960: 147 (*Metrocnemus*). Hawaiian Is.
- kauaiensis** Hardy, 1960: 139 (*Orthocladius*). Hawaiian Is.
- mauiensis** Hardy, 1960: 141 (*Orthocladius*). Hawaiian Is.
- membranisensoria** Hardy, 1960: 134 (*Orthocladius*). Hawaiian Is.
- oahuensis** Hardy, 1960: 142 (*Orthocladius*). Hawaiian Is.
- publicus** Hutton, 1902b: 184 (*Orthocladius*). NZ (NZ). *Nomen dubium*.
- williamsi** Hardy, 1960: 135 (*Orthocladius*). Hawaiian Is.
- wirthi** Hardy, 1960: 145 (*Orthocladius*). Hawaiian Is.
- zonata** Tokunaga, 1964a: 528 (*Smittia*). Belau; Northern Marianas, Micronesia.

Subfamily CHIRONOMINAE

Tribe PSEUDOCHIRONOMINI

Genus MEGACENTRON Freeman

MEGACENTRON Freeman, 1961: 676. Type species: *Chironomus erebeus* Skuse, 1889, orig. des. *erebeum* Skuse, 1889e: 243 (*Chironomus*). Australia (NSW); Australia (Vic).

Genus RIETHIA Kieffer

- RIETHIA** Kieffer, 1917a: 203. Type species: *Riethia stictoptera* Kieffer, 1917, orig. des.
- cinctipes** Freeman, 1961: 679. Australia (Qld); Australia (ACT, Tas, Vic).
- plumosa** Freeman, 1961: 679. Australia (Tas).
- stictoptera** Kieffer, 1917a: 203. Australia (NSW); Australia (ACT, SA, Tas, Vic), PNG (PNG).
- astictica** Kieffer, 1917a: 205. Australia (NSW).
- zealandica** Freeman, 1959: 422. NZ (NZ); Australia (ACT, NSW, Tas).

Tribe TANYTARSINI

Genus CLADOTANYTARSUS Kieffer

- CLADOTANYTARSUS** Kieffer, 1921c: 277. Type species: *Cladotanytarsus pallidus* Kieffer, 1922, subs. mon. Kieffer, 1922d: 100.
- australomancus** Glover, 1973: 429. Australia (SA); Australia (ACT, NSW, Qld, Vic, WA).
mancus, Freeman, 1961, not Walker, 1856, misid.
- bilinearis** Glover, 1973: 434. Australia (SA); Australia (Qld).
- furcatus** Freeman, 1961: 728. Australia (NSW); Australia (Qld).

tasmanicus Glover, 1973: 434. Australia (Tas).
unilinearis Glover, 1973: 434. Australia (SA); Australia (NT).

Genus CORYNOCERA Zetterstedt

CORYNOCERA Zetterstedt, 1838: 856. Type species: *Corynocera ambigua* Zetterstedt, 1838, mon.
Undescribed sp.—NZ (NZ) (Stark, 1981: 64).

Genus MICROPSECTRA Kieffer

MICROPSECTRA Kieffer, 1909: 50 (*Tanytarsus* subg.). Type species: *Tanytarsus inermipes* Kieffer,
1909 [= *Chironomus notescens* Walker, 1856], des. Kieffer, 1921g: 35.
bryanti Hardy, 1960: 102 (*Calopsectra*). Hawaiian Is.
hawaiiensis Hardy, 1960: 104 (*Calopsectra*). Hawaiian Is.
 ssp. **albifasciata** Hardy, 1960: 106 (*Calopsectra*). Hawaiian Is.
 ssp. **hawaiiensis** s. str. Hawaiian Is.
kaalae Hardy, 1960: 107 (*Calopsectra*). Hawaiian Is.
 ssp. **kaalae** s. str. Hawaiian Is.
 ssp. **monticola** Hardy, 1960: 109 (*Calopsectra*). Hawaiian Is.
lacteoclava Grimshaw, 1901: 5 (*Tanytarsus*). Hawaiian Is.
 ssp. **lacteoclava** s. str. Hawaiian Is.
 ssp. **latifasciata** Hardy, 1960: 110 (*Calopsectra*). Hawaiian Is.

Genus PARATANYTARSUS Thienemann & Bause

PARATANYTARSUS Thienemann & Bause in Bause, 1913: 120 [1914: 120]. Type species: *Tanytarsus lauterborni* Kieffer, 1909, des. Reiss & Säwedel, 1981: 74.
LUNDSTROEMIA, Freeman, 1961, not Kieffer, 1921, misid.
furus Glover, 1973: 411. Australia (NSW); Australia (Vic, WA).
grimmii Schneider, 1885: 301 (*Chironomus*). ?USSR; widesp. Australia (excl. NT, Tas), NZ (NZ);
 virtually cosmopol.
 parthenogeneticus Freeman, 1961: 721 (*Lundstroemia*). Australia (WA).
 agameta Forsyth, 1971: 137 (*Lundstroemia*). NZ (NZ).
jefferyi Glover, 1973: 413. Australia (NSW); Australia (ACT, Qld, Vic, WA).
kathleenae Glover, 1973: 414. Australia (SA); Australia (NSW).
modicus Skuse, 1889e: 274 (*Tanytarsus*). Australia (NSW); Australia (ACT).

Genus PONTOMYIA Edwards

PONTOMYIA Edwards, 1926c: 796. Type species: *Pontomyia natans* Edwards, 1926, mon.
cottoni Womersley, 1937a: 102. Australia (SA); Australia (NSW, Qld, Vic, WA).
natans Edwards, 1926c: 796. Western Samoa; Australia (Qld), Fiji, Marshall Is; Palearctic Reg (Sinai).
oceana Tokunaga, 1964a: 626. Belau; Australia (Qld).
pacifica Tokunaga, 1932: 44. Japan; Australia (Qld); Singapore.

Genus RHEOTANYTARSUS Thienemann & Bause

RHEOTANYTARSUS Thienemann & Bause in Bause, 1913: 120 [1914: 20]. Type species: *Tanytarsus pentapoda* Kieffer, 1909, des. Goetghebuer, 1954: 132.
annulatus Glover, 1973: 419. Australia (NSW).
christinae Glover, 1973: 420. Australia (WA); Australia (Qld).
flabellatus Glover, 1973: 420. Australia (ACT); Australia (NSW, Vic).
johnstoni Glover, 1973: 422. Australia (SA); Australia (NSW, NT, Qld Vic).
juliae Glover, 1973: 424. Australia (SA); Australia (ACT, NSW, Qld Vic).
ogilbyi Skuse, 1889e: 273 (*Tanytarsus*). Australia (NSW).

underwoodi Glover, 1973: 425. Australia (WA).

Genus STEMPELLINA Thienemann & Bause

STEMPELLINA Thienemann & Bause in Bause, 1913: 120 [1914: 120]. Type species: *Tanytarsus bausei* Kieffer, 1911, mon.

australiensis Freeman, 1961: 729. Australia (NSW).

emarginata Tokunaga, 1964a: 624 (*Tanytarsus*). Belau.

gressitti Tokunaga, 1964a: 625 (*Tanytarsus*). Belau.

johni Glover, 1973: 428. Australia (SA); Australia (NSW, Vic).

Genus TANYTARSUS Wulp

TANYTARSUS Wulp, 1874: 134. Type species: *Chironomus signatus* Wulp, 1874, des. I.C.Z.N., 1961: 361.

CALOPSECTRA Kieffer, 1909: 50 (*Tanytarsus* subg.). Type species: *Tanytarsus gregarius* Kieffer, 1909, des. Kieffer, 1921g: 36.

albanyensis Forsyth, 1971: 137. NZ (NZ).

aviungulatus Glover, 1973: 472. Australia (NSW).

barbitarsis Freeman, 1961: 722. Australia (WA); Australia (Qld, SA, Vic).

barbitarsus, error for *barbitarsis*

belairensis Glover, 1973: 468. Australia (SA); Australia (ACT, NSW).

belmorensis Glover, 1973: 474. Australia (NSW).

bispinosus Freeman, 1961: 727. Australia (NSW); Australia (ACT, NT, Qld, SA, Vic).

boninensis Tokunaga, 1964a: 606. Bonin Is; Guam.

brachyurus Tokunaga, 1964a: 621. Bonin Is.

collessi Glover, 1973: 457. Australia (WA).

commoni Glover, 1973: 458. Australia (ACT); Australia (NSW).

dybasi Tokunaga, 1964a: 609. Belau; Northern Marianas, Micronesia.

dycei Glover, 1973: 444. Australia (Qld).

edwardi Glover, 1973: 466. Australia (NSW); Australia (Tas, WA).

esakii Tokunaga, 1940a: 224. Micronesia; Marshall Is.

funebris Freeman, 1959: 436. NZ (NZ); NZ (Auckland Is).

fuscithorax Skuse, 1889e: 272. Australia (NSW); widesp. Australia.

graniticus Glover, 1973: 460. Australia (WA).

halophilae Edwards, 1926c: 791. Western Samoa; Belau, Fiji, Marshall Is, Micronesia, Northern Marianas.

haugheyi Glover, 1973: 467. Australia (WA).

hopkinsi Edwards, 1928c: 62. Western Samoa.

inxentus Skuse, 1889e: 269. Australia (NSW); Australia (ACT, Tas, Vic, WA).

communis Skuse, 1889e: 271. Australia (NSW).

insulicola Tokunaga, 1964a: 616. Belau; Guam.

lamnicaudus Tokunaga, 1964a: 608. Micronesia; Belau.

latiforceps Tokunaga, 1964a: 619. Belau.

liepae Glover, 1973: 461. Australia (ACT); Australia (NSW).

magnihamatus Tokunaga, 1933b: 362. Japan; Belau, Guam, Marshall Is, Micronesia.

manleyensis Glover, 1973: 462. Australia (NSW); Australia (Vic).

mendumae Glover, 1973: 462. Australia (ACT); Australia (NT).

moruyaensis Glover, 1973: 450. Australia (NSW); Australia (WA).

neosydneyensis Glover, 1973: 475. Australia (NSW); Australia (SA), Lord Howe I.

sydneyensis, Freeman, 1961, not Kieffer, 1917, ?misid.

nichollsi Glover, 1973: 450. Australia (WA); Australia (NT).

ovatus Johannsen, 1932c: 545. Indonesia (Java); Belau.

palmatus Freeman, 1961: 726. Australia (Vic); Australia (ACT, SA).

paskevillensis Glover, 1973: 452. Australia (SA).
pelagicus Tokunaga, 1933b: 364. Japan; Belau.
ponapensis Tokunaga, 1964a: 612. Micronesia; Belau.
richardsi Glover, 1973: 463. Australia (NT); Australia (WA).
rieki Glover, 1973: 471. Australia (NSW); Australia (Tas).
semibarbitarsus Glover, 1973: 454. Australia (SA); Australia (NSW, NT, WA).
simplex Tokunaga, 1964a: 614. Belau; Micronesia.
spinosus Freeman, 1961: 726. Australia (Vic); Australia (ACT, NSW).
subinextensus Glover, 1973: 456. Australia (SA); Australia (NSW, Qld, Tas, Vic).
tricuspis Tokunaga, 1964a: 622. Belau.
upoluensis Ashe, 1985: 231 (n. n. for *maritimus* Edwards, 1926). Western Samoa; Belau, Fiji, Micronesia.
maritimus Edwards, 1926c: 794. Western Samoa. [Preocc. Meunier, 1904.]
vespertinus Hutton, 1902b: 185. NZ (NZ).

Unplaced species of Tanytarsini

pauciplumatus Hardy, 1960: 115 (*Chironomus*). Hawaiian Is.
sydneyensis Kieffer, 1917a: 224 (*Tanytarsus*). Australia (NSW). *Nomen dubium*.

Tribe CHIRONOMINI

Genus AXARUS Roback

ANCEUS Roback, 1963: 237 (*Xenochironomus* subg.). Type species: *Chironomus festivus* Say, 1823, orig. des. [Preocc. Risso, 1816.]
AXARUS Roback, 1980: 32 (n. n. for *Anceus*).
Undescribed spp.—Australia (NT), PNG (PNG).

Genus CARTERONICA Strand

CARTERIA Kieffer, 1921d: 590. Type species: *Tendipes longilobus* Kieffer, 1916, orig. des. [Preocc. Diesing, 1866.]
CARTERONICA Strand, 1928: 48 (n. n. for *Carteria*).
longilobus Kieffer, 1916: 107 (*Tendipes*). Taiwan; Australia (NSW, Qld, WA), Belau, Guam, Micronesia, Northern Marianas; Japan.

Genus CHIRONOMUS Meigen

CHIRONOMUS Meigen, 1803: 260. Type species: *Tipula plumosa* Linnaeus, 1758, des. Latreille, 1810: 442.

Subgenus CAMPTOCHIRONOMUS Kieffer

CAMPTOCHIRONOMUS Kieffer, 1918a: 45. Type species: *Chironomus aprilinus* Meigen, 1830
[misid., = *Chironomus tentans* Fabricius, 1805], des. Goetghebuer, 1937: 21. [I.C.Z.N. ruling required on conservation of misidentified type species.]
crassiforceps Kieffer, 1916: 111 (*Tendipes*). Taiwan; widesp. Pacific; Oriental Reg.
esakii Tokunaga, 1940a: 221. Northern Marianas.
insolens Johannsen, 1946: 192. Guam.

Subgenus CHIRONOMUS Meigen

CHIRONOMUS Meigen, 1803: 260 (as gen.). Type species: *Tipula plumosa* Linnaeus, 1758, des. Latreille, 1810: 442.

- analis* Freeman, 1959: 425. NZ (NZ).
- antipodensis* Sublette & Wirth, 1980: 326. NZ (Antipodes Is).
- australis* Macquart, 1847a: 9 [1847b: 25]. Australia (Tas); Australia (ACT, NSW, SA, Vic).
- applicatus* Walker, 1856d: 424. Australia (Tas). N. syn.
- imitans* Walker, 1856d: 425. Australia (Tas). N. syn.
- bicoloris* Tokunaga, 1964a: 557. Micronesia; Australia (Qld), Belau.
- calipterus* Kieffer, 1908: 158. Namibia; Belau, Australia (Qld); widesp. Afrotrop., Oriental, Palearctic
Regns.
- pallidinubeculosus* Tokunaga, 1964a: 549. Belau. N. syn.
- carolinensis* Tokunaga, 1964a: 564. Micronesia; Belau.
- claggi* Tokunaga, 1964a: 563. Bonin Is; Guam, Micronesia, Wake I.
- cloacalis* Atchley & Martin, 1971: 322. Australia (Vic); Australia (NSW, Qld, SA, WA).
- cloacalis* Martin, 1967: 259 [1969a: 273]. *Nomen nudum*.
- crassicaudus* Tokunaga, 1964a: 556. Belau; Guam, Micronesia, Northern Marianas.
- duplex* Walker, 1856d: 424. Australia (Tas); Australia (NSW, SA, Vic).
- hawaiensis* Grimshaw, 1901: 4. Hawaiian Is; ?Fiji.
- javanus* Kieffer, 1924a: 263. Indonesia (Java); Belau, Marshall Is, Micronesia.
- magnivalva* Kieffer, 1917a: 219. Australia (Qld); Fiji, French Polynesia (Society Is).
- nepeanensis* Skuse, 1889e: 231. Australia (NSW); Australia (NT, Qld, SA, Vic, WA).
- nigerilateralis* Tokunaga, 1964a: 565. Micronesia.
- occidentalis* Skuse, 1889e: 230. Australia (WA); Australia (NT).
- oppositus* Walker, 1856d: 425. Australia (Tas); Australia (NSW, Qld, SA, Vic).
- ssp. *connori* Martin & Lee, 1984: 191. Australia (NSW & Tas & Vic).
- ssp. *oppositus* s. str. Australia (Tas); Australia (NSW, SA, Vic).
- egregius* Skuse, 1889e: 232. Australia (NSW & Qld). N. syn.
- ssp. *tyleri* Martin & Lee, 1984: 191. Australia (NSW & SA & Tas & Vic).
- ssp. *whitei* Martin & Lee, 1984: 191. Australia (NSW & SA & Tas & Vic).
- plumatisetigerus* Tokunaga, 1964a: 560. Belau; Australia (NT), Guam, Micronesia, PNG (PNG);
India.
- praeapicalis* Tokunaga, 1964a: 562. Belau; Micronesia.
- samoensis* Edwards, 1928c: 67. Western Samoa & American Samoa & Tonga; Belau, ?French
Polynesia (Marquesas), Guam, Marshall Is, Micronesia.
- eximius* Johannsen, 1946: 193. Guam.
- dorsalis*, Tokunaga, 1940, not Meigen, 1818, misid.
- sexipunctatus* Tokunaga, 1964a: 569. Guam.
- subantarcticus* Sublette & Wirth, 1980: 327. NZ (Campbell I); NZ (Auckland Is).
- tepperi* Skuse, 1889e: 244. Australia (SA); widesp. Australia (excl. Tas).
- trifasciatus* Tokunaga, 1964a: 561. Micronesia.
- zealandicus* Hudson, 1892: 43. NZ (NZ).
- novaezelandiae* Kieffer, 1922a: 146. NZ (NZ).

Nomina dubia in Chironomus Meigen

- alternans* Walker, 1856d: 423. Australia (NSW); Australia (ACT, Qld, SA, Vic, WA).
- arcuatus* Kieffer, 1917a: 219. Australia (NSW).
- imberbis* Kieffer, 1917a: 210. Australia (NSW).
- januarius* Skuse, 1889e: 239. Australia (NSW).
- pervagatus* Skuse, 1889e: 233. Australia (NSW).
- subdolus* Skuse, 1889e: 236. Australia (NSW).
- tenuiventris* Kieffer, 1917a: 217. Australia (NSW).

Nomina nuda in Chironomus Meigen

- februarius* Martin, 1967: 259 [1969a: 273].
- pseudoppositus* Martin, 1969a: 273.

Genus CLADOPELMA Kieffer

CLADOPELMA Kieffer, 1921c: 274 [1921e: 63; 1921g: 31]. Type species: *Chironomus virescens* Meigen, 1818, des. Harnisch, 1923: 304.
curtivalva Kieffer, 1917a: 213 (*Chironomus*). Australia (NSW); Australia (ACT, NT, SA, Vic, WA), NZ (NZ).
cylindricus, Forsyth, 1971, not Freeman, 1959, misid.
pulcher, Skuse, 1889, not Wiedemann, 1830, misid.

Genus CONOCHIRONOMUS Freeman

CONOCHIRONOMUS Freeman, 1961: 701. Type species: *Endochironomus acutistilus* Freeman, 1955, orig. des.
acutistilus Freeman, 1955b: 288 (*Endochironomus*). Zaire; Australia (Qld); Afrotrop. Reg.

Genus CRYPTOCHIRONOMUS Kieffer

CRYPTOCHIRONOMUS Kieffer, 1918a: 46 (*Chironomus* subg.). Type species: *Chironomus chlorolobus* Kieffer, 1918, orig. des.
griseidorsum Kieffer, 1917a: 218 (*Chironomus*). Australia (NSW); widesp. Australia (excl. ACT), PNG (PNG).
javae Kieffer, 1924a: 264. Indonesia (Java); Belau.
ponapensis Tokunaga, 1964a: 576 (*Chironomus*). Micronesia. N. comb.

Genus DICROTENDIPES Kieffer

DICROTENDIPES Kieffer, 1913e: 23. Type species: *Dicrotendipes pictipennis* Kieffer, 1913 [= *Chironomus quatuordecimpunctatus* Goetghebuer, 1936], mon.
balciunasi Epler, 1988: 113. Australia (NT); Australia (WA).
bilobatus Kieffer, 1917a: 222. Australia (NSW); Australia (ACT).
candidibasis Edwards, 1924f: 573 (*Chironomus*). Fiji; Western Samoa.
melanoenemis Edwards, 1928c: 65 (*Chironomus*). Western Samoa.
conunctus Walker, 1856d: 425 (*Chironomus*). Australia (Tas); Australia (ACT, NSW, Qld, Tas, WA).
cumberlandensis Epler, 1988: 125. Australia (Vic); Australia (Qld).
flexus Johannsen, 1932c: 530 (*Chironomus*). Indonesia (Java); Australia (NT).
jobetus Epler, 1988: 130. Australia (NT); Australia (WA).
jonmartini Epler, 1988: 131. Australia (SA); Australia (WA).
leei Freeman, 1961: 691 (*Chironomus*). Australia (NSW).
lindae Epler, 1988: 133. Australia (Qld); Australia (NT).
pelochloris Kieffer, 1912d: 39 (*Tendipes*). Taiwan; Australia (NSW, NT, Qld); Oriental, Palearctic Regs.
wirthi Freeman, 1961: 692 (*Chironomus*). Australia (NSW).
pseudoconjunctus Epler, 1988: 139. Australia (Tas); Australia (SA, Vic, WA).
sarinae Epler, 1988: 142. Australia (Qld); Australia (WA).
septemmaculatus Becker, 1908: 77 (*Chironomus*). Canary Is; Australia (NSW, NT, Qld); Afrotrop., Oriental, Palearctic Regs.
pilosimanus Kieffer, 1914: 262. South Africa.
taylori Freeman, 1961: 692 (*Chironomus*). Australia (Qld); PNG (PNG).
tenuiforceps Kieffer, 1913d: 136 (*Tendipes*). India; Australia (Qld).
innisfailensis Freeman, 1961: 694 (*Chironomus*). Australia (Qld).

Genus EINFELDIA Kieffer

EINFELDIA Kieffer, 1924c: 393. Type species: *Einfeldia pectoralis* Kieffer, 1924, mon.
vitellina Freeman, 1961: 686 (*Chironomus*). Australia (NT); Australia (NSW, Qld), Fiji, PNG (PNG). N. comb.

Genus ENDOCHIRONOMUS Kieffer

ENDOCHIRONOMUS Kieffer, 1918b: 69. Type species: *Chironomus alismatus* Kieffer, 1915 [= *Tipula tendens* Fabricius, 1775], orig. des.
palauensis Tokunaga, 1964a: 571 (*Chironomus*). Belau. N. comb.
tenuicaudus Tokunaga, 1964a: 572 (*Chironomus*). Micronesia. N. comb.

Genus GILLOTIA Kieffer

GILLOTIA Kieffer, 1921c: 272 [1921g: 31]. Type species: *Gillotia fuscipes* Kieffer, 1922 [preocc., = *Chironomus trifidus* Freeman, 1957], subs. mon. Kieffer, 1922c: 62.
Undescribed sp. — Australia (NSW).

Genus GOELDICHIRONOMUS Fittkau

GOELDICHIRONOMUS Fittkau, 1965: 210. Type species: *Chironomus holoprasinus* Goeldi, 1905, orig. des.
holoprasinus Goeldi, 1905: 135 (*Chironomus*). Brazil; Hawaiian Is; New World.

Genus HARNISCHIA Kieffer

HARNISCHIA Kieffer, 1921c: 273 [1921e: 69]. Type species: *Harnischia fuscimana* Kieffer, 1921, subs. mon. Kieffer, 1921e: 69.
curtilamellata Malloch, 1915a: 474 (*Chironomus*). USA; Australia (ACT); Afrotrop., Holarctic, Oriental Regs.
?dycei Freeman, 1961: 701 (*Chironomus*). Australia (ACT).

Genus HARRISIUS Freeman

HARRISIUS Freeman, 1959: 426. Type species: *Harrisius pallidus* Freeman, 1959, orig. des.
montanus Skuse, 1889e: 268 (*Tanytarsus*). Australia (NSW); Australia (Vic).
cereolus Skuse, 1889e: 270 (*Tanytarsus*). Australia (NSW).
pallidus Freeman, 1959: 426. NZ (NZ).

Genus IMPARIPECTEN Freeman

IMPARIPECTEN Freeman, 1961: 703. Type species: *Imparipecten pictipes* Freeman, 1961, orig. des.
pictipes Freeman, 1961: 703. Australia (Tas); Australia (ACT, NSW).

Genus KIEFFERULUS Goetghebuer

KIEFFERULUS Goetghebuer, 1922: 40. Type species: *Tanytarsus tendipediformis* Goetghebuer, 1921, orig. des.
intertinctus Skuse, 1889e: 234 (*Chironomus*). Australia (NSW); widesp. Australia (excl. NT).
hexhamensis Skuse, 1889e: 237 (*Chironomus*). Australia (NSW).
lativalva Kieffer, 1917a: 211 (*Chironomus*). Australia (NSW).
martini Freeman, 1961: 690 (*Chironomus*). Australia (Vic); Australia (NSW, NT, Qld, Tas).
opalensis Forsyth, 1975: 215. NZ (NZ).
paratinctus Martin, 1964: 285 (*Chironomus*). Australia (Vic); Australia (NSW, Qld).

Genus MICROCHIRONOMUS Kieffer

MICROCHIRONOMUS Kieffer, 1918b: 113 (*Chironomus* subg.). Type species: *Chironomus lendli* Kieffer, 1918, orig. des.
tener Kieffer, 1918a: 48 (*Chironomus*). Poland; Australia (Qld); Australia (ACT, NT, Vic); Afrotrop., Oriental, Palearctic Regs.

forcipatus Freeman, 1954a: 20 (*Chironomus*). South Africa.

Genus MICROTENDIPES Kieffer

MICROTENDIPES Kieffer, 1915: 70. Type species: *Tendipes abbreviatus* Kieffer, 1913 [= *Chironomus chloris* Meigen, 1818], orig. des.
umbrosus Freeman, 1955a: 32. Kenya; Australia (Qld), PNG (PNG); Afrotrop. Reg.

Genus NILODORUM Kieffer

NILODORUM Kieffer, 1921b: 184 [1921g: 30, 1922c: 45]. Type species: *Nilodorum heterochirus* Kieffer, 1921, mon.
tainanum Kieffer, 1922d: 36 (*Tendipes*). Taiwan; Australia (NT, Qld); Japan, Oriental Reg.
biroi Kieffer, 1918b: 108 (*Chironomus*). Sri Lanka.

Genus NILOTHAUMA Kieffer

NILOTHAUMA Kieffer, 1921c: 270. Type species: *Nilothauma pictipenne* Kieffer, 1921, subs. mon.
Kieffer, 1921g: 37.
Unidentified sp.—Australia (WA).

Genus OPHRYOPHORUS Freeman

OPHYROPHORUS Freeman, 1959: 427. Type species: *Ophyrophorus ramiferus* Freeman, 1959, orig. des.
ramiferus Freeman, 1959: 428. NZ (NZ).

Genus PARABORNIELLA Freeman

PARABORNIELLA Freeman, 1961: 717. Type species: *Paraborniella tonnoiri* Freeman, 1961, orig. des.
tonnoiri Freeman, 1961: 718. Australia (ACT); Australia (NSW, Vic, WA).

Genus PARACHIRONOMUS Lenz

PARACHIRONOMUS Lenz, 1921: 160. Type species: *Chironomus cryptomus* Kieffer, 1915, des.
Townes, 1945: 152.
cylindricus Freeman, 1959: 425 (*Chironomus*). NZ (NZ).
delinificus Skuse, 1889e: 239 (*Chironomus*). Australia (NSW); Australia (Tas, Vic).

Genus PARACLADOPELMA Harnisch

PARACLADOPELMA Harnisch, 1923: 304. Type species: *Tendipes camptolabis* Kieffer, 1913, orig. des.
angustum Freeman, 1961: 699 (*Chironomus*). Australia (NSW).

Genus PARALAUTERBORNIELLA Lenz

PARALAUTERBORNIELLA Lenz, 1941: 48. Type species: *Chironomus brachylabis* Edwards, 1929 [= *Chironomus nigrohalteralis* Malloch, 1915], mon.
Unidentified sp.—Australia (Qld).

Genus PARATENDIPES Kieffer

PARATENDIPES Kieffer, 1911e: 41. Type species: *Chironomus albimanus* Meigen, 1818, orig. des.
Unidentified sp.—Australia (Qld).

Genus PARVITERGUM Freeman

PARVITERGUM Freeman, 1961: 716. Type species: *Parvitergum fuscipenne* Freeman, 1961, orig. des. *fuscipenne* Freeman, 1961: 717. Australia (Vic).

Genus PAUCISPINIGERA Freeman

PAUCISPINIGERA Freeman, 1959: 428. Type species: *Paucispinigera approximata* Freeman, 1959, orig. des. *approximata* Freeman, 1959: 429. NZ (NZ).

Genus PHAENOPSECTRA Kieffer

PHAENOPSECTRA Kieffer, 1921c: 276. Type species: *Chironomus leucolabis* Kieffer, 1915 [= *Chironomus flavipes* Meigen, 1818], des. Goetghebuer, 1938: 80. *gressitti* Tokunaga, 1964a: 579. Micronesia; Guam, Marshall Is.

Genus POLYPEDILUM Kieffer

POLYPEDILUM Kieffer, 1912d: 41 [1913a: 15]. Type species: *Polypedilum pelostolum* Kieffer, 1912 [= *Chironomus nubifer* Skuse, 1889], des. Ashe, 1981: 58.

Subgenus PENTAPEDILUM Kieffer

PENTAPEDILUM Kieffer, 1913b: 25 (as gen.). Type species: *Pentapedilum stratiotale* Kieffer, 1913 [= *Chironomus tritus* Walker, 1856], des. Edwards, 1929i: 376. *convexum* Johannsen, 1932c: 540 (*Pentapedilum*). Indonesia (Sumatra); Belau, Micronesia; Japan. *elongatum* Tokunaga, 1964a: 600. Micronesia. *esakii* Tokunaga, 1964a: 600 (*Pentapedilum*). Micronesia; Guam. *leei* Freeman, 1961: 713. Australia (NSW); Australia (NT, Qld, SA, WA). *nodosum* Johannsen, 1932c: 541 (*Pentapedilum*). Indonesia (Java); Belau, Micronesia, Northern Marianas, PNG (PNG); Indonesia (Sumatra). *palauense* Tokunaga, 1964a: 601. Belau. *trukense* Tokunaga, 1940a: 223 (*Pentapedilum*). Micronesia; Belau.

Subgenus POLYPEDILUM Kieffer

POLYPEDILUM Kieffer, 1912d: 41 [1913a: 15] (as gen.). Type species: *Polypedilum pelostolum* Kieffer, 1912 [= *Chironomus nubifer* Skuse, 1889], des. Ashe, 1981: 58. *albicolor* Tokunaga, 1964a: 594. Belau. *alternans* Forsyth, 1971: 133. NZ (NZ). *canum* Freeman, 1959: 434. NZ (NZ). *?ignavus* Hutton, 1902b: 183 (*Chironomus*). NZ (NZ). *concomitatum* Johannsen, 1932c: 517 (*Chironomus*). Indonesia (Java); Belau. *cumberi* Freeman, 1959: 434. NZ (NZ). *digitulum* Freeman, 1959: 433. NZ (NZ). *dybasi* Tokunaga, 1964a: 587. Belau; Micronesia. *griseoguttatum* Kieffer, 1921f: 100. Cameroon; ?Australia (NSW, NT, Qld, Vic); India, widesp. Afrotrop. Reg. *harrisi* Freeman, 1959: 433. NZ (NZ). *insulanum* Tokunaga, 1964a: 586. Micronesia. *longicrus* Kieffer, 1921f: 101. Zaire; NZ (NZ); Afrotrop. Reg. *luteum* Forsyth, 1971: 133. NZ (NZ). *medivittatum* Tokunaga, 1964a: 588. Belau; Guam, Micronesia. *nigribasale* Tokunaga, 1964a: 590. Micronesia.

- nubiferum** Skuse, 1889e: 249 (*Chironomus*). Australia (NSW); widesp. Australia, ?Hawaiian Is; Afrotrop., Oriental, Palearctic Regs.
- albiceps** Johannsen, 1932c: 515 (*Chironomus*). Indonesia (Java).
- ?**novemmaculatum** Hardy, 1960: 117. Hawaiian Is. N. syn.
- opimum** Hutton, 1902b: 182 (*Chironomus*). NZ (NZ).
- oresitrophum** Skuse, 1889e: 247 (*Chironomus*). Australia (NSW); Australia (Tas, Vic).
- brevis** Skuse, 1889e: 249 (*Chironomus*). Australia (NSW).
- pavidum** Hutton, 1902b: 183 (*Chironomus*). NZ (NZ).
- perturbans** Johannsen, 1932c: 518 (*Chironomus stictopterus* Kieffer, var.). Indonesia (Sumatra); Guam.
- ponapense** Tokunaga, 1964a: 585. Micronesia.
- prasiogaster** Freeman, 1961: 713. Australia (NSW); Australia (ACT, Tas, Vic).
- seorsum** Skuse, 1889e: 241 (*Chironomus*). Australia (NSW); Australia (Vic).
- orarius** Skuse, 1889e: 242 (*Chironomus*). Australia (NSW).
- spadix** Tokunaga, 1964a: 593. Belau; Micronesia.
- tonnoiri** Freeman, 1961: 710. Australia (Tas); Australia (NSW, Vic, WA).
- vespertinum** Skuse, 1889e: 248 (*Chironomus*). Australia (NSW).
- venustulus** Skuse, 1889e: 257 (*Orthocladius*). Australia (NSW).
- watsoni** Freeman, 1961: 710. Australia (WA); Australia (ACT, NSW, NT, Vic).
- wirthi** Freeman, 1961: 712. Australia (NSW).
- yapense** Tokunaga, 1964a: 594. Micronesia; Belau.

Unplaced species of *Polyptilum* Kieffer

lentum Hutton, 1902b: 182 (*Chironomus*). NZ (NZ). *Nomen dubium*.

Genus SKUSELLA Freeman

SKUSELLA Freeman, 1961: 718. Type species: *Chironomus subvittatus* Skuse, 1889, orig. des.
subvittata Skuse, 1889e: 246 (*Chironomus*). Australia (NSW).

Genus STENOCHIRONOMUS Kieffer

STENOCHIRONOMUS Kieffer in Kieffer & Thienemann, 1919: 44. Type species: *Tipula flexilis* Linnaeus, 1767 [misid., = *Chironomus gibbus* Fabricius, 1794], des. Goetghebuer, 1937: 12.

Subgenus PETALOPHOLEUS Borkent

PETALOPHOLEUS Borkent, 1984: 92. Type species: *Stenochironomus cinctus* Townes, 1945, orig. des.
Undescribed spp.—Australia (Qld), Fiji.

Subgenus STENOCHIRONOMUS Kieffer

STENOCHIRONOMUS Kieffer in Kieffer & Thienemann, 1919: 44 (as gen.). Type species: *Tipula flexilis* Linnaeus, 1767 [misid., = *Chironomus gibbus* Fabricius, 1794], des. Goetghebuer, 1937: 12.

watsoni Freeman, 1961: 705. Australia (WA); Australia (Qld, Vic).

Unplaced species of *Stenochironomus* Kieffer

longilobatus Tokunaga, 1964a: 592 (*Polyptilum*). Micronesia.
sabroskyi Tokunaga, 1964a: 577. Belau.

Genus STICTOCHIRONOMUS Kieffer

STICTOCHIRONOMUS Kieffer in Kieffer & Thienemann, 1919: 44. Type species: *Chironomus pictulus* Meigen, 1830, des. Townes, 1945: 77.

fluviaticus Skuse, 1889e: 245 (*Chironomus*). Australia (NSW); Australia (Qld).

illawarra Freeman, 1961: 716. Australia (NSW); Australia (Vic).

townesi Tokunaga, 1964a: 578. Micronesia.

Genus XENOCHIRONOMUS Kieffer

XENOCHIRONOMUS Kieffer, 1921c: 273. Type species: *Chironomus xenolabis* Kieffer, 1916, des.

Goetghebuer, 1937: 32.

canterburyensis Freeman, 1959: 425 (*Chironomus*). NZ (NZ); Australia (SA, Vic).

Genus YAMA Sublette & Martin

YAMA Sublette & Martin, 1980: 222. Type species: *Yama tahitiensis* Sublette & Martin, 1980, orig. des. *tahitiensis* Sublette & Martin, 1980: 226. French Polynesia (Society Is.).

Genus ZAVRELIELLA Kieffer

ZAVRELIELLA Kieffer, 1920: 334. Type species: *Chironomus clavaticrus* Kieffer, 1913 [= *Chironomus marmoratus* Wulp, 1885], orig. des.

fuscoguttata Kieffer, 1922c: 37 (*Polypedilum*). Sudan; Australia (NSW, NT); Afrotrop. Reg. N. **comb.**

Unplaced species of Chironomini

anomalus Freeman, 1961: 706 (*Stenochironomus*). Australia (Tas); Australia (ACT, SA, Vic)

australiensis Freeman, 1961: 696 (*Chironomus*). Australia (NSW); Australia (ACT, SA, Tas).

Nomina dubia in Chironominae

apicale Kieffer, 1917a: 221 (*Polypedilum*). PNG (PNG).

blandellus Kieffer, 1906: 16 (*Chironomus*; n. n. for *blandus* Skuse). Australia (NSW); Australia (Vic).

blandus Skuse, 1889e: 238 (*Chironomus*). Australia (NSW). [Preocc. Wulp, 1858.]

dissimilis Kieffer, 1917a: 210 (*Chironomus*). PNG (PNG).

dolichopelma Kieffer, 1917a: 215 (*Chironomus*). PNG (PNG).

erimanus Kieffer, 1917a: 211 (*Chironomus*). PNG (PNG).

humilis Kieffer, 1917a: 220 (*Chironomus*). Australia (NSW); PNG (PNG).

huonensis Kieffer, 1917a: 215 (*Chironomus*). PNG (PNG).

instabilis Walker, 1865a: 103 (*Chironomus*). "New Guinea" [= Indonesia (Irian Jaya)].

microtomus Kieffer, 1917a: 218 (*Chironomus*). Australia (NSW).

neglectus Kieffer, 1917a: 220 (*Chironomus*). PNG (PNG).

pallidiceps Kieffer, 1917a: 215 (*Chironomus*). PNG (PNG).

pallidiforceps Kieffer, 1917a: 215 (*Chironomus*). PNG (PNG).

quadrifasciatus Kieffer, 1917a: 216 (*Chironomus*). Australia (Qld).

sydneyensis Kieffer, 1917a: 213 (*Chironomus*). Australia (NSW).