

28. Family TABANIDAE

By Greg Daniels

All subfamilies of Tabanidae except the Scep-sidinae are present in the Australasian Region. Chrysopsinae is represented here by Bouvieromyiini and Chrysopsini; Pangoniinae by Pangoniini, Philolichini, and Scionini; and Tabaninae by Diachlorini, Haematopotini (possibly), and Tabanini.

Tabanids are mostly sturdy flies and usually strong fliers. The adults of both sexes feed on nectar and pollen of flowers. Females of most species have piercing mandibles and also take blood meals although there are no Australian records of Pangoniini being blood feeders. They can be serious pests of cattle, horses, and other mammals and may be very annoying to man with their persistent attacks. Adults are only of minor importance as mechanical transmitters of disease within the regions covered here. No Australian species is yet known to transmit any infection of man or stock, although Spratt (1974) recorded the presence of *Pelecitus roemeri* (Linstow), a filarioid parasite of the wallaroo, kangaroo, and Red-Necked Wallaby, in 10 species of tabanids in SE Queensland.

Larvae of only a few Australian species have been found and successfully reared. Many have been found in aquatic or semiaquatic situations with pupae in soil or mud adjacent to water. However, known larvae of Australian Pangoniinae have been found in either dry sand below over-

hanging rock shelves [*Scaptia muscula* (English 1955)] or beneath decaying vegetation on slightly damp sandy loam [*Ectenopsis vulpecula* (English 1953), *Scaptia vicina* (English 1955), and *Caenoprosopon trichocerus* (English 1961)]. Fuller (1936) described the larvae and pupae of *Scaptia patula* (as *S. auriflua*) found in damp soil. Johnston & Bancroft (1920f) described the larva and pupa of *Tabanus pallipennis*, *T. townsvilli* (as *T. batchelori*), and *Mesomyia fuliginosa* (as *Silvius notatus*); Hill (1921a) described the early stages of 6 species; Fuller (1937) presented notes on the early stages of *Dasybasis froggatti*, *D. gentilis*, and *D. neobasis*; English (1949) described the biology of *Dasybasis macrophthalma* (as *Tabanus orarius*); and English *et al.* (1958) described the early stages of *Chalybosoma casuarinae* found in rot-holes of she-oaks (*Casuarina* sp.).

Although more than 3,000 species of Tabanidae are known worldwide, the Australasian/Oceanian Regions support a small fauna of just over 400 species. A high percentage of these species belongs to the ancient tribes Pangoniini, Philolichini, Scionini, Bouvieromyiini, and Diachlorini. Numerous undescribed species are known from Australia, and other areas covered herein probably have additional species.

Refs.: Mackerras (1955-1972, rev. Australian spp.), Mackerras & Rageau (1958, rev. Australian spp.).

Subfamily CHRYSOPSINAE

Tribe BOUVIEROMYIINI

Genus MESOMYIA Macquart

MESOMYIA Macquart, 1850: 341(37). Type species: *Mesomyia decora* Macquart, 1850, mon.

Subgenus LILAEA Walker

LILAEA Walker, 1850b: 11 (*Pangonia* subg.). Type species: *Pangonia luridus* Walker, 1848, des. Coquillett, 1910: 561.

OMMIA Enderlein, 1922c: 348 [1925: 339] (as gen.). Type species: *Ommia prisca* Enderlein, 1922, orig. des.

- fuliginosa** Taylor, 1916a: 810 (*Silvius*). Australia (NT); Australia (NSW, Qld, Tas, Vic, WA).
notatus Ricardo, 1915c: 264 (*Silvius*). Australia (WA). [Preocc. Bigot, 1892.]
psarophanes Taylor, 1917c: 520 (*Silvius*). Australia (Qld).
abrus Philip, 1941b: 187 (*Silvius*; n. n. for *notatus* Ricardo).
lurida Walker, 1848: 140 (*Pangonia*). Australia (NSW); Australia (Qld, Vic).
hackeri Taylor, 1919b: 45 (*Silvius*). Australia (Qld).
prisca Enderlein, 1922c: 348 [1925: 339] (*Ommia*). Australia (Vic).
mansoni Summers, 1912: 226 (*Silvius*). Australia (NT); Australia (Qld).
strangmani Summers, 1912: 227 (*Silvius*). Australia (NT).
sordidus Taylor, 1916a: 808 (*Silvius*). Australia (NT).
tabaniformis Taylor, 1916a: 813 (*Silvius*). Australia (NT).
subluridus Taylor, 1917b: 752 (*Silvius*). Australia (NT).
marsoni, error for *mansoni*.
strangmanni, error for *strangmani*.
norrisi Mackerras, 1961: 857. Australia (WA); Australia (?Vic).
paralurida Ferguson & Henry, 1920: 839 (*Silvius*). Australia (NSW).
stradbrokei Taylor, 1917c: 519 (*Silvius*). Australia (Qld).

Subgenus MESOMYIA Macquart

- MESOMYIA** Macquart, 1850: 341(37) (as gen.). Type species: *Mesomyia decora* Macquart, 1850, orig. des.
cydista Taylor, 1918a: 58 (*Diatomineura*). Australia (WA).
doddi Ricardo, 1915c: 261 (*Silvius*). Australia (Qld).
imitator Ferguson, 1921a: 369 (*Silvius*). Australia (WA).
latifrons Mackerras, 1961: 899. Australia (SA).
montana Ricardo, 1917: 216 (*Silvius*). Australia (Qld); Australia (ACT, NSW).
niger Ricardo, 1917: 215 (*Silvius*). Australia (NSW).
angusticallosus Taylor, 1919b: 44 (*Silvius*). Australia (Qld).
nigerrima Mackerras, 1961: 903. Australia (WA).
sulcifrons Ferguson, 1921b: 14 (*Silvius*). Australia (WA).
tepperi Ferguson, 1921a: 370 (*Silvius*). Australia (SA).

Subgenus PAREUCOMPSA Enderlein

- PAREUCOMPSA** Enderlein, 1922c: 344 (as gen.). Type species: *Silvius dimidiatus* Wulp, 1869, orig. des.
dimidiata Wulp, 1869: 102 (*Silvius*). Indonesia (Irian Jaya).
femoralis Ricardo, 1913c: 405 (*Silvius dimidiata* ssp.). Indonesia (Irian Jaya); PNG (PNG).

Subgenus PERISILVIUS Enderlein

- PERISILVIUS** Enderlein, 1922c: 344 (as gen.). Type species: *Perisilvius nyassicus* Enderlein, 1922, orig. des.
atrata Schuurmans Stekhoven, 1926: 57 (*Silvius*). Indonesia (Irian Jaya); Indonesia (Maluku), PNG (PNG).
demeijerei Ricardo, 1913c: 405 (*Silvius*). Indonesia (Irian Jaya); Australia (Qld), PNG (PNG).
fulvohirtus Taylor, 1916a: 814 (*Silvius*). Australia (Qld).
vicinus Taylor, 1919b: 46 (*Silvius*). Australia (Qld).
demeyeri, error for *demeijerei*.
vittata Ricardo, 1913c: 405 (*Silvius*). Indonesia (Irian Jaya); PNG (PNG).

Genus PHIBALOMYIA Taylor

ELAPHROMYIA Taylor, 1917b: 749. Type species: *Elaphromyia carteri* Taylor, 1917, orig. des. [Preocc. Bigot, 1859.]

PHIBALOMYIA Taylor, 1920: 165 (n. n. for *Elaphromyia*).
carteri Taylor, 1917b: 749 (*Elaphromyia*). Australia (Qld).

Genus PSEUDOPANGONIA Ricardo

PSEUDOPANGONIA Ricardo, 1915c: 273. Type species: *Pseudopangonia australis* Ricardo, 1915, mon.
australis Ricardo, 1915c: 274. Australia (Qld); Australia (NSW).

Genus PSEUDOTABANUS Ricardo

PSEUDOTABANUS Ricardo, 1915c: 271. Type species: *Pseudotabanus distinctus* Ricardo, 1915, des.
Enderlein, 1925: 271.

VEPRIELLA Mackerras, 1955b: 603 (*Mesomyia* subg.). Type species: *Silvius frontalis* Ricardo, 1915, orig. des.

alcocki Summers, 1912: 227 (*Silvius*). Australia (NT).

ater Taylor, 1917b: 751 (*Silvius*). Australia (NT).

burnsi Mackerras, 1961: 878 (*Mesomyia*). Australia (Qld).

distinctus Ricardo, 1915c: 272. Australia (Qld).

equinus Ferguson & Hill, 1922: 249 (*Silvius*). Australia (Qld); Australia (WA).

eyreanus Mackerras, 1961: 889 (*Mesomyia*). Australia (WA).

fergusoni Ricardo, 1917: 214 (*Silvius*). Australia (NSW); Australia (Qld).

frontalis Ricardo, 1915c: 262 (*Silvius*). Australia (NT).

fulvissimus Mackerras, 1961: 883 (*Mesomyia*). Australia (WA).

fuscipennis Ricardo, 1917: 212 (*Silvius*). Australia (Qld).

sexguttatus Enderlein, 1925: 315 (*Veprius*). "Nordaustralien."

grandis Ricardo, 1917: 212 (*Silvius*). Australia (WA).

lunulatus Bigot, 1892a: 688 (*Tabanus*). "Australie"; Australia (NT, Qld, WA).

indistinctus Ricardo, 1915c: 262 (*Silvius*). Australia (NT).

hilli Taylor, 1916a: 806 (*Silvius*). Australia (NT).

borealis Taylor, 1916a: 809 (*Silvius*). Australia (NT).

insularis Ricardo, 1917: 216 (*Silvius*). Australia (NT).

nigripennis Ricardo, 1917: 213 (*Silvius*). Australia (Qld).

nigroapicalis Ferguson, 1921b: 15 (*Silvius*). Australia (Qld).

obscurus Mackerras, 1961: 885 (*Mesomyia*). Australia (NT); Australia (Qld).

peregrinus Mackerras, 1964b: 95 (*Mesomyia*). Indonesia (Irian Jaya); PNG (PNG). **N. comb.**

pullus Mackerras, 1961: 881 (*Mesomyia*). Australia (NSW).

queenslandi Ricardo, 1915c: 272. Australia (Qld).

kurandae Taylor, 1917b: 748 (*Corizoneura*). Australia (Qld).

silvester Bergroth, 1894: 71 (*Silvius*). Australia (Qld); Australia (NT).

australis Ricardo, 1915c: 263 (*Silvius*). Australia (Qld).

taylori Mackerras, 1961: 869 (*Mesomyia*; n. n. for *distinctus* Taylor). Australia (NT).

distinctus Taylor, 1920: 165 (*Silvius*). Australia (NT). [Preocc. Ricardo, 1915.]

trypherus Taylor, 1916a: 811 (*Silvius*). Australia (NT); Australia (Qld, WA)

marginatus Walker, 1848: 189 (*Tabanus*). "New Holland" & Australia (NT). [Preocc. Macquart, 1848.]

elongatulus Taylor, 1916a: 812 (*Silvius*). Australia (NT).

persimilis Taylor, 1919b: 43 (*Silvius elongatulus* var.). Australia (NT).

elongatus, error for *elongatulus*.

Tribe CHRYSOPSINI

Genus CHRYSOPS Meigen

CHRYSOPS Meigen, 1803: 267. Type species: *Tabanus caecutiens* Linnaeus, 1758, mon. [See I.C.Z.N., 1968: 24.]

albicinctus Wulp, 1869: 103. Indonesia (Irian Jaya); PNG (PNG).

atrivittatus Schuurmans Stekhoven, 1924a: 317 [1924b: 19]. Indonesia (Maluku).

australis Ricardo, 1915c: 265. Australia (Qld); Indonesia (Irian Jaya), PNG (PNG).

ssp. **australis** s. str. Australia (Qld).

ssp. **papuensis** Mackerras, 1964b: 88. Indonesia (Irian Jaya); PNG (PNG).

dispar Fabricius, 1798: 567 (*Tabanus*). "India orientali"; ?Indonesia (Maluku); Oriental Reg.

fasciatus Wiedemann, 1821b: 103. Indonesia (Java); ?Indonesia (Maluku); Oriental Reg.

signifer Walker, 1861d: 276. Indonesia (Irian Jaya); Indonesia (Maluku); Indonesia (Sulawesi), Malaysia (Pen), Philippines.

Subfamily PANGONIINAE

Tribe PANGONIINI

Genus AUSTROPLEX Mackerras

AUSTROPLEX Mackerras, 1955a: 466. Type species: *Austroplex goldfinchi* Mackerras, 1955, orig. des. **brevipalpis** Macquart, 1848: 168(8) (*Pangonia*). "Nouvelle-Hollande"; Australia (NSW, Qld, WA).

fulva Macquart, 1850: 323(19) (*Pangonia*). Australia, "côte orientale."

chrysophilus Walker, 1848: 155 (*Tabanus*). Not given [Australia]; Australia (NSW, Qld, ?Tas).

rufovittata Macquart, 1850: 323(19) (*Pangonia*). Australia (?Tas).

aurofasciata Jaenicke, 1867: 327 (*Pangonia*). "Australia."

nigrosignata Thomson, 1869: 451 (*Pangonia*). Australia (NSW).

goldfinchi Mackerras, 1955a: 467. Australia (Qld).

Genus CAENOPROSOPON Ricardo

CAENOPROSOPON Ricardo, 1915c: 267. Type species: *Caenoprosopon wainwrighti* Ricardo, 1915 [= *Corixoneura trichocera* Bigot, 1892], mon.

DEMOPLATUS Ricardo, 1915c: 269. Type species: *Corixoneura trichocera* Bigot, 1892, orig. des.

CRYPTOPLECTRIA Enderlein, 1923: 544. Type species: *Demoplatus australis* Ricardo, 1915, orig. des.

australe Ricardo, 1915c: 270 (*Demoplatus*). Australia (NSW).

dycei Mackerras, 1960: 147. Australia (NSW).

minus Taylor, 1918a: 62 (*Silvius*). Australia (?SA); Australia (Qld).

nigrovittatum Ferguson & Hill, 1920: 460 (*Demoplatus*). Australia (NSW).

trichocerum Bigot, 1892a: 616 (*Corixoneura*). "Australie"; Australia (NSW, Qld).

wainwrighti Ricardo, 1915c: 268. Australia (NSW).

Genus ECTENOPSIS Macquart

ECTENOPSIS Macquart, 1838a: 115(111). Type species: *Chrysops vulpecula* Wiedemann, 1828, orig. des.

Subgenus ECTENOPSIS Macquart

ECTENOPSIS Macquart, 1838a: 115(111) (as gen.). Type species: *Chrysops vulpecula* Wiedemann, 1828, orig. des.

angusta Macquart, 1847a: 11 [1847b: 27] (*Pangonia*). "Nouvelle-Hollande"; Australia (NSW, Qld).

rubiginosa Bigot, 1892a: 617 (*Corixoneura*). "Australie."

- angusta* Bigot, 1892a: 617 (*Corizoneura*). "Australie." [Preocc. Macquart, 1847.]
bigoti Enderlein, 1925: 271 (*Corizoneura*; n. n. for *angusta* Bigot).
australis Ricardo, 1917: 271. Australia (NSW); Australia (Qld).
erratica Walker, 1848: 189 (*Tabanus*). "New Holland"; Australia (WA).
occidentalis Mackerras, 1956: 425. Australia (WA).
vulpecula Wiedemann, 1828: 195 (*Chrysops*). Not given [Australia]; Australia (NSW, Qld).
nigripennis Taylor, 1918a: 63 (*vulpecula* var.). Australia (NSW).

Subgenus LEPTONOPSIS Mackerras

- LEPTONOPSIS** Mackerras, 1955a: 470. Type species: *Ectenopsis vittata* Mackerras, 1955, orig. des.
norrisi Mackerras, 1956: 434. Australia (WA).
vittata Mackerras, 1955a: 471. Australia (WA).

Subgenus PARANOPSIS Mackerras

- PARANOPSIS** Mackerras, 1955a: 473. Type species: *Apatolestes lutulentus* Hutton, 1901, orig. des.
lutulenta Hutton, 1901: 18 (*Apatolestes*). NZ (NZ).

Subgenus PARASILVIUS Ferguson

- PARASILVIUS** Ferguson, 1921b: 8 (as gen.). Type species: *Parasilvius fulvus* Ferguson, 1921, mon.
fulva Ferguson, 1921b: 9 (*Parasilvius*). Australia (Vic).
fusca Mackerras, 1956: 430. Australia (WA); Australia (SA).
hamlyni Taylor, 1917c: 521 (*Caenoprosopon*). Australia (Qld); Australia (NSW).
victoriensis Ferguson, 1921b: 12 (*Ectenopsis*). Australia (Vic).

Genus THEREVOPANGONIA Mackerras

- THEREVOPANGONIA** Mackerras, 1955a: 474. Type species: *Therevopangonia insolita* Mackerras, 1955, orig. des.
insolita Mackerras, 1955a: 475. Australia (WA).

Tribe PHILOLICHINI

Genus PHILOLICHE Wiedemann

- PHILOLICHE** Wiedemann, 1828: 95 ([essentially as] *Pangonia* subg.). Type species: *Tabanus rostratus* Linnaeus, 1764, des. Coquillett, 1910: 588.
NUCERIA Walker, 1850b: 7 (*Pangonia* subg.). Type species: *Pangonia longirostris* Hardwicke, 1823, des. Coquillett, 1910: 576.
amboinensis Fabricius, 1805: 91 (*Pangonia*). Indonesia (Maluku); Indonesia (Timor).
buxtoni Mackerras & Rageau, 1958: 703. New Caledonia (New Caledonia).
neocaledonica Mégnin, 1878: 198 [1879: cxlv] (*Pangonia*). New Caledonia (New Caledonia)
dorsalis Macquart, 1837: 430 [1838a: 104(100)] (*Pangonia*). "Nouvelle- Hollande," error [= New Caledonia]. [Preocc. Latreille, 1812.]
leucopicta Bigot, 1892a: 616 (*Corizoneura*). New Caledonia (New Caledonia).
verventi Mackerras & Rageau, 1958: 703. New Caledonia (New Caledonia).

Tribe SCIONINI

Genus SCAPTIA Walker

- SCAPTIA** Walker, 1850b: 8 (*Pangonia* subg.). Type species: *Pangonia aurata* Macquart, 1837, des. Coquillett, 1910: 603.

Subgenus MYIOSCAPTIA Mackerras

- MYIOSCAPTIA** Mackerras, 1955a: 496. Type species: *Pangonia violacea* Macquart, 1850, orig. des.
bancrofti Austen, 1912a: 2 (*Pangonia*). Australia (Qld); Australia (NSW).
calliphora Mackerras, 1960: 126. Australia (NSW).
gibbula Walker, 1848: 140 (*Pangonia*). Australia (WA).
inopinata Fairchild & Mackerras, 1977: 53. Australia (Qld); Australia (NSW).
muscula English, 1955: 223. Australia (NSW).
nigroapicalis Mackerras, 1960: 129. Australia (NSW).
nigrocincta Mackerras, 1960: 128. Australia (Qld).
violacea Macquart, 1850: 326(22) (*Pangonia*). "Tasmanie," ?error [prob. = Australia (NSW); see Hardy, 1929a: 61]; Australia (Qld).

Subgenus PALIMMECOMYIA Taylor

- PALIMMECOMYIA** Taylor, 1917c: 518 (as gen.). Type species: *Palimmecomyia celaenospila* Taylor, 1917 [= *Pangonia walkeri* Newman, 1857], orig. des.
pictipennis Mackerras, 1960: 144. Australia (SA).
walkeri Newman, 1857: 56 (*Pangonia*). Australia (Qld); Australia (NSW).
celaenospila Taylor, 1917c: 518. Australia (Qld).

Subgenus PLINTHINA Walker

- PLINTHINA** Walker, 1850b: 10 (*Pangonia* subg.). Type species: *Pangonia macroporum* Macquart, 1837 [= *Pangonia binotata* Latreille, 1812], orig. des.
binotata Latreille in Olivier, 1812: 703 (*Pangonia*). "Nouvelle- Hollande"; Australia (SA, WA).
macroporum Macquart, 1837: pl. 15, fig. 6, 28 [1838a: 105(101)] (*Pangonia*). Australia (SA).
cinerea Ricardo, 1915b: 26 (*Pangonia*). Australia (WA).
clelandi Ferguson, 1921b: 4 (*Erephopsis*). Australia (NSW); Australia (Qld, WA).
divisa Walker, 1850b: 17 (*Pangonia*). Australia (WA).
nigerrima Mackerras, 1960: 135. Australia (NSW).
subcinerea Mackerras, 1960: 138. Australia (WA).
vertebrata Bigot, 1892a: 618 (*Erephopsis*). "Australie"; Australia (NSW, Qld).
carnea Bigot, 1892a: 619 (*Diatomineura*). "Australie."

Subgenus PSEUDOSCIONE Lutz, Araujo & Fonseca

- CLANIS** Walker, 1850b: 9 (*Pangonia* subg.). Type species: *Pangonia contigua* Walker, 1848 [= *Pangonia lasiophthalma* Macquart, 1834], des. Coquillett, 1910: 524. [Preocc. Hübner, 1816.]
PSEUDOSCIONE Lutz, Araujo & Fonseca, 1918: 167. Type species: *Diatomineura longipennis* Ricardo, 1902, des. Fairchild, 1951: 124.
COPIDAPHA Enderlein, 1922c: 337. Type species: *Copidapha bifasciata* Enderlein, 1922 [= *Pangonia roei* Macleay, 1826], mon.
SCAPTIELLA Enderlein, 1923: 544. Type species: *Pangonia aperta* Loew, 1859 [= *Pangonia subappendiculata* Macquart, 1850], mon.
ASTYPIA Enderlein, 1925: 297. Type species: *Pangonia jacksoni* Enderlein, 1925 [= *Scaptia calabyi* Mackerras, 1960], orig. des.
adrel Walker, 1850b: 16 (*Pangonia*). NZ (NZ).
adrel Walker, 1848: 141 (*Tabanus*). *Nomen nudum*.
adrel Butler, 1875: 356 (*Pangonia*). NZ (NZ). [Preocc. Walker, 1850.]
hirticeps Nowicki, 1875: 17 (*Pangonia*). NZ (NZ).
albibarba Schuurmans Stekhoven, 1926: 65 (*Erephopsis*). Indonesia (Irian Jaya).
anomala Mackerras, 1960: 118. Australia (Vic); Australia (ACT).
aureohirta Ricardo, 1900: 116 (*Pangonia*). Australia (Qld); Australia (NSW).
auripilosa Oldroyd, 1947: 130. Indonesia (Irian Jaya).

- auripleura** Taylor, 1917c: 516 (*Diatomineura*). Australia (Qld); Australia (NSW).
- bernhardi** Oldroyd, 1947: 132. Indonesia (Irian Jaya); PNG (PNG).
- bicolorata** Taylor, 1918a: 60 (*Diatomineura*). Australia (WA).
- brevipalpis** Kröber, 1931: 67. NZ (NZ).
- calabyi** Mackerras, 1960: 106. Australia (WA).
jacksoni Enderlein, 1925: 297 (*Pangonia*). Australia (WA). [Preocc. Macquart, 1837.]
- caliginosa** Walker, 1865a: 108 (*Pangonia*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
- clavata** Macquart, 1837: pl. 15, fig. 2 [1838a: 105(101)] (*Pangonia*). "Nouvelle-Hollande"; Australia (NSW, Vic).
- concolor** Walker, 1850b: 14 (*Pangonia*). "New Holland"; Australia (NSW, Qld).
- flavibarbis** Oldroyd, 1949b: 359. Indonesia (Irian Jaya).
- floccosa** Oldroyd, 1947: 136. PNG (PNG).
- gemina** Walker, 1848: 138 (*Pangonia*). Australia (WA).
doddi Ricardo, 1917: 211 (*Erephopsis*). Australia (WA).
- georgii** Taylor, 1918a: 57 (*Erephopsis vicina* var.). Australia (WA).
- guttipennis** Ferguson, 1924: 259 (*Oscia*). Australia (SA); Australia (WA).
 ssp. **guttipennis** s. str. Australia (SA).
 ssp. **occidentalis** Mackerras, 1960: 99. Australia (WA).
- ianthina** White, 1915: 19 (*Diatomineura*). Australia (Tas).
janthina, error for *ianthina*.
- insularis** Oldroyd, 1947: 137. Indonesia (Irian Jaya); PNG (PNG).
- lasiophthalma** Macquart, 1834a: 193 (*Pangonia*). "Nouvelle-Guinée," error [= Australia]; Australia (ACT, NSW, Vic).
contigua Walker, 1848: 138 (*Pangonia*). "New Holland."
maculipennis Macquart, 1850: 324(20) (*Pangonia*). Australia, "côte orientale."
fuliginosa, Walker, 1854, not Boisduval, 1835, misid.
- leonina** Oldroyd, 1947: 131. PNG (PNG).
- lerda** Walker, 1850b: 16 (*Pangonia*). NZ (NZ).
lerda Walker, 1848: 141 (*Tabanus*). *Nomen nudum*.
lerda Butler, 1875: 355 (*Pangonia*). NZ (NZ). [Preocc. Walker, 1850.]
larida, error for *lerda*.
- maculiventris** Westwood, 1835e: 449 (*Pangonia*). "Novâ Hollandiâ"; Australia (ACT, NSW, Vic).
bicolor Macquart, 1846: 152(24) (*Pangonia*). "Nouvelle-Hollande."
- milleri** Mackerras, 1957: 593. NZ (NZ).
- montana** Hutton, 1901: 17 (*Pangonia*). NZ (NZ).
- neoconcolor** Mackerras, 1960: 115. Australia (Qld).
- neotricolor** Taylor, 1918a: 55 (*Erephopsis*). Australia (WA).
- novaeguineensis** Ricardo, 1913c: 404 (*Erephopsis*). Indonesia (Irian Jaya).
- orientalis** Mackerras, 1960: 89. Australia (NSW); Australia (Vic).
- quadrinaculata** Walker, 1848: 138 (*Pangonia*). "New Holland"; Australia (NSW).
- regisgeorgii** Taylor, 1918a: 60 (*Diatomineura*). Australia (WA).
- ricardoae** Hutton, 1901: 16 (*Pangonia*; as *ricardoii*). NZ (NZ).
bicolor Hudson, 1892: 54 (*Comptosia*). NZ (NZ). [Preocc. Macquart, 1846.]
palpalis Kröber, 1931: 69 (*brevipalpis* var.). NZ (NZ).
- roei** Macleay, 1826: 467 (*Pangonia*). Australia (Qld).
conspicua Ricardo, 1915b: 37 (*Corizoneura*). Australia (Qld).
bifasciata Enderlein, 1925: 270 (*Copidapha*). Australia (Qld).
- rufonigra** Ferguson, 1921b: 6 (*Erephopsis*). Australia (NSW).
- subappendiculata** Macquart, 1850: 323(19) (*Pangonia*). "Tasmanie," error [prob. = Australia (NSW); see Hardy, 1929a: 61]; Australia (Qld).
aperta Loew, 1859: 32 (*Pangonia*). "Portugal," error [= Australia].
inflata Ricardo, 1915b: 34 (*Diatomineura*). Australia (Qld).
- subcontigua** Ferguson, 1921b: 5 (*Erephopsis*). Australia (NSW); Australia (Qld).

- taylori** Oldroyd, 1947: 133. PNG (PNG).
mafulensis Oldroyd, 1947: 133. PNG (PNG).
testaceomaculata Macquart, 1850: 325(21) (*Pangonia*). “Nouvelle- Hollande”; Australia (ACT, NSW, Vic).
dorsomaculata Macquart, 1850: 325(21) (*Pangonia*). Australia (Tas).
unilineata Oldroyd, 1947: 132. Indonesia (Irian Jaya).
vicina Taylor, 1918a: 57 (*Erephopsis*). Australia (NSW); Australia (Qld).
xanthopilis Ferguson, 1921b: 7 (*Erephopsis*). Australia (NSW); Australia (Qld, Vic).

Subgenus SCAPTIA Walker

- SCAPTIA** Walker, 1850b: 8 (*Pangonia* subg.). Type species: *Pangonia aurata* Macquart, 1837, des. Coquillett, 1910: 603.
APOCAMPTA Schiner, 1867: 310 [1868: 96] (as gen.). Type species: *Apocampta nigra* Schiner, 1867 [= *Pangonia subcana* Walker, 1848], orig. des.
TRICLISTA Enderlein, 1922c: 339. Type species: *Pangonia limbinervis* Enderlein, 1922 [= *Pangonia singularis* Macquart, 1846], orig. des.
abdominalis Ricardo, 1917: 209 (*Diatomineura*). Australia (NSW); Australia (Qld, Vic).
alpina Mackerras, 1960: 67. Australia (ACT); Australia (NSW, Vic).
 ssp. **alpina** s. str. Australia (ACT); Australia (NSW, Vic).
 ssp. **hardyi** Mackerras, 1960: 69. Australia (NSW).
auranticula Mackerras, 1960: 54. “New Holland” [Australia (?WA)]; Australia (WA).
aurata Macquart, 1837: 431 [1838a: 104(100)] (*Pangonia*). “Australasie” [Australia]; Australia (NSW, Qld).
crassa Walker, 1848: 144 (*Pangonia*). “New Holland?”
nitescens Walker, 1857: 124 (*Silvius*). “Australia.”
aureovestita Ferguson & Henry, 1920: 834 (*Erephopsis*). Australia (NSW); Australia (Qld).
auriflua Donovan, 1805: [167], pl. [41] (*Tabanus*). Australia (NSW); Australia (ACT, Qld, SA, Tas, Vic).
dives Macquart, 1846: 153(25) (*Pangonia*). Australia (Tas).
solida Walker, 1848: 141 (*Pangonia*). Australia (NSW).
divis, error for *dives*.
aurinotum Mackerras, 1960: 49. Australia (NSW).
barbara Mackerras, 1960: 48. Australia (NSW); Australia (Qld).
berylensis Ricardo, 1915b: 38 (*Corizoneura*). Australia (Qld).
crocea Taylor, 1917b: 747 (*Diatomineura*). Australia (Qld).
brevirostris Macquart, 1850: 326(22) (*Pangonia*). Australia, “côte orientale”; Australia (NSW, Qld).
fulgida Ferguson & Henry, 1920: 837 (*Diatomineura*). Australia (NSW).
guttata Donovan, 1805: [166], pl. [41] (*Tabanus*). Australia (NSW); Australia (Qld, Vic).
margaritifera Wiedemann, 1828: 88 (*Pangonia*). “Austral = Asien.”
bifasciatus Macquart, 1834a: 201 (*Tabanus*). “Nouvelle-Hollande.” [Preocc. Fourcroy, 1775.]
albonotata Macquart, 1855: 40(20) (*Pangonia*). Australia (NSW).
dilatata Jaenicke, 1867: 328 (*Pangonia*). “Australia.”
margarifera, error for *margaritifera*.
jacksonii Macquart, 1837: 431 [1838a: 106(102)] (*Pangonia*). Australia (NSW); Australia (Tas).
albilateralis Macquart, 1838a: 133(129) (*Tabanus*). Indonesia (Java), error [= Australia].
albicostata Macquart, 1846: 152(24) (*Pangonia*). “Nouvelle-Hollande.”
ruficornis Macquart, 1846: 153(25) (*Pangonia*). Australia (Tas).
fulvifascia Walker, 1848: 137 (*Pangonia*). “Africa (Cape?),” error [= Australia].
constans Walker, 1850b: 15 (*Pangonia*). Australia (Tas).
jaksoniensis Guérin-Méneville, 1831: pl. 20, fig. 3 (*Pangonia*). Australia (NSW); Australia (Qld, Vic).
jaksoniensis, error for *jaksoniensis*.
limbithorax Macquart, 1855: 42(22) (*Pangonia*). “Patrie inconnue” [Australia]; Australia (NSW).
niveovittata Ferguson & Henry, 1920: 833 (*Erephopsis*). Australia (NSW).
media Walker, 1848: 142 (*Pangonia*). “New Holland”; Australia (NSW, Qld).

- limbivervis* Macquart, 1855: 41(21) (*Pangonia*). Australia (NSW).
minuscula Mackerras, 1960: 52. Australia (WA).
monticola Mackerras, 1960: 80 (n. n. for *montana* Ricardo). Australia (NSW); Australia (Qld, Vic).
montana Ricardo, 1915b: 34 (*Diatomineura*). Australia (NSW). [Preocc. Hutton, 1901.]
norrisi Mackerras, 1960: 49. Australia (Qld); Australia (NSW).
orba Mackerras, 1960: 55. Australia (ACT).
patula Walker, 1848: 144 (*Pangonia*). Not given [Australia]; Australia (ACT, NSW, Qld, Tas, Vic).
plana Walker, 1848: 144 (*Pangonia*). "New Holland"; Australia (WA).
pulchra Ricardo, 1915b: 35 (*Diatomineura*). Australia (Qld); Australia (NSW).
similis Mackerras, 1960: 77. Australia (Qld); Australia (NSW).
singularis Macquart, 1846: 151(23) (*Pangonia*). "Nouvelle-Hollande"; Australia (SA, WA).
submacula Walker, 1848: 142 (*Pangonia*). Australia (WA).
limbinervis Enderlein, 1922c: 339 (*Triclista*). "Australien."
submedia, error for *submacula*.
subcana Walker, 1848: 204 (*Chrysops*). "New Holland"; Australia (ACT, NSW, Qld).
anthracina Macquart, 1850: 327(23) (*Pangonia*). "Tasmanie," ?error [prob. = Australia (NSW); see Hardy, 1929a: 61].
nigra Schiner, 1867: 310 [1868: 96] (*Apocampta*). Australia (NSW).
gagatina Bigot, 1892a: 620 (*Diatomineura*). "Australie."
melas Bigot, 1892a: 625 (*Diachlorus*). Australia (NSW).
minima Ricardo, 1900: 119 (*Diatomineura*). Australia (NSW & Qld).
testacea Macquart, 1838a: 103(99) (*Pangonia*). "Nouvelle-Hollande"; Australia (NSW, Qld).
tricolor Walker, 1848: 139 (*Pangonia*). Australia (WA).
conjungens Walker, 1848: 140 (*Pangonia*). Australia (WA).

Subfamily TABANINAE

Tribe DIACHLORINI

Genus CHALYBOSOMA Oldroyd

- CHALYBOSOMA** Oldroyd, 1949b: 332. Type species: *Tabanus metallicus* Ricardo, 1913, orig. des.
luciliaeforme Schuurmans Stekhoven, 1926: 504 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
malkini Oldroyd, 1949b: 333. Indonesia (Irian Jaya); PNG (PNG).
metallicum Ricardo, 1913c: 393 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).

Genus CHASMIA Enderlein

- CHASMIA** Enderlein, 1922c: 344. Type species: *Chasmia bicincta* Enderlein, 1922 [= *Tabanus bifasciatus* de Meijere, 1913], mon.
CHASMIELLA Enderlein, 1922c: 344. Type species: *Tabanus brevisculus* Walker, 1865, orig. des.
atripes Schuurmans Stekhoven, 1926: 54 (*Silvius*). Indonesia (Irian Jaya); PNG (PNG).
atriventris Schuurmans Stekhoven, 1926: 53 (*Silvius*). Indonesia (Irian Jaya).
dimorpha Oldroyd, 1949b: 349 (*Cydistomyia*). Indonesia (Irian Jaya).
auribarba Mackerras, 1964b: 123 (*Cydistomyia*). PNG (PNG).
bifasciata de Meijere, 1913c: xl [1915b: 107 (as *basifasciatus*)] (*Tabanus*). PNG (Bougainville I); Indonesia (Irian Jaya), PNG (PNG).
bicincta Enderlein, 1922c: 344 (*Chasmia*). PNG (PNG).
basifasciatus, error for *bifasciata*.
breviscula Walker, 1865b: 109 (*Tabanus*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).
fasciata Oldroyd, 1949b: 340 (*Chasmiella*). Indonesia (Irian Jaya); PNG (PNG).
fulgida Ricardo, 1913c: 402 (*Tabanus*). Indonesia (Irian Jaya).
flavicinctus Schuurmans Stekhoven, 1932a: 12 (*Silvius*). Indonesia (Irian Jaya).

- insularis** Mackerras, 1964b: 122 (*Cydistomyia*). PNG (PNG).
lineata Mackerras, 1971b: 417. Indonesia (Irian Jaya); PNG (PNG).
nigrifrons Mackerras, 1971b: 414. PNG (PNG).
ochrothorax Schuurmans Stekhoven, 1926: 444 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
ornata Mackerras, 1971b: 416. PNG (PNG).
orthellioides Mackerras, 1971b: 415. Solomon Is.
parva Oldroyd, 1949b: 337 (*Chasmiella*). Indonesia (Irian Jaya); PNG (PNG).
parvacallosa Oldroyd, 1949b: 340 (*Chasmiella*). PNG (PNG); Indonesia (Irian Jaya).
mackerrasi Philip, 1960: 5 (*Cydistomyia*). Indonesia (Irian Jaya).
raffreyi Bigot, 1892a: 690 (*Tabanus*). "Nouvelle-Guinée"; Indonesia (Irian Jaya), PNG (PNG).
raffrayi, error for *raffreyi*.
subhastata Oldroyd, 1949b: 336 (*Chasmiella*). Indonesia (Irian Jaya); PNG (PNG).
variegata Schuurmans Stekhoven, 1926: 55 (*Silvius*). Indonesia (Irian Jaya),

Genus CYDISTOMYIA Taylor

- CYDISTOMYIA** Taylor, 1919b: 47. Type species: *Cydistomyia doddi* Taylor, 1919 [= *Tabanus albithorax* Ricardo, 1913], orig. des.
- albidosegmentata** Schuurmans Stekhoven, 1926: 332 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
misimensis Oldroyd, 1949b: 354. PNG (PNG).
- albithorax** Ricardo, 1913c: 391 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
doddi Taylor, 1919b: 47. Australia (Qld), error [= Indonesia (Irian Jaya)].
flavifemur Schuurmans Stekhoven, 1926: 339 (*Tabanus albithorax* var.). Indonesia (Irian Jaya).
brunnifemur Schuurmans Stekhoven, 1926: 340 (*Tabanus albithorax* var.). Indonesia (Irian Jaya).
citribarbus Schuurmans Stekhoven, 1926: 340 (*Tabanus albithorax* var.). Indonesia (Irian Jaya).
- alternata** Ferguson & Hill, 1922: 258 (*Tabanus*; n. n. for *limbatinevris* Macquart). Australia, "côte orientale"; Australia (NSW, Qld).
limbatinevris Macquart, 1850: 333(29) (*Tabanus*). Australia, "côte orientale." [Preocc. Macquart, 1847.]
macquarti Ricardo, 1915a: 277 (*Tabanus*; n. n. for *limbatinevris* Macquart). [Preocc. Schiner, 1868.]
- atmosphora** Taylor, 1919b: 59 (*Tabanus*). Australia (Qld).
- avida** Bigot, 1892a: 673 (*Atylotus*). "Australie"; Australia (Qld).
fuscipes Taylor, 1913: 62 (*Tabanus*). Australia (Qld). [Preocc. Ricardo, 1908.]
taylori Austen, 1914: 265 (*Tabanus*; n. n. for *fuscipes* Taylor).
fucipes, error for *fuscipes*.
- bancroftae** Mackerras, 1964a: 67. Australia (Qld); Australia (NSW).
- barretti** Mackerras, 1964b: 134. PNG (PNG).
- bezzii** Mackerras & Rageau, 1958: 737. Fiji.
- bisecta** Oldroyd, 1949b: 354. Indonesia (Irian Jaya); PNG (PNG).
- brevior** Walker, 1848: 188 (*Tabanus*). Australia (NT).
anellosus Summers, 1912: 226 (*Tabanus*). Australia (NT).
australis Taylor, 1917b: 757 (*Tabanus*). Australia (NT).
crypserythrus Taylor, 1919b: 60 (*Tabanus*). Australia (NT).
- bugnicourti** Mackerras & Rageau, 1958: 722. New Caledonia (New Caledonia).
- caledonica** Ricardo, 1914a: 477 (*Tabanus*; n. n. for *albonotatus* Bigot). New Caledonia (New Caledonia).
albonotatus Bigot, 1892a: 670 (*Atylotus*). New Caledonia (New Caledonia). [Preocc. Bellardi, 1859.]
- casuarinae** English, Mackerras & Dyce, 1958: 292 (*Chalybosoma*). Australia (NSW); Australia (Qld).
- chaineyi** Daniels, n. n. PNG (Bougainville I); PNG (Bismarck Arch), Solomon Is.
nana Mackerras & Rageau, 1958: 694. PNG (Bougainville I). [Preocc. Wiedemann, 1821.]
- cohici** Mackerras & Rageau, 1958: 715. New Caledonia (New Caledonia).
- colasbelcouri** Mackerras & Rageau, 1958: 725. New Caledonia (New Caledonia).
- crepuscularis** Oldroyd, 1949b: 357. PNG (PNG); Indonesia (Irian Jaya).
- cyanea** Wiedemann, 1828: 152 (*Tabanus*). Not given [Australia]; Australia (NSW, Qld).

- cyaneoviridis* Macquart, 1850: 334(31) (*Tabanus*). "Tasmanie," ?error [prob. = Australia (NSW); see Hardy, 1929a: 61].
- diasi** Mackerras & Rageau, 1958: 727. New Caledonia (New Caledonia).
- doddi** Taylor, 1917b: 758 (*Tabanus*). Australia (Qld).
- duplonotata** Ricardo, 1914b: 396 (*Tabanus*). Australia (Qld); Australia (NSW).
- erythrocephala** Wulp, 1869: 99 (*Tabanus*). Indonesia (Maluku).
- griseicolor** Ferguson & Hill, 1922: 262 (*Tabanus*). Australia (Qld).
- griseiventer** Schuurmans Stekhoven, 1926: 288 (*Tabanus*). Indonesia (Irian Jaya).
- heydoni** Oldroyd, 1949b: 353. PNG (PNG); Indonesia (Irian Jaya).
- hollandiensis** Mackerras, 1964b: 155. Indonesia (Irian Jaya); PNG (PNG).
- hyperythrea** Bigot, 1892a: 674 (*Atylotus*). "Australie"; Australia (NSW, Qld).
- imitans** Oldroyd, 1949b: 348. Indonesia (Irian Jaya).
- immatura** Oldroyd, 1949b: 347. Indonesia (Irian Jaya); PNG (PNG).
- immigrans** Oldroyd, 1949b: 352. PNG (PNG); Indonesia (Irian Jaya), PNG (Bismarck Arch).
- inopinata** Oldroyd, 1949b: 352. PNG (PNG); Indonesia (Irian Jaya).
- insurgens** Walker, 1861d: 276 (*Tabanus*). Indonesia (Maluku).
- kuniae** Mackerras & Rageau, 1958: 715. New Caledonia (New Caledonia).
- laeta** de Meijere, 1906b: 74 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
- lamellata** Oldroyd, 1949b: 345. Indonesia (Irian Jaya); PNG (PNG).
- laticallosa** Ricardo, 1914b: 395 (*Tabanus*). Australia (Qld); Australia (NSW).
- rufoabdominalis* Taylor, 1917c: 525 (*Tabanus*). Australia (Qld).
- var. **heroni** Ferguson, 1921a: 372 (*Tabanus*; as sp.). Australia (NSW); Australia (Qld).
- latisegmentata** Schuurmans Stekhoven, 1926: 294 (*Tabanus*). Indonesia (Irian Jaya); PNG (PNG).
- aluensis* Oldroyd, 1949b: 350. Indonesia (Irian Jaya).
- latistriata** Schuurmans Stekhoven, 1926: 50 (*Silvius*). "S. Nova Guinea" [= Indonesia (Irian Jaya)].
- lifuensis** Bigot, 1892a: 689 (*Tabanus*). New Caledonia (New Caledonia).
- massali* Mackerras & Rageau, 1958: 719. New Caledonia (New Caledonia).
- limbatella** Bezzi, 1928: 36 (*Tabanus*). Fiji.
- lorentzi** Ricardo, 1913c: 400 (*Tabanus*). Indonesia (Irian Jaya); PNG (Bougainville I, PNG).
- macmillani** Mackerras, 1964b: 135. PNG (PNG).
- magnetica** Ferguson & Hill, 1922: 258 (*Tabanus alternatus* var.). Australia (Qld).
- musgravii** Taylor, 1918a: 64 (*Tabanus*). Australia (NSW); Australia (Qld).
- nannoides** Mackerras, 1971b: 422. PNG (Bougainville I); Solomon Is.
- nigrina** Mackerras, 1971b: 421. PNG (Bougainville I); Solomon Is.
- nigropicta** Macquart, 1855: 44(24) (*Tabanus*). "De l'Inde," error [= Australia]; Australia (NSW, Qld).
- sanguinarius* Bigot, 1892a: 675 (*Atylotus*). "Australie."
- nokensis** Oldroyd, 1949b: 354. Indonesia (Irian Jaya); PNG (PNG).
- oldroydi** Mackerras, 1964b: 127. PNG (PNG); Indonesia (Irian Jaya).
- pacifica** Ricardo, 1917: 224 (*Tabanus*). Fiji.
- palmensis** Ferguson & Hill, 1922: 256 (*Tabanus*). Australia (Qld).
- papouina** Walker, 1865a: 108 (*Tabanus*). "New Guinea" [= Indonesia (Irian Jaya)].
- papuinus*, error for *papouina*.
- parapacifica** Mackerras, 1971b: 425. PNG (Bismarck Arch).
- perdita** Mackerras, 1964b: 140. Indonesia (Irian Jaya); PNG (PNG).
- pseudimmatura** Oldroyd, 1949b: 347. Indonesia (Irian Jaya).
- pseudoardens** Taylor, 1913: 66 (*Tabanus*). Australia (Qld).
- quasimmatura** Mackerras, 1964b: 145. PNG (PNG).
- risbeci** Mackerras & Rageau, 1958: 711. New Caledonia (New Caledonia).
- rivularis** Ferguson & Hill, 1922: 264 (*Tabanus*; n. n. for *pygmaeus* Ferguson & Henry). Australia (NSW); Australia (Qld).
- pygmaeus* Ferguson & Henry, 1920: 842 (*Tabanus*). Australia (NSW). [Preocc. Williston, 1887.]
- rosselensis** Mackerras, 1971b: 426. PNG (PNG).
- roubaudi** Mackerras & Rageau, 1958: 724. New Caledonia (New Caledonia).

- silviformis** Taylor, 1919b: 62 (*Tabanus*). Australia (Qld).
similis Mackerras, 1964b: 129. Indonesia (Irian Jaya).
sol Schuurmans Stekhoven, 1926: 450 (*Tabanus*). Indonesia (Irian Jaya); PNG (Bismarck Arch, Bougainville I, PNG).
solomensis Ricardo, 1915a: 289 (*Tabanus*). Solomon Is; Indonesia (Irian Jaya), PNG (PNG), Vanuatu, *rozeboomi* Philip, 1960: 6. Indonesia (Irian Jaya).
solomonensis, error for *solomensis*.
sylvioides Walker, 1864: 206 (*Tabanus*). Indonesia (Irian Jaya).
teloides Mackerras, 1971b: 423. Solomon Is.
torresi Ferguson & Hill, 1922: 257 (*Tabanus*). Australia (Qld); Indonesia (Irian Jaya), PNG (PNG).
nigerrima Oldroyd, 1949b: 351. PNG (PNG).
toumanooffi Mackerras & Rageau, 1958: 721. New Caledonia (New Caledonia).
victoriensis Ricardo, 1915a: 275 (*Tabanus*). Australia (Vic); Australia (NSW, Qld).
wentworthi Ferguson & Hill, 1922: 259 (*Tabanus*). Australia (NSW).

Genus DASYBASIS Macquart

- DASYBASIS** Macquart, 1847a: 25 [1847b: 41]. Type species: *Dasybasis appendiculata* Macquart, 1847, orig. des.

Subgenus DASYBASIS Macquart

- DASYBASIS** Macquart, 1847a: 25 [1847b: 41] (as gen.). Type species: *Dasybasis appendiculata* Macquart, 1847, orig. des.
DOLICHAPHA Enderlein, 1930a: 66 (as gen.). Type species: *Tabanus gregarius* Erichson, 1842, orig. des.
acutipalpis Macquart, 1838a: 135(131) (*Tabanus*). "De l'île King" [prob. = Australia (Tas); see Musgrave, 1932: 73]; Australia (NSW, Qld, SA, Vic, WA).
abstersus Walker, 1850b: 58 (*Tabanus*). Australia (NSW).
albohirtipes Ferguson, 1921a: 377 (*Tabanus*). Australia (SA); Australia (WA).
angusticallus Ricardo, 1917: 218 (*Tabanus*). Australia (NT).
anomala Mackerras & Rageau, 1958: 691. PNG (Bougainville I); PNG (PNG).
appendiculata Macquart, 1847: 25 [1847b: 41]. "Nouvelle-Hollande"; Australia (NSW, Vic).
caesia Walker, 1848: 180 (*Tabanus*). Not given [unknown]; Australia (NT, Qld, WA), Indonesia (Irian Jaya, Maluku), PNG (PNG).
leucopterus Wulp, 1869: 98 (*Tabanus*). Indonesia (Maluku).
griseohirtus Taylor, 1917b: 753 (*Tabanus*). Australia (NT).
circumdata Walker, 1848: 185 (*Tabanus*). Not given [Australia]; Australia (NSW, ?Qld, ?SA, Vic, ?WA).
fraterculus Macquart, 1850: 334(30) (*Tabanus*). "Tasmanie," ?error [prob. = Australia (NSW); see Hardy, 1929a: 61].
brevidentatus Macquart, 1855: 48(28) (*Tabanus*). Australia (NSW).
cirra Kicardo, 1917: 222 (*Tabanus*). Australia (NSW); Australia (Qld).
robustus Taylor, 1919b: 69 (*Tabanus*). Australia (Qld).
clavicallosa Ricardo, 1917: 219 (*Tabanus*). Australia (NSW); Australia (NT, Qld), PNG (PNG).
 ssp. **banksiensis** Ferguson & Hill, 1922: 262 (*Tabanus clavicallosus* var.). Australia (Qld); Australia (NT), PNG (PNG).
 ssp. **clavicallosa** s. str. Australia (NSW); Australia (NT, Qld).
darwinensis Taylor, 1917b: 758 (*Tabanus*). Australia (NT).
griseus Taylor, 1919b: 55 (*Tabanus*). Australia (Qld). [Preocc. Gmelin, 1790.]
constans Walker, 1848: 186 (*Tabanus*). "New Holland"; Australia (NT, WA).
quadratus Taylor, 1919b: 52 (*Tabanus*). Australia (NT).
minor Taylor, 1919b: 64 (*Tabanus*). Australia (NT). [Preocc. Macquart, 1850.]
minusculus Ferguson & Hill, 1920: 466 (*Tabanus*; n. n. for *minor* Taylor). [Preocc. Hine, 1907.]
palmerstoni Ferguson & Hill, 1922: 263 (*Tabanus*; n. n. for *minusculus* Ferguson & Hill).

- dixonii** Ferguson, 1921b: 23 (*Tabanus*). Australia (Vic).
- dubiosa** Ricardo, 1915c: 284 (*Tabanus*). Australia (Qld); Australia (ACT, NSW).
 ssp. **dubiosa** s. str. Australia (Qld).
 ssp. **indefinita** Taylor, 1918a: 68 (*Tabanus*; as sp.). Australia (NSW); Australia (ACT, Qld).
- edentula** Macquart, 1846: 162(34) (*Tabanus*). Australia (Tas).
antecedens Walker, 1854: 253 (*Tabanus*). Australia (Tas). [Preocc. Walker, 1848.]
- eidsvoldensis** Taylor, 1919b: 49 (*Tabanus*). Australia (Qld).
- exulans** Erichson, 1842: 270 (*Tabanus*). Australia (Tas); Australia (NSW, Vic).
- froggatti** Ricardo, 1915c: 285 (*Tabanus*). Australia (NSW).
- gemella** Walker, 1848: 139 (*Pangonia*). Australia (WA).
- gentilis** Erichson, 1842: 271 (*Tabanus*). Australia (Tas); Australia (NSW, Vic).
imminutus Hardy, 1948: 171 (*Tabanus gentilis* ssp.). Not given [Australia].
- germanica** Ricardo, 1915a: 282 (*Tabanus*). Australia (Qld); Australia (NT), PNG (PNG).
- gregaria** Erichson, 1842: 271 (*Tabanus*). Australia (Tas); Australia (NSW, ?SA).
antecedens Walker, 1848: 178 (*Tabanus*). "New Holland."
flindersi Ferguson, 1921a: 374 (*Tabanus*). Australia (Tas).
- griseoannulata** Taylor, 1917b: 756 (*Tabanus*). Australia (NT).
- hebes** Walker, 1848: 159 (*Tabanus*). "Africa (Cape?)," error [= Australia]; Australia (NSW, Qld, SA, Tas, Vic, WA).
nepos Walker, 1848: 181 (*Tabanus*). Not given [Australia].
whitei Hardy, 1939a: 44 (*Tabanus*). Australia (Tas).
- hobartiensis** White, 1915: 13 (*Tabanus*). Australia (Tas).
- imperfecta** Walker, 1848: 179 (*Tabanus*). "New Holland"; Australia (Tas).
- innotata** Ferguson & Henry, 1920: 847 (*Tabanus*). Australia (NSW).
- kewensis** Ferguson & Henry, 1920: 843 (*Tabanus*). Australia (NSW); Australia (Qld).
- macrophthalma** Schiner, 1868: 82 (*Tabanus*). Australia (NSW).
orarius English, 1949: 154 (*Tabanus*) Australia (NSW).
- mellicalloso** Mackerras & Rageau, 1958: 689. PNG (Bismarck Arch); Solomon Is.
meticallosa, error for *mellicalloso*.
- microdonta** Macquart, 1847a: 17 [1847b: 33] (*Tabanus*). Australia (Tas).
wynyardensis Hardy, 1916: 269 (*Tabanus*). Australia (Tas).
- milsoni** Taylor, 1917b: 760 (*Tabanus*). Australia (NSW).
milsoniensis Ferguson & Hill, 1922: 265 (*Tabanus*; unrec. n. n. for *milsoni* Taylor).
- milsonis** Ricardo, 1917: 220 (*Tabanus*). Australia (NSW).
- moretonensis** Ferguson & Hill, 1922: 264 (*Tabanus*; n. n. for *confusus* Taylor). Australia (Qld).
confusus Taylor, 1917c: 523 (*Tabanus*). Australia (Qld). [Preocc. Walker, 1848.]
- nemopunctata** Ricardo, 1914b: 388 (*Tabanus*). Australia (Qld); Australia (NSW).
aurihirtus Ricardo, 1915a: 290 (*Tabanus*). Australia (Qld).
hackeri Taylor, 1917c: 522 (*Tabanus*). Australia (Qld).
- nemotuberculata** Ricardo, 1914b: 388 (*Tabanus*). Australia (Qld).
pseudopalpalis Ferguson & Hill, 1922: 252 (*Tabanus*). Australia (NT).
- neobasalis** Taylor, 1918a: 67 (*Tabanus*; n. n. for *basalis* Walker). "New Holland"; Australia (NSW, Qld, Vic).
basalis Walker, 1848: 182 (*Tabanus*). "New Holland." [Preocc. Macquart, 1838.]
- neocirrus** Ricardo, 1917: 223 (*Tabanus*). Australia (Tas); Australia (NSW, Vic).
tasmanicus Ferguson, 1921b: 20 (*Tabanus*). Australia (Tas).
bassii Ferguson, 1921b: 22 (*Tabanus*). Australia (Vic).
- neogermanica** Ricardo, 1915a: 283 (*Tabanus*). Australia (NT); Australia (WA).
fugitivus Taylor, 1919b: 61 (*Tabanus*). Australia (NT).
hilli Taylor, 1919b: 64 (*Tabanus*). Australia (NT).
- neolatifrons** Ferguson & Hill, 1922: 264 (*Tabanus*; n. n. for *latifrons* Ferguson). Australia (Tas).
latifrons Ferguson, 1921b: 19 (*Tabanus*). Australia (Tas). [Preocc. Zetterstedt, 1842.]
- neopalpalis** Ferguson & Hill, 1920: 465 (*Tabanus*; n. n. for *palpalis* Taylor). Australia (NT).

- palpalis* Taylor, 1919b: 66 (*Tabanus*). Australia (NT). [Preocc. Ricardo, 1911.]
- ochreoflava* Ferguson & Henry, 1920: 845 (*Tabanus*). Australia (NSW); Australia (Qld).
- oculata* Ricardo, 1915c: 276 (*Tabanus*; [essentially as] n. n. for *pusillus* Macquart). Australia (NSW); Australia (ACT, Qld).
- pusillus* Macquart, 1855: 49(29) (*Tabanus*). Australia (NSW). [Preocc. Macquart, 1838.]
- kendallensis* Taylor, 1919b: 68 (*Tabanus*). Australia (NSW).
- parva* Taylor, 1913: 69 (*Tabanus*). Australia (NT).
- postica* Wiedemann, 1828: 152 (*Tabanus*). "Australasien"; Australia (SA, WA).
- pseudobasalis* Taylor, 1918a: 68 (*Tabanus*). Australia (WA).
- postponens* Walker, 1848: 179 (*Tabanus*). "New Holland"; Australia (NSW).
- pseudocallosa* Ferguson & Hill, 1922: 254 (*Tabanus*). Australia (NT); Australia (Qld).
- rainbowi* Taylor, 1918a: 66 (*Tabanus*). Australia (WA).
- regisgeorgii* Macquart, 1838a: 136(132) (*Tabanus*). Australia (WA).
- geraldtonensis* Taylor, 1919b: 70 (*Tabanus*). Australia (WA).
- rubricallosa* Ricardo, 1914a: 478 (*Tabanus*). New Caledonia (New Caledonia).
- rufifrons* Macquart, 1855: 48(28) (*Tabanus*). Australia (SA).
- meridionalis* Ferguson, 1921a: 376 (*Tabanus*). Australia (SA). [Preocc. Thunberg, 1827.]
- adelaidae* Ferguson & Hill, 1922: 264 (*Tabanus*; n. n. for *meridionalis* Ferguson).
- spadix* Taylor, 1917b: 761 (*Tabanus*). Australia (NSW); Australia (Qld, Tas, Vic).
- ssp. *diemanensis* Ferguson, 1921b: 25 (*Tabanus*; as sp.). Australia (Tas).
- ssp. *spadix* s. str. Australia (NSW); Australia (Qld, Vic).
- brisbanensis* Taylor, 1917c: 526 (*Tabanus*). Australia (Qld).
- spatiosa* Ricardo, 1915a: 288 (*Tabanus*). Australia (Qld).
- standfasti* Mackerras, 1964b: 160. PNG (PNG).
- tasmaniensis* White, 1915: 8 (*Tabanus*). Australia (Tas).
- trilinealis* Ferguson & Henry, 1920: 841 (*Tabanus*). Australia (NSW); Australia (Qld).
- tryphera* Taylor, 1917b: 755 (*Tabanus*). Australia (NT).
- vespiformis* Ferguson & Henry, 1920: 840 (*Tabanus*). Australia (NSW).
- vetusta* Walker, 1848: 179 (*Tabanus*). Australia (WA); Australia (SA).

Subgenus PROTODASYOMMIA Enderlein

- PROTODASYOMMIA** Enderlein, 1925: 350 (as gen.). Type species: *Protodasyommia loewi* Enderlein, 1925, orig. des.
- APHOPEAS** Enderlein, 1930b: 102. Type species: *Aphopeas priscus* Enderlein, 1930 [= *Tabanus truncatus* Walker, 1850], orig. des.
- LEPTOTABANUS** Kröber, 1931: 75. Type species: *Tabanus transversus* Walker, 1854, mon.
- THEREVIOTABANUS** Kröber, 1931: 77. Type species: *Thereviotabanus viridis* Kröber, 1931, mon.
- GLARIDAPHA** Enderlein, 1935a: 235. Type species: *Tabanus bratrankii* Nowicki, 1875, orig. des.
- NEOLEPTOTABANUS** Miller, 1945: 72 (unnec. n. n. for *Leptotabanus*).
- bratrankii** Nowicki, 1875: 19 (*Tabanus*). NZ (NZ).
- pseudobratrankii* Kröber, 1931: 88 (*Theriopectes*). NZ (NZ).
- bradnakii*, *bratnankii*, *bratrankii*, errors for *bratrankii*.
- difficilis** Kröber, 1931: 86 (*Theriopectes*). NZ (NZ).
- grenieri** Mackerras & Rageau, 1958: 723 (*Cydistomyia*). New Caledonia (New Caledonia).
- loewi** Enderlein, 1925: 350 (*Protodasyommia*). NZ (NZ).
- nigripes** Kröber, 1931: 74 (*Aphopeas*). NZ (NZ).
- opla** Walker, 1850a: lxx [1854: 255] (*Tabanus*). NZ (NZ).
- oplus* Walker, 1848: 175 (*Tabanus*). *Nomen nudum*.
- oplus* Butler, 1875: 356 (*Tabanus*). NZ (NZ). [Preocc. Walker, 1850.]
- rageau** Mackerras, 1962: 112. New Caledonia (New Caledonia).
- sarpa** Walker, 1850a: lxx [1854: 255] (*Tabanus*). NZ (NZ).
- sarpa* Walker, 1848: 175 (*Tabanus*). *Nomen nudum*.
- impar* Walker, 1850a: lxxi [1854: 255] (*Tabanus*). NZ (NZ).

- gravis* Hutton, 1901: 13 (*Tabanus*). NZ (NZ).
thereviformis Mackerras, 1957: 599 (n. n. for *viridis* Kröber). NZ (NZ).
viridis Kröber, 1931: 78 (*Thereviotabanus*). NZ (NZ). [Preocc. Hudson, 1892.]
transversa Walker, 1854: 256 (*Tabanus*). NZ (NZ).
truncata Walker, 1850a: lxxii [1854: 255] (*Tabanus*). NZ (NZ).
maoriorum Bigot, 1892a: 621 (*Mesomyia*). NZ (NZ).
priscum Enderlein, 1930b: 103 (*Aphopeas*). NZ (NZ).
maorium, error for *maoriorum*.
viridis Hudson, 1892: 55 (*Comptosia*). NZ (NZ).

Genus JAPENOIDES Oldroyd

- JAPENOIDES** Oldroyd, 1949b: 341. Type species: *Japenoides cheesmanae* Oldroyd, 1949, orig. des.
PARABOLBODIMYIA Mackerras & Rageau, 1958: 680 (*Cydistomyia* subg.). Type species:
Neobolbodimyia veitchi Bezzi, 1928, orig. des.
aureus Mackerras, 1971b: 411. PNG (Bismarck Arch).
cheesmanae Oldroyd, 1949b: 341. Indonesia (Irian Jaya).
festivus Oldroyd, 1949b: 348 (*Cydistomyia*). Indonesia (Irian Jaya).
nigricostus Mackerras, 1971b: 411. PNG (Bismarck Arch).
oudella Oldroyd, 1949b: 355 (*Cydistomyia*). Indonesia (Irian Jaya).
ratcliffei Mackerras & Rageau, 1958: 692 (*Cydistomyia*). Solomon Is.
veitchi Bezzi, 1928: 37 (*Neobolbodimyia*). Fiji; Vanuatu.

Genus LISSIMAS Enderlein

- LISSIMAS** Enderlein, 1922c: 350. Type species: *Lissimas fenestratus* Enderlein, 1922, orig. des.
PARACANTHOCERA Enderlein, 1923: 545. Type species: *Acanthocera australis* Ricardo, 1915, orig. des.
australis Ricardo, 1915b: 16 (*Acanthocera*). Australia (Qld).
moluccensis Mackerras, 1964b: 103. Indonesia (Maluku).
papuensis Mackerras, 1971b: 407. Indonesia (Irian Jaya)
parallelus Walker, 1861d: 276 (*Chrysops*). Indonesia (Irian Jaya).
philipi Mackerras, 1964b: 104. PNG (PNG).

Genus NEOBOLBODIMYIA Ricardo

- NEOBOLBODIMYIA** Ricardo, 1913c: 402. Type species: *Neobolbodimyia nigra* Ricardo, 1913, orig. des.
nigra Ricardo, 1913c: 403. Indonesia (Irian Jaya); Indonesia (Maluku), PNG (PNG).

Tribe HAEMATOPOTINI

Genus HAEMATOPOTA Meigen

- CHRYSOZONA** Meigen, 1800: 23. Suppressed by I.C.Z.N., 1963b: 339.
HAEMATOPOTA Meigen, 1803: 267. Type species: *Tabanus pluvialis* Linnaeus, 1758, mon.
irroratus Macquart, 1838a: 167(163). Indonesia (Java); ?PNG (PNG).

Tribe TABANINI

Genus TABANUS Linnaeus

- TABANUS** Linnaeus, 1758: 601. Type species: *Tabanus bovinus* Linnaeus, 1758, des. Latreille, 1810: 443.
approximatus Oldroyd, 1949b: 322. PNG (PNG).
aurivittatus Ricardo, 1913c: 394. Indonesia (Irian Jaya); PNG (PNG).

- australicus** Taylor, 1919b: 53. Australia (Qld); Australia (NSW, NT, Vic, WA).
- bewanensis** Oldroyd *in* Mackerras, 1964b: 182 (n. n. for *infuscatus* Oldroyd). PNG (PNG); Indonesia (Irian Jaya).
infuscatus Oldroyd, 1949b: 325. PNG (PNG). [Preocc. Loew, 1858.]
- brunneothorax** Schuurmans Stekhoven, 1924a: 313 [1924b: 15]. Indonesia (Maluku).
- calabyi** Mackerras, 1971a: 44. Australia (WA).
- ceylonicus** Schiner, 1868: 93. Sri Lanka; Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG), Solomon Is; Oriental Reg.
kershawi Ricardo, 1917: 221. Australia (Qld).
- choiseulensis** Mackerras, 1972: 140. Solomon Is.
- cinerescens** Macleay, 1826: 467. "intertropical & western coasts of Australia"; Australia (NT, WA).
tetralineatus Taylor, 1913: 68. Australia (NT).
- cinnamomeus** Doleschall, 1858: 84. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
ceramensis Schuurmans Stekhoven, 1926: 377. Indonesia (Maluku).
cinnamoneus, error for *cinnamomeus*.
- cohaerens** Walker, 1865a: 108. "New Guinea" [= Indonesia (Irian Jaya)]; Australia (NT, Qld), PNG (PNG).
picticornis Bigot, 1892a: 671 (*Atylotus*). "Nouvelle-Guinée."
alfourensis Bigot, 1892a: 672 (*Atylotus*). "Nouvelle-Guinée."
breinli Ferguson & Hill, 1922: 255. Australia (Qld).
olivaceus Schuurmans Stekhoven, 1926: 453. Indonesia (Irian Jaya). [Preocc. De Geer, 1776.]
exolivaceus Philip, 1960: 31 (n. n. for *olivaceus* Schuurmans Stekhoven).
- concolor** Walker, 1848: 179. "New Holland"; Australia (NT, Qld, WA).
geraldi Taylor, 1920: 166. Australia (NT).
- davidsoni** Taylor, 1919b: 65. Australia (Qld); Australia (NSW).
- denticulatus** Ricardo, 1913c: 397. Indonesia (Irian Jaya); PNG (PNG).
- divisus** Ricardo, 1913c: 392. Indonesia (Irian Jaya).
- doeicus** Walker, 1861b: 233. Indonesia (Irian Jaya).
sonnerati Bigot, 1892a: 672 (*Atylotus*). "Nouvelle-Guinée."
- dorsobimaculatus** Macquart, 1850: 333(29). Australia, "côte orientale"; Australia (NT, Qld, WA), Indonesia (Irian Jaya), PNG (PNG).
nigritarsis Taylor, 1913: 67. Australia (Qld).
- exagens** Walker, 1864: 205. Indonesia (Irian Jaya); PNG (PNG).
- expulsus** Walker, 1854: 329. Vanuatu.
- extricans** Walker, 1861d: 275. Indonesia (Irian Jaya).
- factiosus** Walker, 1859c: 102. Indonesia (Sulawesi); Indonesia (Maluku); "Borneo."
- fijianus** Ricardo, 1914a: 478. Fiji.
- flammeus** Schuurmans Stekhoven, 1926: 505. Indonesia (Irian Jaya); PNG (PNG).
- flavipennis** Ricardo, 1913b: 72. Indonesia (Maluku).
- flexilis** Walker, 1859c: 104. Indonesia (Sulawesi); Indonesia (Maluku).
- furunculigenus** Doleschall, 1858: 84. Indonesia (Maluku).
- gilingilensis** Mackerras, 1962: 109. PNG (Bismarck Arch).
- gressitti** Mackerras, 1972: 144. Solomon Is; PNG (Bougainville I).
- herbertensis** Mackerras, 1964b: 202. PNG (PNG).
- illustris** Ricardo, 1913c: 398. Indonesia (Irian Jaya).
- inaequannulatus** Schuurmans Stekhoven, 1932b: 86. Indonesia (Maluku).
- incohaerens** Mackerras, 1972: 143. PNG (Bismarck Arch).
- indistinctus** Bigot, 1892a: 689. Indonesia (Irian Jaya); PNG (PNG).
- innotabilis** Walker, 1848: 177. "New Holland"; Australia (NT, Qld), PNG (PNG).
kurandae Taylor, 1919b: 58. Australia (Qld).
daruensis Oldroyd, 1949b: 328. PNG (PNG).
- insularis* Walker – not Australasian/Oceanian.
- lenticulatus** Oldroyd, 1949b: 323. PNG (PNG).

- lenticuloides** Mackerras, 1972: 141. Solomon Is; PNG (Bougainville I).
- leveri** Mackerras & Rageau, 1958: 686. Solomon Is.
- lyneborgi** Mackerras, 1972: 146. PNG (Bismarck Arch).
- maini** Mackerras, 1971a: 20. Australia (WA).
- meraukensis** Mackerras, 1964b: 201. Indonesia (Irian Jaya).
- murruensis** Mackerras, 1964b: 178. PNG (PNG).
- neotriangularis** Daniels, n. n. Indonesia (Maluku).
triangularis Wulp, 1869: 100. Indonesia (Maluku). [Preocc. Fourcroy, 1785.]
- nigrimanus** Walker, 1848: 183. Australia (NT); Australia (Qld).
badius Summers, 1912: 225. Australia (NT).
daphoenus Taylor, 1919b: 54. Australia (NT).
- notatus** Ricardo, 1915a: 283. Australia (Qld).
- obscuratus** Walker, 1864: 232. Indonesia (Maluku).
- obscurilineatus** Taylor, 1919b: 50. Australia (NT); Australia (Qld, WA).
- obtusipalpis** Schuurmans Stekhoven, 1926: 498. Indonesia (Irian Jaya).
- opalescens** Schuurmans Stekhoven, 1926: 513. Indonesia (Irian Jaya); PNG (PNG).
- pallipennis** Macquart, 1846: 160(32). "Nouvelle-Hollande"; Australia (NSW, NT, Qld), Indonesia (Irian Jaya, Maluku), PNG (PNG).
rufinotatus Bigot, 1892a: 673 (*Atylotus*). "Australie."
elesteem Summers, 1912: 224. Australia (NT).
designatus Ricardo, 1913c: 390. Indonesia (Irian Jaya).
lineatus Taylor, 1913: 65. Australia (Qld). [Preocc. Fabricius, 1782.]
- papuensis** Oldroyd in Mackerras, 1964b: 184 (n. n. for *productus* Oldroyd). Indonesia (Irian Jaya).
productus Oldroyd, 1949b: 324. Indonesia (Irian Jaya). [Preocc. Hine, 1904.]
- particaecus** Hardy, 1948: 178. Australia (Qld); Australia (NSW, SA, Vic).
- partitus** Walker, 1856a: 9. Singapore; Guam; Oriental Reg.
striatus, authors, not Fabricius, 1787, misid.
- parvicollis** Ricardo, 1914b: 394. Australia (Qld); Australia (NSW).
- patriarchus** Oldroyd, 1949b: 325. Indonesia (Irian Jaya); PNG (PNG).
- pollinosus** Ricardo, 1913c: 395. PNG (PNG).
angusticollis Schuurmans Stekhoven, 1926: 495. PNG (PNG).
- praepositus** Walker, 1848: 158. Australia (NT); Australia (Qld, WA).
diminutus Walker, 1848: 183. Australia (NT).
obscurimaculatus Taylor, 1919b: 51. Australia (NT).
- queenslandii** Ricardo, 1914b: 393. Australia (Qld); Australia (NSW, Vic).
walteri Taylor, 1919b: 48. Australia (NSW).
queenslandii, error for *queenslandii*.
- recusans** Walker, 1858b: 83. Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
- reducens** Walker, 1859c: 103. Indonesia (Sulawesi); Indonesia (Maluku); Philippines.
- rosselensis** Mackerras, 1964b: 177. PNG (PNG).
- rubriventris** Macquart, 1838a: 135(131). Indonesia (Irian Jaya). PNG (Bismarck Arch, Bougainville I), Solomon Is.
novaeguineensis Ricardo, 1913c: 399. Indonesia (Irian Jaya).
bipunctatus Schuurmans Stekhoven, 1926: 519. Indonesia (Irian Jaya). [Preocc. Wulp, 1885.]
bipustulatus Szilády, 1926: 10 (n. n. for *bipunctatus* Schuurmans Stekhoven).
- rufiventris** Fabricius, 1805: 96. "India orientali"; Indonesia (Maluku); Oriental Reg.
sanguineus Walker, 1850b: 54. Indonesia (Java).
- samoensis** Ferguson, 1927: 315. Western Samoa; American Samoa.
- selene** Schuurmans Stekhoven, 1926: 292. Indonesia (Irian Jaya); PNG (PNG).
angustilineatus Oldroyd, 1949b: 321. PNG (PNG).
- semicircularis** Ricardo, 1913c: 392. PNG (PNG); Indonesia (Irian Jaya).
- sepikensis** Oldroyd in Mackerras, 1964b: 189 (n. n. for *truncatus* Oldroyd). PNG (PNG); Indonesia (Irian Jaya).

- truncatus* Oldroyd, 1949b: 324. PNG (PNG). [Preocc. Walker, 1850.]
- sequens** Walker, 1848: 178. Australia (NT); Australia (Qld).
- serus** Walker, 1861e: 20. "Ceram," error [= Indonesia (Irian Jaya)]; Indonesia (Maluku), PNG (PNG); "Borneo."
- facilis* Walker, 1864: 206. Indonesia (Irian Jaya).
- laglaisei* Bigot, 1892a: 673 (*Atylotus*). Indonesia (Irian Jaya).
- aroensis* Schuurmans Stekhoven, 1926: 448. Indonesia (Maluku).
- siassensis** Mackerras, 1964b: 198. PNG (PNG).
- sinewitensis** Mackerras, 1972: 140. PNG (Bismarck Arch).
- strangmannii** Ricardo, 1914b: 393. Australia (NT); Australia (NSW, Qld, WA).
- mastersi* Taylor, 1917b: 754. Australia (Qld).
- stueberi** Oldroyd, 1949b: 319. PNG (PNG); Indonesia (Irian Jaya).
- subcinerescens** Mackerras, 1971a: 35. Australia (NT).
- subcinnamoneus** Mackerras, 1972: 139. PNG (Bismarck Arch).
- subcohaerens** Mackerras, 1964b: 194. PNG (PNG).
- subrecusans** Mackerras, 1964b: 181. PNG (PNG); Indonesia (Irian Jaya).
- tenuis** Schuurmans Stekhoven, 1932a: 15. Indonesia (Maluku).
- townsvilli** Ricardo, 1915a: 281. Australia (Qld); Australia (NSW, NT, SA, WA).
- aprepes* Taylor, 1919b: 56. Australia (Qld).
- batchelori* Taylor, 1919b: 58. Australia (NT).
- townsilli*, error for *townsvilli*.
- umbripennis** Ricardo, 1915c: 283 ([essentially as] n. n. for *cinereus* Walker). Australia (WA).
- cinereus* Walker, 1848: 167. Australia (WA). [Preocc. Wiedemann, 1821.]
- vanleeuweni** Oldroyd, 1949b: 316. Indonesia (Irian Jaya); PNG (PNG).
- woollastoni** Ricardo, 1913c: 395. Indonesia (Irian Jaya).
- woollastoni*, *woolastoni*, errors for *woollastoni*.
- wyndhamensis** Mackerras, 1971a: 36. Australia (WA).
- yulensis** Röder, 1892: 244. PNG (PNG).

Unplaced species of Tabanidae

- brevittatus** Walker, 1848: 157 (*Tabanus*). "New Holland."
- funebri** Macquart, 1846: 161(33) (*Tabanus*). "Nouvelle-Hollande."
- monoculus** Doleschall, 1858: 85 (*Tabanus*). Indonesia (Maluku).
- nigriventris** Macquart, 1846: 162(34) (*Tabanus*). Australia (NSW).
- palauensis** Takahashi, 1944: 95 (*Tabanus*). Belau.
- propinquus** Macquart, 1855: 47(27) (*Tabanus*). Australia (NSW).
- remotus** Walker, 1848: 177 (*Tabanus*). "New Holland."
- sdneyensis** Macquart, 1846: 161(33) (*Tabanus*). Australia (NSW).