

37. Family ASILIDAE

By Greg Daniels

Within the regions covered here, Australia has the largest number of asilid species, with many found in hot, dry, inland areas. In humid coastal areas and islands to the north and east of Australia, members of the subfamily Laphriinae are most often encountered (esp. *Laphria* and *Maira*). The subfamily Dasypogoninae, common and widespread in Australia, is poorly represented elsewhere within the regions. *Ommatius* of the Asilinae may eventually be shown to be as abundant as the Laphriinae in these areas because recent collecting in northern Australia has yielded a very high proportion of undescribed species. Within Australia several other genera of Asilinae are abundant and widespread, but perhaps the most diversified genus, especially in inland areas, is *Bathypogon*. In mountain and coastal areas of southeastern Australia, *Zosteria* and numerous dasypogonine genera are dominant groups.

Over 500 species are known from these regions; however, the total is much closer to 1,000 when undescribed species are taken into consideration. New Guinea and most of the Pacific Islands have not had much systematic collecting, and numerous species await description. To some extent collecting has been somewhat sporadic within Australia. The fauna of the eastern states and the southwestern corner of Western Australia is fairly well known, but the northern and central areas have had little collecting.

Adults of some species can often be taken in certain preferred situations. Most species of *Ommatius* and some of *Cerdistus* and *Neotilamus* are only found perched on the end of twigs. Other species of the last two genera can be found only on tree trunks, grass stems, or bare, exposed rock. Species of *Bathypogon* rest in sunlit areas on the ground and, inland, are most often found resting upon bare, sandy soil exposed to full sun. Most species in the latter situation appear to prey almost ex-

clusively upon grasshoppers. Many wasp-mimicking species of Dasypogoninae seem to prefer to perch on leaves of small trees or low shrubs.

Species synonymized by Ricardo and Hardy have not been recognized as such unless confirmed by more recent workers. The genera *Dasypogon* s. str. and *Saropogon* s. str. do not occur in the regions but, for purposes of this catalog, several species are retained in each until appropriate genera are described. The dasypogonine tribes Stenopogonini and Dasypogonini have also been retained here though there is growing evidence that the distinction between the two is not as clear-cut as was previously thought. Species of *Aphestia* are principally Neotropical, and it is probable that the single Australian species is not congeneric. Similarly, it is doubtful if *Philodicus* really occurs in Australia because the genus is essentially Afrotropical and Oriental. No recent material has been collected to confirm the existence of *Philodicus* in Australia. Moreover, J.E. Chainey (pers. comm.) considers that *Philodicus canescens* as a probable senior synonym of the Afrotropical *P. alcimoides* (Blasdale). The Asilidae *Dasypogon scyton* Walker and *Ommatius androcles* Walker collected during Captain Beechy's travels to the Pacific and described by Walker as from "Sandwich Island" are errors, probably for an Asian locality such as Macao (see Oldroyd, 1964: 253).

Refs.: Smith (1896, prey), Cleland (1918, predators), Hardy (1922b, 1934b, immat.; 1934b-1935c, rev.; 1950, predators; 1953, prey), Irwin-Smith (1923, immat.), Hamlyn-Harris (1924, predators), Miller (1924a, immat.), Paramonov (1953b-1958a, rev.), Hull (1962, rev. world spp.), Moore (1963, 1972, immat.), Bristowe (1971, prey), Papavero (1973a,b, rev.), Daniels (1975a-1987a; rev.; 1976a, courtship; 1984, immat.), Barker & Inns (1976, prey), Lavigne (1982a,b, 1983b, ethology), Lawson & Lavigne (1984, immat.), Clements (1985, rev. Chrysopogonini).

Subfamily ASILINAE

Tribe ASILINI

Genus ABROPHILA Daniels

ABROPHILA Daniels, 1987a: 478. Type species: *Abrophila whitei* Daniels, 1987, orig. des.
whitei Daniels, 1987a: 478 (n. n. for *aureus* White). Australia (Vic); Australia (NSW, Qld).
aureus White, 1918: 90 (*Asilus*). Australia (Vic). [Preocc. Olivier, 1789.]

Genus AMPHISCOLOPS Hull

AMPHISCOLOPS Hull, 1962: 552. Type species: *Asilus medax* Walker, 1857, orig. des.
complens Walker, 1861d: 281 (*Asilus*). Indonesia (Irian Jaya).
nigritulus Wulp, 1872: 235 (*Pamponerus*). Indonesia (Irian Jaya, Maluku).

Genus ASIOLA Daniels

ASIOLA Daniels, 1977b: 43. Type species: *Asilus blasio* Walker, 1849, orig. des.
atkinsi Daniels, 1977b: 50. Australia (Qld).
blasio Walker, 1849: 441 (*Asilus*). Australia (WA).
fasciata Daniels, 1977b: 45. Australia (NSW); Australia (Qld, Vic).
lemniscata Daniels, 1977b: 48. Australia (WA); Australia (SA).

Genus ASTOCHIA Becker

ASTOCHIA Becker, 1913b: 538. Type species: *Astochia metatarsata* Becker, 1913, mon.
cirrisetosa Daniels, 1983a: 65. Australia (Qld).
introducens Walker, 1859b: 108 (*Asilus*). Indonesia (Sulawesi); Indonesia (Maluku).
longistyla Wiedemann, 1828: 433 (*Asilus*). Indonesia (Java); Indonesia (Irian Jaya, Maluku);
 Indonesia (Sumatra), Nicobar Is, Philippines.
terebelatus Macquart, 1838b: 149 [1839b: 265] (*Asilus*). "Patrie inconnue. Exotique?"
latro Doleschall, 1857: 384 (*Asilus*). Indonesia (Maluku).
involutus Walker, 1861d: 281 (*Asilus*). Indonesia (Irian Jaya).
normalis Walker, 1861e: 18 (*Asilus*). Indonesia (Maluku).
dentipes Wulp, 1872: 248 (*Itamus*). Indonesia (Irian Jaya).
vertebratus, error for *terebelatus*.

Genus BLEPHAROTES Duncan

CRASPEDIA Macquart, 1838b: 82 [1839b: 198]. Type species: *Asilus coriarius* Wiedemann, 1830, orig. des. [Preocc. Hübner, 1825.]
BLEPHARIS Macquart, 1838b: pl. 8, fig. 1 [1839b: pl. 8, fig 1.] Type species: *Asilus coriarius* Wiedemann, 1830, mon. [Preocc. Cuvier, 1816.]
BLEPHAROTES Duncan, 1840: 329 (*Asilus* subg.). Type species: *Asilus abdominalis* Duncan, 1840 [= *Laphria splendidissima* Wiedemann, 1830], mon.
PSECAS Jaennicke, 1867: 359. Type species: *Psecas fasciata* Jaennicke, 1867 [= *Laphria splendidissima* Wiedemann, 1830], mon.
atterimus Hermann, 1907: 76 (*Craspedia*). Indonesia (Irian Jaya).
coriarius Wiedemann, 1830a: 644 (*Asilus*). Not given [Australia]; Australia (NSW, Qld, SA, Vic, WA).
flavus Ricardo, 1913d: 411. Australia (Qld); Australia (NSW, SA, ?Vic, WA).
brisbanensis Hardy, 1921b: 294. Australia (Qld).
fulvus, error for *flavus*.
macrostylus Loew, 1874: 75. "Neu Holland"; Australia (NSW, Qld).

- punctatus* Hardy, 1921b: 294. Australia (Qld). N. syn.
splendidissimus Wiedemann, 1830a: 645 (*Laphria*). "Neuholland"; Australia (NSW, Qld, Vic).
audouinii Macquart, 1838b: 84 [1839b: 160] (*Craspedia*). "Nouvelle-Hollande."
abdominalis Duncan, 1840: 329 (*Asilus*). Australia (NSW). [Preocc. Wiedemann, 1821.]
fasciata Jaennicke, 1867: 360 (*Psecas*). "Australia."
vivax Hermann, 1907: 76 (*Craspedia*). Australia (NSW); Australia (Qld).

Genus CERDISTUS Loew

- CERDISTUS** Loew, 1849a: 74 (*Asilus* subg.). Type species: *Asilus erythrurus* Meigen, 1820, des. Engel, 1927: 92.
- RHABDOTOITAMUS** White, 1918: 95. Type species: *Neoitamus brunneus* White, 1914 [= *Asilus vittipes* Macquart, 1847], des. Hardy, 1920c: 186.
- antilco** Walker, 1849: 458 (*Asilus*). Australia (NSW).
- armatus** Macquart, 1846: 219(91) (*Asilus*). "Nouvelle-Hollande"; Australia (NSW, Qld, Tas, Vic).
- australasiae** Schiner, 1868: 187 (*Glaphyropyga*). Australia (NSW).
- australis** Macquart, 1847a: 44 [1847b: 60] (*Asilus*). "Nouvelle-Hollande."
- caliginosus** White, 1914a: 277 (*Neoitamus*). Australia (Tas); Australia (NSW).
- australis* Ricardo, 1918: 62. Australia (NSW).
- claripes** White, 1918: 98 (*Rhabdotoitamus*). Australia (NSW).
- coedicius** Walker, 1849: 457 (*Asilus*). "New Holland."
- cognis** Dakin & Fordham, 1922: 528 (*Neoitamus*). Australia (WA).
- divaricatus** White, 1918: 95 (*Neoitamus*). Australia (NSW); Australia (Qld, Tas).
- gibbonsi* Ricardo, 1918: 64 (*Neoitamus*). Australia (NSW).
- elictus** Walker, 1851a: 139 (*Asilus*). Australia (NSW).
- exilis** Macquart, 1838b: 145 [1839b: 261] (*Asilus*). Australia (SA).
- flavicinctus** White, 1914a: 275 (*Neoitamus*). Australia (Tas).
- fuscipennis** Macquart, 1838b: 109 [1839b: 221] (*Erax*). "Nouvelle-Hollande"; Australia (NSW, Qld, Tas).
- asiloides* Macquart, 1850: 386(82) (*Erax*). Australia (Tas).
- constrictus* Hardy, 1926b: 654. Australia (NSW); Australia (Qld).
- graminis** White, 1914a: 278 (*Neoitamus*). Australia (Tas).
- lautus** White, 1918: 101 (*Rhabdotoitamus*). Australia (Vic); Australia (NSW).
- lividus** White, 1918: 93 (*Neoitamus*). Australia (NSW & Vic).
- luctificus** Walker, 1851a: 144 (*Asilus*). Australia (Tas).
- fraternus* Macquart, 1846: 219(91) (*Asilus*). Australia (Tas). [Preocc. Wiedemann, 1819.]
- vulgatus* White, 1914a: 276 (*Neoitamus*). Australia (Tas).
- maculatus** White, 1914a: 278 (*Neoitamus*). Australia (WA).
- forrestii* Dakin & Fordham, 1922: 529 (*Machimus*). Australia (WA).
- margitis** Walker, 1849: 461 (*Asilus*). "New Holland"; Australia (NSW, Qld, Tas, Vic).
- nigrinus* Macquart, 1850: 397(93) (*Asilus*). "Nouvelle-Hollande." [Preocc. Wiedemann, 1821.]
- margites*, error for *margitis*.
- maricus** Walker, 1851a: 141 (*Asilus*). Australia (Vic).
- neoclaripes** Hardy, 1921b: 295 (*Neoitamus*). Australia (Tas); Australia (NSW, SA).
- cognatus* Macquart, 1850: 398(94) (*Asilus*). Australia (Tas). [Preocc. Loew, 1849.]
- claripes*, Hardy, 1920, not White, 1918, misid.
- prostratus** Hardy, 1935c: 410. Australia (Qld).
- ruficoxatus** Macquart, 1850: 397(93) (*Asilus*). Australia, "côte orientale"; Australia (NSW).
- sydneyensis* Schiner, 1868: 187. Australia (NSW).
- rufometatarsus** Macquart, 1855: 85(65) (*Asilus*). Australia (SA).
- rusticanoides** Hardy, 1926b: 649. Australia (Vic); Australia (SA).
- rusticanus** White, 1918: 100 (*Rhabdotoitamus*). Australia (Vic).
- separatus** Hardy, 1935b: 409. Australia (Qld).
- setifemoratus** Macquart, 1855: 85(65) (*Asilus*). Australia (SA).

- setosus** Hardy, 1920c: 199 (*Neoitamus*). Australia (NSW).
- varifemoratus** Macquart, 1850: 397(93) (*Asilus*). Australia (Tas); Australia (NSW, Qld, Vic).
voluticus White, 1918: 97 (*Rhabdotoitamus*). Australia (NSW).
- varimystaceus** Macquart, 1847a: 40 [1847b: 56] (*Erax*). "Nouvelle-Hollande"; Australia (ACT, NSW, Qld, Vic).
conformis Hardy, 1926b: 655. Australia (NSW & Qld & Vic).
- villicatus** Walker, 1851a: 147 (*Asilus*). Australia (NSW).
- vittipes** Macquart, 1847a: 43 [1847b: 59] (*Asilus*). Australia (Tas); Australia (NSW, Qld, Vic).
alicias Walker, 1855b: 738 (*Asilus*). "New Holland."
brunneus White, 1914a: 279 (*Neoitamus*). Australia (Tas).

Genus COLEPIA Daniels

- COLEPIA** Daniels, 1987a: 479. Type species: *Asilus rufiventris* Macquart, 1838, orig. des.
- abludo** Daniels, 1983b: 233 (*Neoaratus*). Australia (NSW); Australia (ACT, SA, Vic).
- chrysochaites** Daniels, 1987a: 482. Australia (Qld).
- comatacauda** Daniels, 1987a: 483. Australia (Qld); Australia (NSW).
- compernis** Daniels, 1987a: 484. Australia (Qld).
- cultripes** Daniels, 1987a: 485. Australia (Qld).
- flavifacies** Daniels, 1987a: 487. Australia (Qld).
- horrida** Daniels, 1987a: 488. Australia (Qld); Australia (NSW).
- ignicolor** Daniels, 1987a: 489. Australia (Qld).
- ingloria** Macleay, 1826: 467 (*Asilus*). "Australia"; Australia (ACT, NSW, Qld, Vic).
amycla Walker, 1849: 423 (*Asilus*). "New Holland."
centho Walker, 1849: 431 (*Asilus*). "New Holland."
planus Walker, 1855b: 741 (*Asilus*). "Australia."
- lanata** Daniels, 1987a: 492. Australia (Qld).
- malleola** Walker, 1849: 418 (*Asilus*). Not given [Australia]; Australia (NSW, Qld, Vic).
discutiens Walker, 1851a: 135 (*Asilus*). "New Holland."
- naevia** Daniels, 1987a: 495. Australia (NSW); Australia (ACT, Qld).
- novaeguineae** Daniels, 1987a: 497. PNG (PNG).
- rufiventris** Macquart, 1838b: 144 [1839b: 260] (*Asilus*). "Nouvelle-Hollande"; widesp. Australia (excl. NT, ?Tas, WA).
grandis Macquart, 1848: 190(30) (*Asilus*). "Nouvelle-Hollande."
alligans Walker, 1855b: 740 (*Asilus*). Australia (Tas).
plantaris Thomson, 1869: 468 (*Erax*). Australia (NSW).

Genus DOLOPOUS Daniels

- DOLOPOUS** Daniels, 1987a: 500. Type species: *Asilus genitalis* Hardy, 1920, orig. des.
- genitalis** Hardy, 1920d: 252 (*Asilus*). Australia (Qld).
- mirus** Daniels, 1987a: 502. Australia (Qld).
- rubrithorax** Macquart, 1838b: 143 [1839b: 259] (*Asilus*). "Nouvelle-Hollande"; Australia (ACT, NSW, Vic).
leon Walker, 1849: 402 (*Asilus*). Not given [Australia].
- silvestris** Daniels, 1987a: 505. Australia (Qld).
- simulans** Daniels, 1987a: 505. Australia (NSW); Australia (Qld).

Genus ECCRITOSIA Schiner

- ECCRITOSIA** Schiner, 1866a: 674. Type species: *Asilus barbatus* Fabricius, 1787, orig. des.
- wirthi** Paramonov, 1964b: 157. Australia (NSW); Australia (Qld).

Genus HELIGMONEVRA Bigot

HELIGMONEVRA Bigot, 1858: 356. Type species: *Heligmonevra modesta* Bigot, 1858, mon.
CINADUS Wulp, 1898c: 139. Type species: *Cinadus spretus* Wulp, 1898, des. Hull, 1962: 584.
HELIGMONEURA, error for *Heligmonevra*.
didymoides Walker, 1864: 208 (*Asilus*). Indonesia (Irian Jaya).
laevis Walker, 1861b: 236 (*Asilus*). Indonesia (Irian Jaya).
rufipes de Meijere, 1913b: 338 (*Cinadus*). Indonesia (Irian Jaya).

Genus MAUROPTERON Daniels

MAUROPTERON Daniels, 1987a: 507. Type species: *Asilus pelago* Walker, 1849, orig. des.
farinum Daniels, 1987b: 507. Australia (Qld); Australia (NSW).
pelago Walker, 1849: 419 (*Asilus*). Australia (WA); Australia (NSW, SA, Vic).

Genus NEOARATUS Ricardo

ARATUS Wulp, 1898b: 236. Type species: *Asilus hercules* Wiedemann, 1828, orig. des. [Preocc.
 Milne-Edwards, 1853.]
NEOARATUS Ricardo, 1913e: 437 (n. n. for *Aratus*).
hercules Wiedemann, 1828: 425 (*Asilus*). Not given [Australia]; widesp. Australia (excl. NT, WA).
plicatus Wiedemann, 1830a: 643 (*Asilus*). "Neuholland."
giganteus Macquart, 1847a: 43 [1847b: 59] (*Asilus*). Australia (Tas).
belzebul, Macquart, 1838, not Wiedemann, 1828, misid.

Genus NEOCERDISTUS Hardy

NEOCERDISTUS Hardy, 1926b: 646. Type species: *Neoitamus abditus* White, 1916 [= *Asilus acutangulatus* Macquart, 1847], orig. des.
acutangulatus Macquart, 1847a: 44 [1847b: 60] (*Asilus*). "Nouvelle-Hollande et de la Tasmanie";
 Australia (NSW, SA, Vic).
laticornis Macquart, 1846: 219(91) (*Asilus*). Australia (Tas). N. syn.
obumbratus Walker, 1851a: 145 (*Asilus*). Australia (NSW).
abditus White, 1916b: 178 (*Neoitamus*). Australia (Tas).
acutangularis, error for *acutangulus*.

Genus NEOITAMUS Osten Sacken

ITAMUS Loew, 1849a: 84 (*Asilus* subg.). Type species: *Asilus cyanurus* Loew, 1849, des. Coquillett,
 1910: 556. [Preocc. Schmidt-Goebel, 1846.]
NEOITAMUS Osten Sacken, 1878: 82 (n. n. for *Itamus*).
TRICHOITAMUS White, 1918: 91. Type species: *Asilus rufis* Walker, 1855, orig. des.
bulbus Walker, 1849: 465 (*Asilus*). NZ (NZ).
inquisitor Nowicki, 1875: 21 (*Itamus*). NZ (NZ).
hyalipennis Ricardo, 1913e: 434. Australia (Vic).
fuscus Walker, 1849: 466 (*Asilus*). NZ (NZ).
leucopogon de Meijere, 1913b: 337. Indonesia (Irian Jaya).
maculatoides Hardy, 1920c: 197. Australia (NSW); Australia (ACT, Vic).
melanopogon Schiner, 1868: 190 (*Itamus*). NZ (NZ).
meridionalis Hutton, 1901: 23 (*Senoprosopis*). NZ (NZ).
mistipes Macquart, 1850: 398(94) (*Asilus*). Australia (Tas); Australia (NSW).
australis Ricardo, 1918: 65. Australia (NSW).
planiceps Schiner, 1868: 189 (*Itamus*). Australia (NSW).
rufis Walker, 1855b: 737 (*Asilus*). Australia (Vic); Australia (NSW, Tas).
smithii Hutton, 1901: 21 (*Asilus*). NZ (NZ).

- strigipes** Becker, 1925c: 243 (n. n. for *griseus* Wulp). "Borneo" & "New Guinea"; Taiwan.
griseus Wulp, 1872: 246 (*Itamus*). "Borneo" & "New Guinea." [Previously considered a secondary homonym of *griseus* Wiedemann, 1820; *strigipes* valid under I.C.Z.N. *Code Art.* 59b.]
walkeri Daniels, n. n. NZ (NZ).
varius Walker, 1849: 457 (*Asilus*). NZ (NZ). [Preocc. Meigen, 1820.]

Genus NEOMOCHTHERUS Osten Sacken

- MOCHTHERUS** Loew, 1849a: 58 (*Asilus* subg.). Type species: *Asilus pallipes* Meigen, 1820, des.
Coquillett, 1910: 571. [Preocc. Schmidt-Goebel, 1846.]
NEOMOCHTHERUS Osten Sacken, 1878: 82, 235 (n. n. for *Mochtherus*).
gnavus Wulp, 1872: 243 (*Mochtherus*). Indonesia (Irian Jaya & Java & Maluku); "Borneo," India,
Indonesia (Sulawesi), Sri Lanka, Thailand.
rutilans Wulp, 1898c: 143 (*Mochtherus*). PNG (Bismarck Arch).

Genus OROPHOTUS Becker

- OROPHOTUS** Becker, 1925b: 137. Type species: *Orophotus univittatus* Becker, 1913, mon.
OROPHYTES, error for *Orophotus*.
depulsus Walker, 1864: 207 (*Asilus*). Indonesia (Irian Jaya).

Genus PARARATUS Ricardo

- PARARATUS** Ricardo, 1913e: 429. Type species: *Blepharotes macrostylus* Loew, 1874, orig. des. (misid.).
Suspension of I.C.Z.N. rules applied for (Daniels, 1987b: 183).
Unidentified spp. — Australia (NSW, Vic, WA) (= *Blepharotes macrostylus* of Ricardo, 1913e: 429).

Genus PHIODICUS Loew

- PHIODICUS** Loew, 1848b: 391. Type species: *Asilus javanus* Wiedemann, 1819 (as *javanus*), orig. des.
canescens Walker, 1855b: 608 (*Trupanea*). "New Holland."

Genus PROMACHUS Loew

- TRUPANEAE** Macquart, 1838b: 91 [1839b: 207]. Type species: *Asilus maculatus* Fabricius, 1775, [preocc., = *Trupanea flavibarbis* Macquart, 1838], orig. des. [Preocc. Schrank, 1795.]
PROMACHUS Loew, 1848b: 390. Type species: *Asilus maculatus* Fabricius, 1775 [preocc., = *Trupanea flavibarbis* Macquart, 1838], des. Coquillett, 1910: 595.
addens Walker, 1861d: 280 (*Trupanea*). Indonesia (Irian Jaya); Indonesia (Maluku).
gilolona Walker, 1861e: 7 (*Trupanea*). Indonesia (Maluku).
gilolana, error for *gilolona*.
argentipes de Meijere, 1913b: 335. Indonesia (Irian Jaya).
clausus Macquart, 1846: 208(80) (*Trupanea*). "Nouvelle-Hollande."
complens Walker, 1861b: 236 (*Trupanea*). Indonesia (Irian Jaya).
contradicens Walker, 1858b: 87 (*Trupanea*). Indonesia (Maluku); Indonesia (Irian Jaya), Indonesia (Sulawesi).
interponens Walker, 1861d: 280 (*Trupanea*). Indonesia (Irian Jaya).
doddi Ricardo, 1913d: 415. Australia (Qld); Australia (NSW, NT).
fasciatus Fabricius — not Australasian/Oceanian.
floccosus Kirby — not Australasian/Oceanian.
grandis Macquart, 1838b: 101 [1839b: 217] (*Trupanea*). "Nouvelle-Hollande."
inornatus Wulp, 1872: 230. Indonesia (Maluku) & "Borneo."
noninterponens Ricardo, 1920: 232. Australia (Qld).
noscibilis Austen, 1915: 403. Indonesia (Irian Jaya).
raptor Austen, 1915: 402. Indonesia (Irian Jaya).

- rufipes* Macquart, 1848: 186(26) (*Trupanea*). "Nouvelle-Hollande." [Preocc. Macquart, 1838; no n. n. proposed at this time.]
tasmanensis Macquart, 1847a: 39 [1847b: 55] (*Trupanea*). Australia (?Tas).
transactus Walker, 1864: 207 (*Trupanea*). Indonesia (Irian Jaya).
triumphans Bezzi, 1928: 46. Fiji.
xanthostoma Wulp, 1872: 225. Indonesia (Irian Jaya).

Genus REBURRUS Daniels

- REBURRUS** Daniels, 1987a: 513. Type species: *Neoaratus bancrofti* Hardy, 1935, orig. des.
aquilonius Daniels, 1987a: 514. Australia (NT); Australia (WA).
bancrofti Hardy, 1935a: 180 (*Neoaratus*). Australia (Qld); Australia (NSW, NT).
caledonicae Daniels, 1987a: 516. New Caledonia (New Caledonia).
kochi de Meijere, 1913b: 336 (*Antipalus*). Indonesia (Irian Jaya); PNG (PNG); ?Taiwan.
koclii, error for *kochi*.
macquarti Bigot, 1860b: 220 (*Rhadiurgus*). New Caledonia (Loyalty Is).
peninsularis Daniels, 1987a: 518. Australia (Qld).

Genus ZOSTERIA Daniels

- ZOSTERIA** Daniels, 1987a: 519. Type species: *Asilus murinus* Macquart, 1838, orig. des.
affinis Daniels, 1987a: 522. Australia (Qld).
alcetas Walker, 1849: 425 (*Asilus*). Australia (Tas).
trachalus Walker, 1851a: 143 (*Asilus*). Australia (Tas).
alpina Daniels, 1987a: 524. Australia (NSW).
biligata Walker, 1864: 224 (*Asilus*). Indonesia (Irian Jaya); PNG (PNG).
lautus Wulp, 1872: 242 (*Mochtherus*). Indonesia (Irian Jaya).
caesariata Daniels, 1987a: 526. Australia (NSW).
calignea Daniels, 1987a: 527. Australia (Qld); Australia (NSW).
claudiana Daniels, 1987a: 528. Australia (Qld).
clausum Daniels, 1987a: 529. Australia (NSW).
clivosa Daniels, 1987a: 530. Australia (NSW); Australia (ACT, Vic).
eastwoodi Daniels, 1987a: 531. Australia (Qld).
fulvipubescens Macquart, 1850: 396(92) (*Asilus*). "Nouvelle-Hollande"; Australia (NSW, Qld, Tas, WA).
ferrugineiventris Macquart, 1850: 396(92) (*Asilus*). Australia, "côte orientale" & Australia (Tas).
hyagnis Walker, 1851a: 139 (*Asilus*). Australia (NSW).
fulvitarsis Froggatt, 1907: 299 (*Asilus*). *Nomen nudum*.
hispida Daniels, 1987a: 534. Australia (NSW).
illingworthi Hardy, 1922: 196 (*Asilus*). Australia (Qld); PNG (PNG).
lineata Daniels, 1987a: 537. Australia (Qld); Australia (NSW).
longiceps Daniels, 1987a: 538. Australia (Qld).
montana Daniels, 1987a: 539. Australia (ACT); Australia (NSW, Vic).
murina Macquart, 1838b: 144 [1839b: 260] (*Asilus*). "Nouvelle-Hollande"; Australia (ACT, NSW, Qld, Vic).
nigrifemorata Daniels, 1987a: 542. Australia (Qld).
novazealandica Daniels, 1987a: 543. NZ (NZ).
punicea Daniels, 1987a: 543. Australia (Qld).
queenslandi Daniels, 1987a: 544. Australia (Qld).
rosevillensis Hardy, 1935a: 183 (*Neoaratus*). Australia (NSW & Qld); Australia (ACT, Vic).
rubens Daniels, 1987a: 547. Australia (NSW); Australia (Qld).
ruspata Daniels, 1987a: 548. Australia (Qld).
suda Daniels, 1987a: 549. Australia (NSW).

- sydneensis** Macquart, 1838b: 144 [1839b: 260] (*Asilus*). Australia (NSW); Australia (Tas, Vic), “Nouvelle-Guinée.”
- nigritarsis** Macquart, 1834a: 304 (*Asilus*). Australia (Tas) & “Nouvelle-Guinée.” [Preocc. Fabricius, 1805.]
- jacksonii** Macquart, 1838b: 145 [1839b: 261] (*Asilus*). Australia (NSW).
- amythaon** Walker, 1849: 423 (*Asilus*). “New Holland.”
- maso** Walker, 1849: 424 (*Asilus*). Not given [Australia].
- longiventris** Macquart, 1855: 85(65) (*Asilus*). Australia (NSW).
- sydneyensis**, error for *sydneensis*.
- varia** Daniels, 1987a: 552. Australia (NSW); Australia (Qld).
- venator** Daniels, 1987a: 554. Australia (NSW).

Tribe OMMATIINI

Genus COPHINOPODA Hull

- COPHINOPODA** Hull, 1958g: 251. Type species: *Asilus chinensis* Fabricius, 1794, orig. des.
- garnotii** Guérin-Méneville, 1831: pl. 20, fig. 8 (*Asilus*). Indonesia (Maluku); Australia (NT, Qld), PNG (Bismarck Arch), Solomon Is; “Borneo,” Indonesia (Timor), Malaysia (Pen), Philippines, Thailand.
- fulvus** Doleschall, 1857: pl. 6, fig. 5 (*Ommatius*). Not given [prob. = Indonesia].
- inextricatus** Walker, 1861e: 21 (*Ommatius*). Indonesia (Maluku).
- chinensis**, authors, not Fabricius, 1794, misid.

Genus MICHOTAMIA Macquart

- MICHOTAMIA** Macquart, 1838b: 72 [1839b: 188]. Type species: *Michotamia analis* Macquart, 1838, mon.
- ALLOCOTOSIA** Schiner, 1866a: 665. Type species: *Asilus auratus* Fabricius, 1794, des. Schiner, 1866b: 845.
- ALLOCOTASIA**, error, for *Allocotosia*.
- aurata** Fabricius, 1794: 387 (*Asilus*). “India orientali”; Indonesia (Maluku); Indonesia (Sulawesi).
- scitula** Walker, 1859b: 109 (*Ommatius*). Indonesia (Sulawesi); Indonesia (Maluku).

Genus OMMATIUS Wiedemann

- OMMATIUS** Wiedemann, 1821b: 213. Type species: *Asilus marginellus* Fabricius, 1782, des. Coquillett, 1910: 579.
- EMPHYSOMERA** Schiner, 1866b: 845. Type species: *Ommatius conopoides* Wiedemann, 1828, orig. des.
- OMMATINUS** Becker, 1925a: 80. Type species: *Ommatius pinguis* Wulp, 1872, des. Engel, 1926: 37.
- annulatus** Bigot, 1877b: 50 [1877g: xli]. Indonesia (Irian Jaya).
- annulatus* Bigot, 1877a: 31. *Nomen nudum*.
- aruensis** Wulp, 1872: 269. Indonesia (Maluku).
- bacchoides** Walker, 1864: 232. Indonesia (Maluku).
- canus** Walker, 1865c: 132. Indonesia (Irian Jaya).
- cnemideus** Bigot, 1877b: 50 [1877g: xli]. “Nova Guinea.”
- cnemideus* Bigot, 1877a: 31. *Nomen nudum*.
- cnemidius*, error for *cnemideus*.
- coeraeus** Walker, 1849: 473. “New Holland”; Australia (NSW, Qld, Vic).
- angustiventris* Macquart, 1850: 393(89). Australia, “côte orientale.”
- curvimargo** Bezzi, 1928: 48 (*Ommatinus*). Fiji.
- curvipes** de Meijere, 1915b: 114. Indonesia (Irian Jaya).
- dimidiatus** Macquart, 1850: 394(90). Australia (Tas); Australia (NSW, Qld).
- distinctus** Ricardo, 1918: 66. Australia (Qld); Australia (NSW).

- excurrens** Wulp, 1872: 263. Indonesia (Maluku); Solomon Is.
fimbriatus Hardy, 1949: 301. Australia (Qld).
flavicaudus Malloch, 1929n: 409. Australia (Qld); Australia (NT).
fulvimanus Wulp, 1872: 264. Indonesia (Maluku).
fusiformis Becker, 1926a: 31 (*Ommatinus*). PNG (PNG).
hyalinipennis Wulp, 1898c: 152. PNG (Bismarck Arch).
hyalipennis, error for *hyalinipennis*.
infirmus Wulp, 1872: 273. Indonesia (Maluku).
invehens Walker, 1864: 224. Indonesia (Irian Jaya).
lema Walker, 1849: 472. "New Holland"; Australia (WA).
lucifer Walker, 1858b: 88. Indonesia (Maluku); Indonesia (Irian Jaya).
mackayi Ricardo, 1913a: 165. Australia (Qld); Australia (NSW).
minimus Doleschall, 1857: 395. Indonesia (Maluku).
minor Doleschall, 1857: 394. Indonesia (Maluku); Indonesia (Irian Jaya); "Borneo," Indonesia (Sulawesi).
noctifer Walker, 1858b: 88. Indonesia (Maluku).
spinibarbis Wulp, 1872: 265. Indonesia (Maluku) & "Borneo."
nanus Walker, 1861b: 237. Indonesia (Irian Jaya); Philippines. [Preocc. Walker, 1851; no n. n. proposed at this time.]
niger Schiner, 1868: 195 (*Emphysomera*). Nicobar Is; Indonesia (Maluku).
nigripes de Meijere, 1913a: 53. Indonesia (Irian Jaya).
obscurus White, 1918: 89. Australia (NSW).
ornatipes Becker, 1926a: 31 (*Ommatius*). PNG (PNG).
peregrinus Wulp, 1872: 253 (*Emphysomera*). "Borneo" & Indonesia (Maluku).
pilosus White, 1916b: 169. Australia (Tas); Australia (SA, Vic).
levis White, 1916b: 170. Australia (Tas).
queenslandi Ricardo, 1913a: 166. Australia (Qld).
retrahens Walker, 1858b: 88. Indonesia (Maluku).
schlegelii Wulp, 1884a: 84 [1884c: 140]. Indonesia (Irian Jaya).
serenus Wulp, 1872: 274. Indonesia (Irian Jaya).
spathulatus Doleschall, 1858: 89. Indonesia (Maluku).
platymelas Walker, 1861e: 8. Indonesia (Maluku).
strigicostus Bezzi, 1928: 50 (*Ommatinus*). Fiji.
suffusus Wulp, 1872: 271. Indonesia (Sulawesi); Indonesia (Irian Jaya, Maluku).
bisetus de Meijere, 1913a: 52. Indonesia (Maluku).
vankampeni de Meijere, 1915b: 113. Indonesia (Irian Jaya).
varitibialis Ricardo, 1929: 120 (*Ommatinus*). Western Samoa.
vittigerus Bigot, 1876: 105 [1877e: lxxxv]. "Australie."

Unplaced species of Asilini

- caudatus** Fabricius, 1805: 171 (*Dasyponon*). "nova Cambria" [= Australia (Tas)]; Australia (Qld).
condecorus Walker, 1861e: 7 (*Asilus*). Indonesia (Maluku).
filiferus Macquart, 1846: 220(92) (*Asilus*). Australia (NSW).
obscurellus Macquart, 1850: 399(95) (*Asilus*). "Océanie."
regius Jaennicke, 1867: 364 (*Asilus*). "Australia."
salomon Macquart, 1838b: 110 [1839b: 226] (*Erax*). "Des îles Salomon," error [= PNG (Bismarck Arch)].
superveniens Walker, 1859a: 128 (*Asilus*). Indonesia (Maluku).
tasmaniae Macquart, 1838b: 145 [1839b: 261] (*Asilus*). Australia (Tas).

Subfamily DASYPOGONINAE

Tribe CHRYSOPOGONINI

Genus CHRYSEUTRIA Hardy

CHRYSEUTRIA Hardy, 1928b: 471. Type species: *Chryseutria nigrinus* Hardy, 1928, mon.
amphibola Clements, 1985: 82. Australia (SA).
nigrina Hardy, 1928b: 471. Australia (Qld); Australia (NSW, Vic).

Genus CHRYSOPOGON Röder

CHRYSOPOGON Röder, 1881b: 213. Type species: *Chrysopogon crabroniformis* Röder, 1881, mon.
agilis Clements, 1985: 17. Australia (NSW); Australia (ACT, Qld, SA, Vic).
albopunctatus Macquart, 1846: 193(65) (*Dasyptogon*). "Nouvelle-Hollande"; Australia (WA).
spinther Walker, 1849: 337 (*Dasyptogon*). Australia (WA).
albosetosus Clements, 1985: 20. Australia (NSW); Australia (SA, WA).
aureocinctus Clements, 1985: 22. Australia (Qld).
aureus Clements, 1985: 23. Australia (NSW); Australia (Vic).
bellus Clements, 1985: 24. Australia (Qld).
bicolor Clements, 1985: 26. Australia (NSW).
brunnipes Clements, 1985: 27. Australia (WA); Australia (NT).
castaneus Clements, 1985: 28. Australia (WA); Australia (SA).
catachrysus Clements, 1985: 29. Australia (Qld); Australia (NSW).
conopsoides Fabricius, 1775: 795 (*Asilus*). "nova Hollandia" [= Australia (Qld); see Musgrave, 1932:
54.]
crabroniformis Röder, 1881b: 213. Australia (Qld); Australia (NSW, WA).
daptes Clements, 1985: 34. Australia (Qld); Australia (NSW).
dialeucus Clements, 1985: 36. Australia (WA).
diaphanes Clements, 1985: 37. Australia (WA).
fasciatus Ricardo, 1912a: 483. Australia (Qld).
fuscus Clements, 1985: 39. Australia (NT).
harpaleus Clements, 1985: 41. Australia (NSW).
horni Hardy, 1934c: 29. Australia (Qld).
leucodema Clements, 1985: 43. Australia (Qld); Australia (NT).
megalius Clements, 1985: 46. Australia (NSW).
magnificus Hull, 1962: figs. 14, 1940, 1944, 1945. *Nomen nudum*.
melanorrhinus Clements, 1985: 47. Australia (WA); Australia (Vic).
melas Clements, 1985: 49. Australia (Vic).
micrus Clements, 1985: 50. Australia (WA).
muelleri Röder, 1892: 243. Australia (Vic); Australia (ACT, NSW).
pallidipennis White, 1918: 72. Australia (NSW).
papuensis Clements, 1985: 54. PNG (PNG).
paramonovi Clements, 1985: 55. Australia (Qld).
parvus Clements, 1985: 57. Australia (WA).
pellos Clements, 1985: 57. Australia (SA).
pilosifacies Clements, 1985: 59. Australia (NSW); Australia (NT, Qld, SA, WA).
proximus Clements, 1985: 60. Australia (NSW).
punctatus Ricardo, 1912a: 484 (n. n. for *luctuosus* Macquart). Not given [Australia]; Australia (NSW,
Qld, Vic).
luctuosus Macquart, 1838b: 39 [1839b: 155] (*Dasyptogon*). "Patrie inconnue" [Australia]. [Preocc.
Wiedemann, 1820.]
queenslandi Ricardo, 1912a: 484. Australia (Qld).

- queenslandicus*, error for *queenslandi*.
rubidipennis White, 1918: 73. Australia (Vic); Australia (ACT, NSW, SA, WA).
rubripennis, error for *rubidipennis*.
rufulus White, 1914a: 268. Australia (WA).
nigricans White, 1914a: 268. Australia (WA).
rutilus Clements, 1985: 66. Australia (WA).
sphecodes Clements, 1985: 67. Australia (WA); Australia (NT, Qld).
splendidissimus Ricardo, 1912a: 485. Australia (WA); Australia (NSW, NT, Qld).
splemdidissimus, error for *splendidissimus*.
trianguliferus Clements, 1985: 70. Australia (NSW); Australia (Qld, SA).
whitei Hull, 1958f: 160. Australia (WA).
xanthus Clements, 1985: 73. Australia (WA).

Genus CODULA Macquart

- CODULA** Macquart, 1850: 374(70). Type species: *Codula limbipennis* Macquart, 1850, orig. des.
conspecta Clements, 1985: 75. Australia (Qld).
limbipennis Macquart, 1850: 374(70). Australia, "côte orientale"; Australia (NSW, Qld).
occidentalis Clements, 1985: 79. Australia (WA).
vespiformis Thomson, 1869: 464. Australia (NSW); Australia (Qld).

Genus OPSEOSTLENGIS White

- OPSEOSTLENGIS** White, 1914a: 269. Type species: *Opseostlengis insignis* White, 1914, orig. des.
insignis White, 1914a: 269. Australia (WA).
signatus Hull, 1962: fig. 1925 (*Chrysopogon*). *Nomen nudum*.

Tribe DAMALINI

Genus DAMALINA Doleschall

- DAMALINA** Doleschall, 1858: 90. Type species: *Damalina laticeps* Doleschall, 1858, mon.
laticeps Doleschall, 1858: 91. Indonesia (Maluku).

Genus DAMALIS Fabricius

- DAMALIS** Fabricius, 1805: 147. Type species: *Damalis planiceps* Fabricius, 1805, des. I.C.Z.N., 1985b:
264.
erijthropthalmus Doleschall, 1858: 91. Indonesia (Maluku).
erythropthalmus, error for *erijthropthalmus*.
fuscipennis Macquart, 1846: 223(95). ?"Nouvelle-Hollande."
lugens Walker, 1861b: 237. Indonesia (Irian Jaya).

Tribe DASYPOGONINI

Genus APOTHECHYLA Hull

- APOTHECHYLA** Hull, 1962: 282. Type species: *Dasypon carbo* Walker, 1851, orig. des.
carbo Walker, 1851a: 87 (*Dasypon*). Australia (NSW); Australia (ACT, Qld, Vic).
claripennis Ricardo, 1912b: 593 (*Neosaropogon*). Australia (Qld). N. comb.
nigrina Ricardo, 1918: 60 (*Neosaropogon*). Australia (Qld); Australia (NSW). N. comb.

Genus ATERPOGON Hardy

ATERPOGON Hardy, 1930b: 254. Type species: *Aterpogon crytopogonoides* Hardy, 1930, orig. des.
cyrtopogonoides Hardy, 1930b: 254. Australia (Qld); Australia (NSW).

Genus AUSTROSAROPOGON Hardy

AUSTROSAROPOGON Hardy, 1934c: 11. Type species: *Austrosaropogon claviger* Hardy, 1934, orig. des.
claviger Hardy, 1934c: 11. Australia (NSW & Qld).
horsleyi Walker, 1851a: 86 (*Dioctria*). Not given [Australia]; Australia (NSW, Qld). N. comb.
nigrinus Macquart, 1850: 370(66) (*Dasypogon*). Australia (Tas); Australia (ACT, NSW, Qld, Vic). N. comb.
bella White, 1918: 74 (*Brachyrhopala*). Australia (Vic). N. syn.

Genus BRACHYRHOPALA Macquart

BRACHYRHOPALA Macquart, 1847a: 35 [1847b: 51]. Type species: *Brachyrhopala ruficornis* Macquart, 1847, orig. des.
BRACHYRRHOPALA, error for *Brachyrhopala*.
claviventris Walker, 1861b: 233 (*Dioctria*). Indonesia (Irian Jaya).
fenestrata Macquart, 1850: 374(70) (*Codula*). Australia (Tas); Australia (NSW, Vic).
victoriae Röder, 1892: 241. Australia (Vic).
indecora Walker, 1865b: 109 (*Dasypogon*). "New Guinea" [= Indonesia (Irian Jaya)].
inopina Walker, 1858b: 83 (*Dasypogon*). Indonesia (Maluku); ?Australia (Qld).
quadricincta Bigot, 1879a: 442 (*Codula*). "Australia"; Australia (NSW, Qld).
fulva Ricardo, 1912b: 588. Australia (Qld).
ruficornis Macquart, 1847a: 36 [1847b: 52]. Australia (Tas).
semifilata Walker, 1861e: 5 (*Dasypogon*). Indonesia (Maluku).
semirufa Hardy, 1929b: 65. Australia (Qld).
soluta Walker, 1861e: 5 (*Dasypogon*). Indonesia (Maluku).

Genus CABASA Walker

CABASA Walker, 1851a: 100. Type species: *Cabasa rufithorax* Walker, 1851 [= *Dasypogon pulchellus* Macquart, 1846], mon.
CABAZA, error for *Cabasa*.
glabrata Walker, 1861d: 277 (*Dasypogon*). Indonesia (Irian Jaya).
honesta Walker, 1858b: 83 (*Dasypogon*). Indonesia (Maluku); Indonesia (Irian Jaya).
pulchella Macquart, 1846: 190(62) (*Dasypogon*). Australia (Tas); Australia (ACT, NSW, Vic).
venno Walker, 1849: 359 (*Dasypogon*). Australia (Tas).
rubrithorax Macquart, 1850: 370(66) (*Dasypogon*). Australia (Tas).
rufithorax Walker, 1851a: 100. Australia (Tas).

Genus CHYLOPHAGA Hull

CHYLOPHAGA Hull, 1962: 241. Type species: *Deromyia australis* Ricardo; 1912, orig. des.
australis Ricardo, 1912c: 142 (*Deromyia*). Australia (Qld).

Genus DAKINOMYIA Hardy

DAKINOMYIA Hardy, 1934c: 25. Type species: *Neosaropogon froggattii* Dakin & Fordham, 1922, orig. des.
froggattii Dakin & Fordham, 1922: 523 (*Neosaropogon*). Australia (WA). Australia (SA).
secuta Daniels, 1979a: 275. Australia (Qld).

Genus DAPTOLESTES Hull, n. stat.

DAPTOLESTES Hull, 1962: 286 (*Austrosaropogon* subg.). Type species: *Austrosaropogon nicholsoni* Hull, 1962, orig. des.
limbipennis Macquart, 1846: 190(62) (*Dasypogon*). Australia (Tas); Australia (ACT, NSW, Vic). N. comb.
maculinevris Macquart, 1850: 369(65) (*Dasypogon*). Australia (Tas).
tasmanica Walker, 1851a: 85 (*Dioctria*). Australia (Tas).
maculinervis, error for *maculinevris*.
nicholsoni Hull, 1962: 286 (*Austrosaropogon*). Australia (Qld); Australia (NSW). N. comb.
sergius Walker, 1849: 347 (*Dasypogon*). "New Holland"; Australia (ACT, NSW, Tas). N. comb.
nitidus Macquart, 1846: 189(61) (*Dasypogon*). Australia (Tas). [Preocc. Wiedemann, 1830.]
festinans Walker, 1851a: 92 (*Dasypogon*). Not given [Australia].
var. **dissimilis** Hardy, 1916: 271 (*Brachyrhopala nitidus* var.). Australia (Tas).

Genus DASYPOGON Meigen

DASYPOGON Meigen, 1803: 270. Type species: *Asilus diadema* Fabricius, 1782, des. Latreille, 1810: 443.
albonotatus Macquart, 1847a: 33 [1847b: 49]. Australia (Tas). [Preocc. Wiedemann, 1828; no n. n. proposed at this time.]
analis Macquart, 1850: 369(65). Australia (Tas). [Preocc. Fabricius, 1794; no n. n. proposed at this time.]
australis Macquart, 1838b: 45 [1839b: 161]. "Nouvelle-Hollande."
nigripennis Macquart, 1848: 180(20). "Nouvelle-Hollande." [Preocc. Meigen, 1820; no n. n. proposed at this time.]
occlusus de Meijere, 1906b: 75. Indonesia (Irian Jaya).

Genus ERYTHROPOGON White

ERYTHROPOGON White, 1914a: 270. Type species: *Erythropogon ichneumoniformis* White, 1914, mon. *ichneumoniformis* White, 1914a: 270. Australia (Tas).

Genus NEOCYRTOPOGON Ricardo

NEOCYRTOPOGON Ricardo, 1912b: 589. Type species: *Neocyrtopogon bifasciatus* Ricardo, 1912, orig. des.
bifasciatus Ricardo, 1912b: 589. Australia (Qld).

Genus NEOSAROPOGON Ricardo

NEOSAROPOGON Ricardo, 1912b: 591. Type species: *Dasypogon princeps* Macquart, 1848, des. Malloch, 1928d: 300.

Subgenus LYCOTHERATES Hull

LYCOTHERATES Hull, 1962: 246. Type species: *Neosaropogon harlequina* Hull, 1962, orig. des. *harlequinus* Hull, 1962: 246. Australia (WA).

Subgenus NEOSAROPOGON Ricardo

NEOSAROPOGON Ricardo, 1912b: 591 (as gen.). Type species: *Dasypogon princeps* Macquart, 1848, des. Malloch, 1928d: 300.
garamas Walker, 1849: 346 (*Dasypogon*). Not given [Australia].
suavis Walker, 1857: 127 (*Dasypogon*). "Australia."
gamaras, error for *garamas*.

- maculatus** Röder, 1883: 274 (*Brachyrrhopala*). "Nova Hollandia."
- minor** Hardy, 1934c: 17. Australia (Vic).
- princeps** Macquart, 1848: 179(19) (*Dasypogon*). "Nouvelle-Hollande"; Australia (NSW, Qld).
- allia* Walker, 1849: 334 (*Dasypogon*). Not given [Australia].
- carus* Walker, 1849: 334 (*Dasypogon*). Not given [Australia].
- numicus* Walker, 1849: 335 (*Dasypogon*). Not given [Australia].
- semirufum** Bigot, 1879a: 414 (*Saropogon*). "Australia."

Genus PARATERPOGON Hull

PARATERPOGON Hull, 1962: 275. Type species: *Paraterpogon punctatus* Hull, 1962, mon.

punctatus Hull, 1962: 275. "Australian"; Australia (ACT, NSW, Qld, Vic).

Genus QUESTOPOGON Dakin & Fordham

- QUESTOPOGON** Dakin & Fordham, 1922: 525. Type species: *Questopogon clarkii* Dakin & Fordham, 1922, mon.
- affinis** Daniels, 1976b: 229. Australia (WA); Australia (SA).
- clarkii** Dakin & Fordham, 1922: 525. Australia (WA).
- guttatus** Daniels, 1976b: 227. Australia (WA).
- lineatus** Daniels, 1976b: 227. Australia (NSW); Australia (Qld).

Genus RACHIOPOGON Ricardo

- RACHIOPOGON** Ricardo, 1912b: 590. Type species: *Dasypogon grantii* Newman, 1857, orig. des.
- grantii** Newman, 1857: 57 (*Dasypogon*). Australia (Qld); Australia (NSW).
- rubescens** White, 1914a: 271 (*Saropogon*). Australia (WA).

Genus SAROPOGON Loew

- SAROPOGON** Loew, 1847: 439 (*Dasypogon* subg.). Type species: *Dasypogon luctuosus* Wiedemann, 1820, des. Coquillett, 1910: 603.
- antipodus** Schiner, 1868: 166. NZ (NZ).
- chathamensis** Hutton, 1901: 20. NZ (NZ).
- clarkii** Hutton, 1901: 19. NZ (NZ).
- discus** Walker, 1849: 358 (*Dasypogon*). NZ (NZ).
- dissimulans** White, 1918: 75. Australia (NSW).
- extenuatus** Hutton, 1901: 21. NZ (NZ).
- fascipes** Hutton, 1902b: 195. NZ (NZ).
- fugiens** Hutton, 1901: 20. NZ (NZ).
- hudsoni** Hutton, 1901: 20. NZ (NZ).
- limbinevris** Macquart, 1855: 71(51) (*Dasypogon*). Australia (NSW).
- nigritarsus** Hull, 1956b: 131. Australia (ACT).
- proximus** Hutton, 1901: 19. NZ (NZ).
- viduus** Walker, 1849: 354 (*Dasypogon*). NZ (NZ).

Subgenus LYCOMAX Hull

- LYCOMAX** Hull, 1962: 278. Type species: *Saropogon flavofacialis* Hull, 1956, orig. des.
- flavofacialis** Hull, 1956b: 133. Australia (WA).

Genus STIZOCHYMYUS Hull

- STIZOCHYMYUS** Hull, 1962: 284. Type species: *Dasypogon salinator* Walker, 1849, orig. des.
- salinator** Walker, 1849: 325 (*Dasypogon*). Australia (NT); Australia (Qld).

Tribe DIOCTRIINI

Genus APLESTOBROMA Hull

APLESTOBROMA Hull, 1958d: 93. Type species: *Aplestrobroma avida* Hull, 1958, orig. des.
avidum Hull, 1958d: 94. Australia (NSW); Australia (ACT, Vic).

Genus BRODICOSIA Hull

BRODICOSIA Hull, 1958d: 91. Type species: *Broticosia rapax* Hull, 1958, orig. des.
PEGOLABRUS Hull, 1962: 39. Type species: *Pegolabrus paramonovi* Hull, 1962, orig. des.
calabyi Paramonov, 1964b: 152. Australia (WA).
caliginea Daniels, 1975a: 185. Australia (NSW).
paramonovi Hull, 1962: 39 (*Pegolabrus*). Australia (NSW).
rapax Hull, 1958: 92. Australia (WA).

Genus HULLIA Paramonov

HULLIA Paramonov, 1964b: 154. Type species: *Hullia commoni* Paramonov, 1964, orig. des.
commoni Paramonov, 1964b: 154. Australia (WA).

Genus PARASTENOPOGON Paramonov

PARASTENOPOGON Paramonov, 1964b: 155. Type species: *Parastenopogon oblongus* Paramonov,
 1964, mon.
oblongus Paramonov, 1964b: 155. Australia (Vic); Australia (NSW).

Tribe PHELLINI

Genus PHELLUS Walker

PHELLUS Walker, 1851a: 110. Type species: *Phellus glaucus* Walker, 1851, mon.
glaucus Walker, 1851a: 110. Australia (WA); Australia (NSW).
olgae Paramonov, 1953b: 201. Australia (Qld); Australia (NSW, Vic, WA).
piliferus Dakin & Fordham, 1922: 521. Australia (WA); Australia (SA, Vic).

Genus PSILOZONA Ricardo

PSILOZONA Ricardo, 1912c: 157. Type species: *Psilozona albatarsis* Ricardo, 1912, des. Hardy, 1921b:
 289.
albitarsis Ricardo, 1912c: 157. Australia (Qld); Australia (NT, WA).
bancrofti Paramonov, 1966: 138. Australia (Qld).
lukinsi Paramonov, 1966: 139. Australia (WA); Australia (NT).
nigriventris Paramonov, 1966: 139. Australia (Vic); Australia (NSW).
nigritarsis Ricardo, 1912c: 159. Australia (Qld); Australia (NT).

Tribe STENOPOGONINI

Genus AMPHISBETETUS Hermann

AMPHISBETETUS Hermann, 1906: 131. Type species: *Habropogon favillaceus* Loew, 1856, orig. des.
norrisi Paramonov, 1966: 143. Australia (WA).
primus Paramonov, 1966: 142. Australia (WA).
trinotatus Paramonov, 1966: 144. Australia (Qld); Australia (SA).
westralicus Paramonov, 1966: 143. Australia (WA).

Genus ANCYLORHYNCHUS Berthold

ANCYLORHINQUE Latreille, 1825: 490. Unavailable name; vernacular name without nomenclatural status.

ANCYLORHYNCHUS Berthold, 1827: 498. Type species: *Asilus glaucius* Rossi, 1790, des. Engel, 1930: 363. [*Ancylorhynchus* originally proposed without included species; Engel's designation is from the first 6 included species in Bezzi, 1903: 117-18.]

XIPHOCERA Macquart, 1834a: 279. Type species: *Xiphocera percheronii* Macquart, 1834, mon.

ANCILORHYNCHUS, ANCYLLORRHYNCHUS, ANCYLORRHYNCHUS, errors for *Ancylorhynchus*.

complacitus Wulp, 1872: 150 (*Xiphocerus*). Indonesia (Irian Jaya).

pleciooides de Meijere, 1913b: 325. Indonesia (Irian Jaya).

rufipes de Meijere, 1913b: 324. Indonesia (Irian Jaya).

rufithorax Doleschall, 1858: 86 (*Xiphocera*). Indonesia (Maluku).

Genus ASTYLOPOGON de Meijere

ASTYLOPOGON de Meijere, 1913a: 51. Type species: *Astylopogon catharinae* de Meijere, 1913, mon.

catharinae de Meijere, 1913a: 51. Indonesia (Irian Jaya).

Genus BATHYPOGON Loew

BATHYPOGON Loew, 1851b: 13 (*Dasyptogon* subg.). Type species: *Dasyptogon asiliformis* Loew, 1851, mon.

aoris Walker, 1849: 321 (*Dasyptogon*). Australia (SA).

asiliformis Loew, 1851b: 13 (*Dasyptogon*). "Neuholländ"; Australia (NSW).

bidentatus Hull, 1958e: 63. Australia (Qld).

boebius Walker, 1849: 333 (*Dasyptogon*). Australia (NT).

brachypterus Macquart, 1838b: 44 [1839b: 160] (*Dasyptogon*). "Nouvelle-Hollande"; Australia (NSW).

calabyi Hull, 1958b: 199. Australia (SA).

chionthrix Hull, 1958f: 161. Australia (WA); Australia (SA, Vic).

cinereus Hull, 1959: 19. Australia (WA).

douglasi Hull, 1958b: 200. Australia (Qld).

flavifemoratus Hull, 1958d: 201. Australia (Qld).

fulvus Hull, 1956c: 110. Australia (ACT).

griseus Hull, 1956d: 395. Australia (Qld).

hamaturus Hull, 1956d: 394. Australia (NT).

ichthyurus Hull, 1958c: 187. Australia (SA).

macrodonturus Hull, 1959: 18. Australia (WA).

maculipes Bigot, 1879a: 433. "Australie."

magnus Hull, 1956d: 396. Australia (Qld).

microdonturus Hull, 1958c: 190. Australia (SA).

mutilatus Walker, 1855b: 739 (*Asilus*). Australia (Vic).

nigrachaetus Hull, 1956c: 111. Australia (ACT).

nigrinus Ricardo, 1912c: 154. Australia (Qld); Australia (NSW).

nigrotibialis Hull, 1958c: 188. Australia (Qld).

ochraceus Hull, 1959: 17. Australia (SA).

ophiurus Hull, 1958e: 62. Australia (SA).

pedanus Walker, 1849: 320 (*Dasyptogon*). Australia (WA).

posticus Walker, 1855b: 655 (*Proctacanthus*). Australia (Vic).

robustus Hull, 1956a: 97. Australia (ACT).

rubellus Hull, 1956a: 93. Australia (WA).

rubidapex Hull, 1956c: 109. Australia (ACT).

rufitarsus Hull, 1958e: 64. Australia (SA).

testaceovittatus Macquart, 1855: 70(50) (*Dasyptogon*). Australia (SA).

tristis White, 1914a: 272. Australia (WA).
uncinatus Hull, 1956a: 95. Australia (WA).

Genus HARPAGOBROMA Hull

HARPAGOBROMA Hull, 1962: 181. Type species: *Harpagobroma fumosa* Hull, 1962, orig. des.
fumosum Hull, 1962: 182. Australia (Qld); ?NZ (NZ).

Genus MICROSTYLOM Macquart

MICROSTYLOM Macquart, 1838b: 26 [1839b: 142]. Type species: *Dasypogon venosus* Wiedemann, 1821, des. Back, 1909: 213.
MEGAPOLLYON Walker, 1851a: 85. *Nomen nudum*.
MEGAPOLLYON Walker, 1855a: 452. Type species: *Microstylum acutirostre* Loew, 1852, des. Coquillett, 1910: 566.
scyton Walker – not Australasian/Oceanian.

Genus NEODIOCTRIA Ricardo

NEODIOCTRIA Ricardo, 1918: 58. Type species: *Neodiocria australis* Ricardo, 1918, orig. des.
australis Ricardo, 1918: 59. Australia (NSW).

Genus NEOSCLEROPOGON Malloch

NEOSCLEROPOGON Malloch, 1928h: 607 (*Stenopogon* subg.). Type species: *Dasypogon elongatus* Macquart, 1846 [preocc., = *Neoscleropogon macquarti* Daniels, present work], orig. des.
agave Walker, 1849: 317 (*Dasypogon*). Australia (WA).
digentius Walker, 1849: 316 (*Dasypogon*). Australia (WA).
durvillei Macquart, 1838b: 121 [1839b: 237] (*Proctacanthus*). Australia (NSW).
fraternum Bigot, 1879a: 421 (*Stenopogon*). “Australie.”
emarginatus Hardy, 1928a: 121 (*Stenopogon*). Australia (Vic); Australia (NSW).
flavifacies Macquart, 1850: 368(64) (*Dasypogon*). Australia (Tas).
flavipennis White, 1918: 79 (*Stenopogon*). Australia (NSW).
lanatus Walker, 1849: 318 (*Dasypogon*). Australia (Tas).
macquarti Daniels, n. n. “Nouvelle-Hollande”; Australia (NSW, Vic).
elongatus Macquart, 1846: 194(66) (*Dasypogon*). “Nouvelle-Hollande.” [Preocc. Meigen, 1804.]
nicoteles Walker, 1849: 320 (*Dasypogon*). Australia (WA).
thalpius Walker, 1849: 317 (*Dasypogon*). Australia (WA).

Genus NERTERHAPTOMENUS Hardy

NERTERHAPTOMENUS Hardy, 1934b: 523. Type species: *Nerterhaptomenus morus* Hardy, 1934, mon.
morus Hardy, 1934b: 523. Australia (Qld).

Tribe STICHOPOGONINI

Genus CLINOPOGON Bezzi

CLINOPOGON Bezzi, 1910a: 153. Type species: *Clinopogon sauteri* Bezzi, 1910, orig. des.
cinctellus Bigot, 1879a: 440 (*Stichopogon*). Indonesia (Maluku).
congressus Walker, 1861d: 302 (*Dasypogon*). Indonesia (Sulawesi); Indonesia (Irian Jaya, Maluku); Indonesia (Java).
albicapillus Wulp, 1872: 147 (*Stichopogon*). Indonesia (Java).
alaplicatus, error for *albicapillus*.

nicobarensis Schiner, 1868: 161 (*Stichopogon*). Nicobar I; ?Solomon Is; most islands from Indian Ocean to Madagascar.
plumbeus Fabricius, 1775: 793 (*Asilus*). “nova Hollandia” [= Australia (Qld); see Musgrave, 1932: 54].
N. comb.
scalaris Bigot, 1879a: 440 (*Stichopogon*). Fiji.

Genus STICHOPOGON Loew

STICHOPOGON Loew, 1847: 499 (*Dasyptogon* subg.). Type species: *Dasyptogon elegantulus* Wiedemann, 1820, des. Bäck, 1909: 332.
CRYPTOPOGON White, 1918: 76. Type species: *Cryptopogon vernaculus* White, 1918, orig. des.
bancrofti Hardy, 1934b: 513. Australia (Qld).
maritima Hardy, 1934b: 511 (*Clinopogon*). Australia (NSW & Qld).
minor Hardy, 1934b: 513. Australia (NSW & Qld).
obscurus Hardy, 1928b: 471 (*Cryptopogon*). Australia (Qld).
vernaculus White, 1918: 77 (*Cryptopogon*). Australia (NSW); Australia (Qld).

Tribe THEREUTRIINI

Genus METALAPHRIA Ricardo

METALAPHRIA Ricardo, 1912d: 356. Type species: *Metalaphria australis* Ricardo, 1912, orig. des.
australis Ricardo, 1912d: 356. Australia (NT).

Genus THEREUTRIA Loew

THEREUTRIA Loew, 1851b: 20 (*Laphria* subg.). Type species: *Laphria calcar* Loew, 1851 [= *Laphria amaracus* Walker, 1849], mon.
SCANDON Walker, 1851a: 108. Type species: *Scandon compactus* Walker, 1851, mon.
amaraca Walker, 1849: 380 (*Laphria*). “New Holland”; Australia (NSW, Qld, SA, Vic).
tucca Walker, 1849: 437 (*Asilus*). Not given [Australia]. **N. syn.**
ialmus Walker, 1849: 479 (*Ommatius*). “New Holland.”
aurifacies Macquart, 1850: 367(63) (*Dasyptogon*). Australia, “côte orientale.”
diversicolor Macquart, 1850: 368(64) (*Dasyptogon*). “Nouvelle-Hollande.”
compactus Walker, 1851a: 108 (*Scandon*). Australia (NSW).
calcar Loew, 1851b: 20 (*Laphria*). “Neuholland.”
diversipes Macquart, 1855: 73(53) (*Laphria*). Australia (NSW).
spilogaster Thomson, 1869: 469 (*Proctacanthus*). Australia (NSW). **N. syn.**
caligula Bigot, 1878i: 233. “Australie.”
diversipes Kirby, 1884a: 458 (*Dasyptogon*). Australia (NSW). [Preocc. Macquart, 1855.]
amaricus, error for *amaracus*.
pulchra Schiner, 1868: 169. “Neuholland”; Australia (NSW, Qld).
pulchripes White, 1918: 80. Australia (NSW & Vic); Australia (ACT).
tessellata Hardy, 1930b: 255 (*Metalaphria*). Australia (Qld); Australia (NSW, SA, Vic). **N. comb.**
whitei Daniels, n. n. Australia (NSW).
aurifacies White, 1918: 81 (*Metalaphria*). Australia (NSW). [Preocc. Macquart, 1850.]

Unplaced species of Dasyptogoninae

testaceum Macquart, 1846: 188(60) (*Microstylum*). “Nouvelle-Hollande.”

Subfamily LAPHRIINAE

Tribe ATOMOSIINI

Genus ADELODUS Hermann

ADELODUS Hermann, 1912: 124. Type species: *Adelodus rufipes* Hermann, 1912, orig. des.
ADEOLUS, error for *Adelodus*.
nigrocoeruleus Hermann, 1912: 127. Australia (NSW).
nigrocoerulens, error for *nigrocoeruleus*.
rufipes Hermann, 1912: 125. Australia (Qld).

Genus APHESTIA Schiner

APHESTIA Schiner, 1866a: 673. Type species: *Aphestia brasiliensis* Schiner, 1866 [= *Atomosia annulipes* Macquart, 1838], orig. des.
chalybaea Röder, 1881a: 386. Australia (Qld).
chalyboeus, error for *chalybaea*.

Genus BROMOTHERES Hull

BROMOTHERES Hull, 1962: 418. Type species: *Atomosia australis* Ricardo, 1913, orig. des.
australis Ricardo, 1913a: 148 (*Atomosia*). Australia (Vic); Australia (ACT, NSW, Qld).
culicivorus White, 1918: 83 (*Atomosia*). Australia (Qld).

Genus CHYMEDAX Hull

CHYMEDAX Hull, 1958a: 99. Type species: *Chymedax delicatulus* Hull, 1958, orig. des.
delicatulus Hull, 1958a: 100. Solomon Is.

Genus CLARIOLA Kertész

CLARIOLA Kertész, 1901c: 404. Type species: *Clariola pulchra* Kertész, 1901, orig. des.
cyaneithorax de Meijere, 1913b: 326. Indonesia (Irian Jaya).
luteiventris de Meijere, 1913b: 326. Indonesia (Irian Jaya).
pipunculoides Walker, 1865b: 110 (*Laphria*). "New Guinea" [= Indonesia (Irian Jaya)].
pulchra Kertész, 1901c: 405. PNG (PNG).
unicolor de Meijere, 1913b: 327. Indonesia (Irian Jaya).

Genus CYANONEDYS Hermann

CYANONEDYS Hermann, 1912: 128. Type species: *Cyanonedys leucura* Hermann, 1912, orig. des.
hornii Hermann, 1912: 133. Australia (Qld).
albohirta Ricardo, 1912d: 358 (*Clariola*). Australia (Qld); Australia (?Vic).
leucura Hermann, 1912: 130. Australia (Qld).
nigrescens Ricardo, 1912d: 359 (*Clariola*). Australia (Qld).
lugubris Hermann, 1912: 132. Australia (Qld); Australia (NT).
aurifacies Ricardo, 1912d: 360 (*Clariola*). Australia (Qld).

Genus DESPOTISCUS Bezzı

DESPOTISCUS Bezzı, 1928: 42. Type species: *Despotiscus simmondsi* Bezzı, 1928, orig. des.
simmondsi Bezzı, 1928: 43. Fiji.

Genus EPAPHRODITUS Hermann

EPAPHRODITUS Hermann, 1912: 117. Type species: *Laphria placens* Walker, 1865, orig. des.
EOEPAPHRODITUS Hull, 1962: 370 (*Epaphroditus* subg.). Unavailable name; genus-group name proposed after 1930 without included species.
conspicuus Wulp, 1872: 214 (*Atomosia*). Indonesia (Irian Jaya).
placens Walker, 1865b: 110 (*Laphria*). "New Guinea" [= Indonesia (Irian Jaya)]. [Preocc. Walker, 1859; no n. n. proposed at this time.]

Genus OPOCAPSIS Hull

OPOCAPSIS Hull, 1958g: 252. Type species: *Laphria dioctrioides* Walker, 1859, orig. des.
declarata Walker, 1858b: 87 (*Laphria*). Indonesia (Maluku). **N. comb.**

Genus TRICELLA Daniels

TRICELLA Daniels, 1975b: 189. Type species: *Tricella calcar* Daniels, 1975, orig. des.
calcar Daniels, 1975b: 189. Australia (Qld).

Tribe LAPHRIINI

Genus ANDRENOSOMA Rondani

ANDRENOSOMA Rondani, 1856: 160. Type species: *Laphria atra* Fabricius, 1805 [preocc., = *Asilus ater* Linnaeus, 1758], orig. des.
NUSA, authors, not Walker, 1851, misid.
dayi Paramonov, 1958a: 103 (*Laphria*). Australia (NSW); Australia (Qld, Vic, WA). **N. comb.**
modestum Paramonov, 1958a: 103 (*Laphria*). Australia (Qld). **N. comb.**
queenslandi Ricardo, 1918: 61 (*Nusa*). Australia (Qld).
maura Paramonov, 1958a: 101 (*Laphria*). Australia (Qld). **N. syn.**
tectatum Walker, 1849: 374 (*Laphria*). Australia (NT); Australia (Qld).
vidua Bigot, 1878i: 228. "Australia."

Genus CENOCHROMYIA Hermann

CENOCHROMYIA Hermann, 1912: 114. Type species: *Cenochromyia xanthogaster* Hermann, 1912, orig. des.
aperta Walker, 1858b: 87 (*Laphria*). Indonesia (Maluku); Indonesia (Irian Jaya). **N. comb.**
bipars Walker, 1861b: 235 (*Laphria*). Indonesia (Irian Jaya). **N. syn.**
guttata Hermann, 1912: 116. "New Guinea."
puer Doleschall, 1858: 87 (*Laphria*). Indonesia (Maluku); Indonesia (Irian Jaya), "New Guinea." **N. comb.**
tripars Walker, 1861b: 235 (*Laphria*). Indonesia (Irian Jaya).
xanthogaster Hermann, 1912: 115. "New Guinea."

Genus LALOIDES Oldroyd

ANISOSIS Hermann, 1914: 130. Type species: *Laphria phalaris* Osten Sacken, 1882, orig. des. [Preocc. Deyrolle, 1867.]
LALOIDES Oldroyd, 1972: 244 (n. n. for *Anisis*).
disciplenus Walker, 1861b: 235 (*Laphria*). Indonesia (Irian Jaya). **N. comb.**
justus Walker, 1858b: 86 (*Laphria*). Indonesia (Maluku). **N. comb.**
notabilis Macquart, 1838b: 71 [1839b: 187] (*Laphria*). "Patrie inconnue"; Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, PNG); "Borneo", Malaysia. **N. comb.**
flagrantissima Walker, 1858b: 86 (*Laphria*). Indonesia (Maluku). **N. comb.**

ardescens Walker, 1861b: 235 (*Laphria*). Indonesia (Irian Jaya). N. comb.

Genus LAPHRIA Meigen

- LAPHRIA** Meigen, 1803: 270. Type species: *Asilus gibbosus* Linnaeus, 1758, des. Latreille, 1810: 443.
SALIOMIMA Enderlein, 1914c: 243. Type species: *Laphria reinwardti* Wiedemann, 1828, orig. des.
LAMPRIA, error for *Laphria*.
auribasis Walker, 1864: 223. Indonesia (Irian Jaya).
bancrofti Ricardo, 1913a: 158. Australia (Qld).
berNSTEINII Wulp, 1872: 175. Indonesia (Irian Jaya & Maluku).
burnsi Paramonov, 1958a: 104. Australia (Qld).
chappuisiana Enderlein, 1914c: 243 (*Saliomima*). Indonesia (Maluku).
coerulea Boisduval, 1835: 660. Indonesia (Irian Jaya).
iodisome Boisduval, 1835: 660. Indonesia (Irian Jaya).
comata White, 1918: 85. Australia (Vic); Australia (ACT, NSW).
definita Wulp, 1872: 172. Indonesia (Maluku).
dimidiata Macquart, 1846: 200(72). Philippines; Indonesia (Maluku); Indonesia (Java).
dissimilis Doleschall, 1858: 87. Indonesia (Maluku).
divulsa Walker, 1864: 206. Indonesia (Irian Jaya).
doryca Boisduval, 1835: 662 (*Dasytopogon*). Indonesia (Irian Jaya).
ferruginosa Wulp, 1872: 185. Indonesia (Maluku); Indonesia (Irian Jaya).
flavifemorata Macquart, 1850: 377(73). Australia (Tas).
fulviceps Macquart – not Australasian/Oceanian.
fulvipes Ricardo, 1913a: 158. Australia (Qld).
hirta Ricardo, 1913a: 159. “Australia”; Australia (NSW, Qld).
howeana Paramonov, 1958a: 95. Lord Howe I.
leucoprocta Wiedemann, 1828: 517. Indonesia (Java); Indonesia (Irian Jaya, Maluku).
ampla Walker, 1860b: 147. Indonesia (Maluku). N. syn.
argentifera Walker, 1861d: 279. Indonesia (Irian Jaya). N. syn
lukinsi Paramonov, 1958a: 102. Australia (WA).
melania Bigot, 1878i: 224. Indonesia (Maluku).
ogasawarensis Matsumura, 1916: 312. Bonin Is.
ostensa Walker, 1861e: 21. Indonesia (Maluku).
pacifica Paramonov, 1958a: 95. Lord Howe I.
pernigra Wulp, 1872: 170. Indonesia (Maluku).
reginae Paramonov, 1958a: 101. Australia (Qld).
rubidofasciata Wulp, 1872: 188. Indonesia (Irian Jaya).
rufifemorata Macquart, 1846: 201(73). Australia (Tas); Australia (ACT, NSW, Vic, WA).
soror Wulp, 1872: 190. Indonesia (Irian Jaya & Maluku); PNG (Bismarck Arch).
taphia Walker, 1849: 380. Philippines; Indonesia (Maluku); Indonesia (Sulawesi).
telecles Walker, 1849: 376. Australia (WA); Australia (ACT, NSW, Tas, Vic).
tristis Doleschall, 1857: 398. Indonesia (Maluku); Indonesia (Irian Jaya); Indonesia (Sulawesi).
variana White, 1918: 84. Australia (NSW).
vulcana Wiedemann, 1828: 514. Indonesia (Java); Indonesia (Maluku); Indonesia (Sumatra),
 Malaysia (Pen), Philippines, Taiwan.
aurigena Walker, 1851a: 109 (*Choerades*). Indonesia (“Java or Sumatra”).
blumei Wulp, 1872: 170. Indonesia (Java & Sumatra).

Genus MAIRA Schiner

- MAIRA** Schiner, 1866a: 673. Type species: *Laphria spectabilis* Guérin-Méneville, 1838 [= *Laphria splendida* Guérin-Méneville, 1831], orig. des.
aenea Fabricius, 1805: 161 (*Laphria*). Indonesia (Maluku); widesp. Australasian/Oceanian Regs.;
 China, SE Asia.

- cyanæa* Macquart, 1834a: 286 (*Laphria*). "Nouvelle-Guinée."
- colorata* Boisduval, 1835: 661 (*Laphria*). PNG (Bismarck Arch).
- pellucida* Doleschall, 1857: 396 (*Laphria*). Indonesia (Maluku).
- comes* Walker, 1858b: 85 (*Laphria*). Indonesia (Maluku).
- consors* Walker, 1858b: 85 (*Laphria*). Indonesia (Maluku).
- placens* Walker, 1859a: 128 (*Laphria*). Indonesia (Maluku). N. syn.
- requisita* Walker, 1859b: 105 (*Laphria*). Indonesia (Sulawesi). N. syn.
- compta* Walker, 1860b: 146 (*Laphria*). Indonesia (Maluku). N. syn.
- replens* Walker, 1861b: 234 (*Laphria*). Indonesia (Irian Jaya).
- pachycera* Bigot, 1878i: 232. Indonesia (Irian Jaya).
- appendiculata** Bezzi, 1928: 46. Fiji.
- auribarbis** Macquart, 1848: 182(22) (*Lampria*). Indonesia (Java); Indonesia (Irian Jaya, Maluku).
- consobrina* Walker, 1858b: 84 (*Laphria*). Indonesia (Maluku).
- aurifacies** Macquart, 1848: 182(22) (*Laphria*). Indonesia (Maluku).
- bisnigra** Bigot, 1878i: 231. Indonesia (Irian Jaya).
- binigra*, error for *bisnigra*.
- calopogon** Bigot, 1878i: 226 (*Laphria*). "Australia." N. comb.
- claripennis** Le Guillou, 1842: 314 (*Lampria*). Indonesia (Irian Jaya).
- conveniens** Walker, 1861d: 278 (*Laphria*). Indonesia (Irian Jaya); Indonesia (Maluku).
- elysiaca** Osten Sacken, 1881a: 430. Indonesia (Irian Jaya); Indonesia (Maluku).
- flagellata** Walker, 1861e: 6 (*Laphria*). Indonesia (Maluku).
- germania** Walker, 1858b: 86 (*Laphria*). Indonesia (Maluku); Indonesia (Irian Jaya).
- gloriosa** Walker, 1858b: 84 (*Laphria*). Indonesia (Maluku); Indonesia (Irian Jaya), "New Guinea"; Indonesia (Java, Sumatra).
- hirta** de Meijere, 1913b: 334. Indonesia (Irian Jaya); Indonesia (Maluku), PNG (Bougainville I).
- hispidella** Wulp, 1872: 213. Indonesia (Irian Jaya & Java & Maluku).
- var. *nigropilosa* de Meijere, 1913b: 333. Indonesia (Irian Jaya).
- kollari** Doleschall, 1857: 396 (*Laphria*). Indonesia (Maluku).
- lauta** Wulp, 1885d: ccxc. New Caledonia (New Caledonia).
- leei** Paramonov, 1958a: 100 (*Laphria*). Australia (WA). N. comb.
- limbidorsum** Bezzi, 1928: 45. Fiji.
- longicornis** de Meijere, 1913b: 332. Indonesia (Irian Jaya).
- nigrithorax** Wulp, 1872: 210. Indonesia (Maluku); Indonesia (Sumatra).
- niveifacies** Macquart, 1850: 377(73) (*Laphria*). Australia (Tas).
- occulta** Wulp, 1872: 205. Indonesia (Irian Jaya).
- paradisiaca** Walker, 1859a: 128 (*Laphria*). Indonesia (Maluku).
- setipes** Walker, 1861e: 6 (*Laphria*). Indonesia (Maluku).
- smaragdina** Bigot, 1878i: 231. Indonesia (Irian Jaya).
- sodalis** Walker, 1858b: 85 (*Laphria*). Indonesia (Maluku); Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch), "Samoa," Solomon Is, Vanuatu.
- nitida** Austen, 1915: 400. Indonesia (Irian Jaya). N. syn.
- splendida** Guérin-Méneville, 1831: pl. 20, fig. 7 (*Laphria*). Not given [Indonesia (Maluku)]; Indonesia (Irian Jaya), PNG (Bismarck Arch, Bougainville I).
- spectabilis* Guérin-Méneville, 1838: 292 (*Laphria*; unnec. n. n. for *splendida* Guérin-Méneville).
- kubinyii* Doleschall, 1857: 397 (*Laphria*). Indonesia (Maluku).
- socia* Walker, 1858b: 84 (*Laphria*). Indonesia (Maluku).
- congrua* Walker, 1861d: 277 (*Laphria*). Indonesia (Irian Jaya).
- consurgens* Walker, 1861d: 278 (*Laphria*). Indonesia (Irian Jaya).
- waigiensis* Bigot, 1878i: 232. Indonesia (Irian Jaya).
- kurbinyi*, error for *kubinyii*.
- superba** de Meijere, 1913c: xl [1915a: 111]. Indonesia (Irian Jaya).
- tincta** de Meijere, 1913b: 331. Indonesia (Irian Jaya).
- tomentosa** Wulp, 1872: 202. Indonesia (Irian Jaya & Maluku).

vanderwulpi de Meijere, 1913b: 331. Indonesia (Irian Jaya).
varians Ricardo, 1929: 118. American Samoa; Western Samoa.
villipes Doleschall, 1857: 397 (*Laphria*). Indonesia (Maluku).
whitneyi Curran, 1936: 16. Solomon Is.
willowsi Curran, 1936: 17. Solomon Is.
wollastoni Austen, 1915: 398. Indonesia (Irian Jaya).

Genus NYXIMYIA Hull

NYXIMYIA Hull, 1962: 78. Type species: *Nyximyia niger* Hull, 1962, orig. des.
nigra Hull, 1962: 79. Australia (NSW); Australia (NT, ?WA).

Genus ORTHOGONIS Hermann

ORTHOGONIS Hermann, 1914: 132. Type species: *Laphria scapularis* Wiedemann, 1828, orig. des.
campbelli Paramonov, 1958a: 104 (*Laphria*). Australia (NSW); Australia (ACT). **N. comb.**
clavata White, 1914a: 273 (*Laphria*). Australia (WA). **N. comb.**
complens Walker, 1859b: 106 (*Laphria*). Indonesia (Sulawesi); Indonesia (Irian Jaya). **N. comb.**
erythropa Wulp, 1898c: 129 (*Laphria*). PNG (Bismarck Arch.).
liturifera Walker, 1861b: 234 (*Laphria*). Indonesia (Irian Jaya). **N. comb.**
tibialata Walker, 1865b: 110 (*Laphria*). "New Guinea" [= Indonesia (Irian Jaya)]. **N. syn.**
tibialis, error for *tibialata*.
maurooides Paramonov, 1958a: 102 (*Laphria*). Australia (ACT); Australia (NSW, Vic). **N. comb.**
nigrocaerulea Wulp, 1872: 194 (*Laphria*). "New Guinea"; PNG (Bismarck Arch.).
obliquistriga Walker, 1861c: 264 (*Laphria*). Indonesia (Sulawesi); Indonesia (Irian Jaya, Maluku).
ornatipennis Macquart, 1850: 377(73) (*Laphria*). Australia, "côte orientale"; Australia (NSW, Vic). **N. comb.**
scapularis Wiedemann, 1828: 516 (*Laphria*). Indonesia (Java); Indonesia (Maluku); "Borneo,"
 Indonesia (Sumatra), Philippines.
zentae Paramonov, 1958a: 94 (*Laphria*). Lord Howe I. **N. comb.**

Genus POGONOSOMA Rondani

POGONOSOMA Rondani, 1856: 160. Type species: *Asilus maroccanus* Fabricius, 1794, orig. des.
albopilosum de Meijere, 1913b: 327, Indonesia (Irian Jaya).
bleekeri Doleschall, 1858: 88 (*Laphria*). Indonesia (Maluku).
semifuscum Wulp, 1872: 158. Indonesia (Irian Jaya).
walkeri Daniels, n. n. Indonesia (Irian Jaya).
basifera Walker, 1861d: 279 (*Laphria*). Indonesia (Irian Jaya). [Preocc. Walker, 1856.]

Unplaced species of Laphriini

concludens Walker, 1859b: 105 (*Laphria*). Indonesia (Sulawesi); Indonesia (Maluku).
manifesta Walker, 1858b: 87 (*Laphria*). Indonesia (Maluku); Indonesia (Irian Jaya).

Subfamily LEPTOGASTRINAE

Genus LAGYNOCASTER Hermann

LAGYNOCASTER Hermann, 1917: 12. Type species: *Lagynocaster fuliginosa* Hermann, 1917, orig. des.
destillatoria Hermann, 1917: 16. "New Guinea."

Genus LEPTOGASTER Meigen

- LEPTOGASTER** Meigen, 1803: 269. Type species: *Asilus tipuloides* Linnaeus, 1758 [misid., = *Asilus cylindricus* De Geer, 1776], orig. des.
- GONYPES** Latreille, 1805: 309. Type species: *Asilus tipuloides* Linnaeus, 1758 [misid., = *Asilus cylindricus* De Geer, 1776], mon.
- GONIJPES**, error for *Gonyptes*.
- aestiva** White, 1914a: 265. Australia (Tas).
- albimana** Walker, 1858b: 89. Indonesia (Maluku); Burma, India, Sri Lanka.
- antipoda** Bigot, 1879a: 445. Australia (Tas).
- australis** Ricardo, 1912a: 476. Australia (Qld).
- autumnalis** White, 1916b: 153. Australia (Tas).
- bancrofti** Ricardo, 1912a: 475. Australia (Qld & Vic).
- brevitarsis** Hardy, 1935a: 165. Australia (Qld).
- crockeri** Curran, 1936: 14. Solomon Is.
- dissimilis** Ricardo, 1912a: 476. Australia (Qld).
- doleschalli** Oldroyd, 1975: 102 (n. n. for *annulipes* Doleschall). Indonesia (Maluku).
- annulipes* Doleschall, 1858: 90 (*Gonijpes*). Indonesia (Maluku). [Preocc. Walker, 1855.]
- exacta** Walker, 1861e: 18. Indonesia (Maluku); "New Guinea."
- ferruginea** Walker, 1858b: 89. Indonesia (Maluku); Indonesia (Irian Jaya). [Preocc. Walker, 1855; no n. n. proposed at this time.]
- fulvipes** Bigot, 1879a: 446. Indonesia (Maluku).
- geniculata** Macquart, 1850: 400(96) (*Gonyptes*). Australia (Tas).
- javanensis** de Meijere, 1914a: 39. Indonesia (Java); ?Samoa."
- longipes** Walker, 1858b: 89. Indonesia (Maluku).
- magnicollis** Walker, 1861e: 21. Indonesia (Maluku).
- moluccana** Doleschall, 1857: 398 (*Gonyptes*). Indonesia (Maluku).
- occidentalis** White, 1914a: 267. Australia (WA).
- pacifica** Bezzii, 1928: 41. Fiji.
- pedania** Walker, 1849: 484. "New Holland."
- rufithorax** de Meijere, 1913a: 50. Indonesia (Irian Jaya).
- tarsalis** Walker, 1861d: 281. Indonesia (Irian Jaya); Indonesia (Maluku); Indonesia (Sulawesi).
- tillyardi** Hardy, 1935a: 163. Australia (NSW).
- unicolor** Doleschall, 1858: 89 (*Gonijpes*). Indonesia (Maluku).
- vernalis** White, 1914a: 265. Australia (Tas).
- whitei** Hardy, 1940b: 492 (n. n. for *fumipennis* White). Australia (Tas).
- fumipennis* White, 1914a: 266. Australia (Tas). [Preocc. Loew, 1871.]

Nomina nuda in Asilidae

- amoena** Walker, 1866: 12 (*Laphria*).
- cilicatus** Hardy, 1920b: 189 (*Asilus*).
- noctulus** Walker, 1866: 14 (*Ommatius*).