

44. Family DOLICHOPODIDAE

By D.J. Bickel & C.E. Dyte

Flies of the family Dolichopodidae are often abundant in moist habitats and are frequently found on foliage, tree trunks, mud flats, and river rocks. Adults are predaceous on soft-bodied invertebrates and serve as important general control agents of many pest species.

The maggotlike larvae are found in such habitats as soil, rotted vegetation, mud, and under bark. Most are predators or scavengers, although the larva of *Thrypticus* is a phytophagous stem miner in various Monocotyledons [see DYTE (1967) for review of immature stages]. WILLIAMS' (1938b,c, 1939) studies of the immature stages of Hawaiian dolichopodids are among the best documented for the family.

The elaborate secondary sexual characters of male dolichopodids are assumed to aid in species recognition during courtship and often show parallel development in unrelated groups. These characters include flaglike flattening of the arista and tarsi, strongly modified setae and cuticular projections, prolongation and deformation of podomeres, orientated silvery pruinosity, maculation and deformation of wings, etc. The hypopygium is often greatly enlarged and exposed and usually carries species-specific characters. The tiny *Babindella*, of the endemic Australian subfamily Babindellinae, shows secondary postabdominal symmetry (BICKEL 1987b).

The Dolichopodidae is one of the most diverse families of flies, with approximately 5,000 described species. In the Australasian/Oceanian Regions, 722 species representing 61 genera in 9 subfamilies are known, although many new species and genera await description, especially from Australia and the Melanesian Archipelago. Apart from southern temperate elements in New Zealand and Australia, much of the Australasian/Oceanian fauna has strong affinities with

that of the Oriental Region. A notable exception is the presence of the Neotropical *Condylostylus longicornis* in eastern Polynesia.

Some "tramp" species, such as *Medetera griseascens* and *Chrysosoma leucopogon*, show extraordinarily widespread distributions throughout both the Oriental and Australasian regions, including many isolated oceanic islands. Several brachypterous species are known from subantarctic islands. Of particular interest is the extensive speciation of *Campsicnemus* in the Hawaiian Islands (136 spp., with many more awaiting description). This radiation invites comparison with that of the well-studied Hawaiian *Drosophila*.

The subfamily arrangements followed here are based on ULRICH (1981), with modifications. The limits of certain subfamilies, such as the Diaphorinae and Sympycninae are unclear and some genera, such as *Sympycnus*, are polyphyletic assemblages. Recent revisionary studies on the Medeterinae (BICKEL 1986a,b,c, 1987c) and Hydrophorinae (GROOTAERT & MUEFFELS 1984, MUEFFELS & GROOTAERT 1984) have added to the regional understanding of these taxa. A forthcoming revision of the Sciapodinae will document nomenclatural changes presented here.

BECKER'S (1922b) monograph, although dated, remains the basic reference for both the Oriental and Australasian/Oceanian Regions. Important faunistic treatments include those on the Hawaiian Islands (HARDY & KOHN 1964, TENORIO 1969), New Zealand (PARENT 1933b), Australia (HARDY 1930a, 1935b, 1939c; PARENT 1932a, 1933a), Samoan Islands (LAMB 1929), and New Guinea (DE MEIJERE 1906b, 1913a,b, 1915b; PARENT 1939a). Additional species descriptions are found in the many papers of PARENT. ROBINSON & VOCKEROTH (1981) provided a well-illustrated general review of the family.

Subfamily SCIAPODINAE

Genus AMBLYPSILOPUS Bigot

- AMBLYPSILOPUS** Bigot, 1888d: xxiv. Type species: *Psilopus psittacinus* Loew, 1861 (as *psitacinus* Fabricius), orig. des.
- GNAMPTOSILOPUS** Aldrich, 1893: 48. Type species: *Psilopus scintillans* Loew, 1861, des. Coquillett, 1910: 547. N. syn.
- AUSTRALIOLA** Parent, 1932a: 127. Type species: *Australiola tonnoiri* Parent, 1932 [= *Sciapus zonatus* Parent, 1932], mon. N. syn.
- AGONOSOMA**, authors, not Guérin-Méneville, 1838, misid.
- CHRYSSOSOMA**, authors, not Guérin-Méneville, 1838, misid.
- CONDYLOSTYLUS**, authors, not Bigot, 1859, misid.
- PSILOPUS**, authors, not Meigen, 1824, misid.
- SCIAPUS**, authors, not Zeller, 1842, misid.
- abruptus** Walker, 1859c: 115 (*Psilopus*). Indonesia (Sulawesi); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG); Cocos (Keeling) Is, India, Indonesia (Java, Sumatra), Malaysia (Pen, Sarawak), Philippines, Singapore, Taiwan, Vietnam. N. comb.
- muticus** Thomson, 1869: 509 (*Psilopus*). Cocos (Keeling) Is.
- filatus** Wulp, 1884d: 227 (*Psilopus*). Indonesia (Java).
- recurrens** de Meijere, 1913b: 342 (*Psilopus*). Indonesia (Irian Jaya).
- albicinctus** de Meijere, 1913a: 56 (*Psilopus*). Indonesia (Maluku). N. comb.
- albipes** Becker, 1922b: 201 (*Sciapus*). PNG (PNG). N. comb.
- alter** Becker, 1922b: 202 (*Sciapus*). PNG (PNG). N. comb.
- anomalicornis** Becker, 1922b: 199 (*Sciapus*). Australia (NT); Australia (Qld, WA). N. comb.
- austerus** Parent, 1935a: 363 (*Chrysosoma*). Malaysia (Sabah); Guam. N. comb.
- basistylatus** Parent, 1939a: 164 (*Sciapus*). PNG (PNG). N. comb.
- bifarius** Becker, 1922b: 208 (*Sciapus*). Australia (Qld) [not India]; Australia (NT). N. comb.
- brunnescens** Becker, 1922b: 205 (*Sciapus*). PNG (PNG). N. comb.
- connexus** Walker, 1835a: 471 (*Psilopus*). "New Holland"; Australia (NSW, Qld, WA), French Polynesia (Society Is), Hawaiian Is, Norfolk I. N. comb.
- pachigyna** Macquart, 1848: 197(37) (*Psilopus*). Australia (NSW).
- pachygyna**, error for *pachigyna*.
- discretifasciatus** Macquart, 1850: 431(127) (*Psilopus*). Australia (Tas); Australia (ACT, NSW, Qld, Vic). N. comb.
- depinctus** Becker, 1922b: 210. Australia (NSW).
- genevieveae** Parent, 1932a: 168 (as *genevievei*). Australia (Qld).
- eupulvillatus** Parent, 1928: 194 (*Condylostylus*). Tonga. N. comb.
- flaviappendiculatus** de Meijere, 1910a: 94 (*Agonosoma*). Indonesia (Java); Australia (NT, Qld); China, Indonesia (Nusa Tenggara), Philippines, Vietnam. N. comb.
- dolichonemis** Frey, 1925: 17 (*Psilopus*). Philippines. N. syn.
- brevitarsis** Parent, 1932b: 110 (*Sciapus*). Indonesia (Nusa Tenggara). N. syn.
- graciliventris** Parent, 1933a: 178 (*Sciapus*). Australia (Qld); Australia (NT, WA). N. comb.
- greenwoodi** Bezzi, 1928: 61 (*Chrysosoma*). Fiji. N. comb.
- humilis** Becker, 1922b: 172 (*Chrysosoma*). Taiwan; Solomon Is; China, India, Malaysia (Pen), Nepal, Philippines. N. comb.
- sauteri** Becker, 1924c: 127 (*Chrysosoma*). Taiwan. N. syn.
- mollis** Parent, 1932a: 125 (*Sciapus*). Australia (NSW); Australia (Qld). N. comb.
- pallidicornis** Grimshaw, 1901: 12 (*Gnampotosiropus*). Hawaiian Is; Belau, French Polynesia (Society Is), Guam, PNG (PNG); Seychelles, Taiwan. N. comb.
- fulgidipenne** Enderlein, 1912c: 377 (*Chrysosoma*). Taiwan.
- parallelinervis** Parent, 1935c: 75 (*Sciapus*). Solomon Is. N. comb.
- parvulus** Parent, 1934c: 295 (*Sciapus*). Fiji. N. comb.

- pectoralis** de Meijere, 1913a: 54 (*Psilopus*). Indonesia (Maluku). **N. comb.**
- platypus** Parent, 1932e: 350 [1932f: 580] (*Sciapus*). Indonesia (Maluku); Australia (Qld), PNG (PNG). **N. comb.**
- proximus** Parent, 1928: 191 (*Sciapus*). Australia (NSW); Australia (Qld), NZ (NZ). **N. comb.**
- pulverulentus** Parent, 1939a: 162 (*Chrysosoma*). PNG (PNG). **N. comb.**
- pulvillatus** Bezzii, 1928: 68 (*Condylostylus*). Fiji. **N. comb.**
- quadrimaculatus** Parent, 1932a: 121 (*Sciapus*). Australia (NSW). **N. comb.**
- segnis** Parent, 1934c: 297 (*Sciapus*). Fiji. **N. comb.**
- soror** Parent, 1934c: 291 (*Chrysosoma*). "Samoa." **N. comb.**
- superans** Walker, 1860b: 150 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG). **N. comb.**
- fluminis** de Meijere, 1913b: 344 (*Psilopus*). Indonesia (Irian Jaya). **N. syn.**
- tenuitarsis** de Meijere, 1913a: 343 (*Psilopus*). Indonesia (Irian Jaya). **N. comb.**
- triangulifer** Becker, 1922b: 211 (*Sciapus*). Australia (Qld) [not India]. **N. comb.**
- insecans** Becker, 1922b: 208 (*Sciapus*). Australia (Qld) [not India]. **N. syn.**
- triscuticatus** Hardy, 1930a: 129 (*Sciapus*). Australia (Qld); Australia (NSW). **N. comb.**
- tumidus** Hardy, 1959: 299 (*Sciapus*). Australia (NSW); Australia (ACT, Qld, Vic). **N. comb.**
- variabilis** de Meijere, 1913a: 346 (*Psilopus*). Indonesia (Irian Jaya); PNG (PNG). **N. comb.**
- zonatus** Parent, 1932a: 123 (*Sciapus*). Australia (NSW); Australia (Qld, Vic), Lord Howe I. **N. comb.**
- tonnoiri** Parent, 1932a: 128 (*Australiola*). Australia (NSW). **N. syn.**

Genus CHRYSSOSOMA Guérin-Méneville

- CHRYSSOSOMA** Guérin-Méneville, 1831: pl. 20, fig. 6. Type species: *Chrysosoma fasciata* Guérin-Méneville, 1831, des. Enderlein, 1912c: 373.
- AGONOSOMA** Guérin-Méneville, 1838: 293 (unnec. n. n. for *Chrysosoma*). [Preocc. Laporte, 1832.]
- MARGARITOSTYLUS** Bigot, 1859a: 215, 222. Type species: *Psilopus globifer* Wiedemann, 1830, orig. des.
- MEGISTOSTYLUS** Bigot, 1859a: 215, 222. Type species: *Dolichopus crinicornis* Wiedemann, 1824 (as *Psilopus*), orig. des. **N. syn.**
- OARIOSTYLUS** Bigot, 1859a: 215, 223. Type species: *Psilopus tuberculicornis* Macquart, 1855, orig. des.
- MEGYSTOSTYLUS**. Incorr. orig. spell. of *Megistostylus* (Bigot, 1859a: 222).
- OARIOPHERUS** Bigot, 1888d: xxiv. Type species: *Psilopus tuberculicornis* Macquart, 1855, orig. des.
- SPATHIOPSILOPUS** Bigot, 1888d: xxiv. Type species: *Psilopus globifer* Wiedemann, 1830, orig. des.
- SPATHIPSILOPUS** Bigot, 1890b: 268. Type species: *Psilopus globifer* Wiedemann, 1830, des. Dyte, 1975: 213.
- CONDYLOSTYLUS**, authors, not Bigot, 1859, misid.
- GNAMPTOPSILOPUS**, authors, not Aldrich, 1893, misid.
- PSILOPUS**, authors, not Meigen, 1824, misid.
- PSILOPODINUS**, authors, not Bigot, 1888, misid.
- MEGISTOTYLUS**, error for *Megistostylus*.
- aeneum** Fabricius, 1805: 268 (*Dolichopus*). Indonesia (Java); Indonesia (Irian Jaya, Maluku), PNG (PNG).
- variipennis** Walker, 1861b: 238 (*Psilopus*). Indonesia (Irian Jaya).
- aldrichi** de Meijere, 1913b: 342 (*Psilopus*). Indonesia (Irian Jaya); PNG (PNG).
- collini** Parent, 1932g: 217. PNG (PNG). **N. syn.**
- antennatum** Becker, 1922b: 149. PNG (Bismarck Arch.).
- trichromatum** Parent, 1939a: 163. PNG (Bismarck Arch.). **N. syn.**
- arrogans** Parent, 1934b: 113. Solomon Is; Guam, PNG (Bougainville I); Philippines.
- austeni** Parent, 1934a: 14. PNG (PNG). [Proposed (incorrectly) as a n. n. for specimens misidentified as *lilacinus* var. *flavittibiale* de Meijere. Name made available by back reference to Becker, 1922b: 182.]
- bicolor** Parent, 1937a: 133. Solomon Is.
- callosum** Parent, 1929: 199. Australia (Qld); Australia (NT).

- ceramense** de Meijere, 1913a: 55. Indonesia (Maluku).
- chromatipes** Bigot, 1890b: 288 (*Psilopus*). "Nouvelle-Guinée."
- complicatum** Becker, 1922b: 159. Marshall Is; Fiji, Kiribati (Gilbert Is), Micronesia, Tonga, Tuvalu, Wake I, Western Samoa.
- leucochirum* Bezzi, 1928: 64. Fiji. **N. syn.**
- confusum** Parent, 1932g: 226. PNG (PNG. [Proposed (incorrectly) as a n. n. for specimens misidentified as *Chrysosoma papuasinum* Bigot. Name made available by back reference to Becker, 1922b: 179.]
- consimile** Lamb, 1929: 133. Western Samoa; American Samoa.
- cordieri** Parent, 1934c: 279. Indonesia (Java); PNG (Bismarck Arch).
- crinicornе** Wiedemann, 1824: 39 (*Dolichopus*). Indonesia (Java); Australia (Qld), Indonesia (Irian Jaya, Maluku), PNG (Bismarck Arch, PNG), Solomon Is; Brazil, widesp. Oriental tropics.
- filifer* Walker, 1859b: 114 (*Psilopus*). Indonesia (Sulawesi).
- longisetosus* Wulp, 1882: 120 (*Psilopus*). Brazil.
- aeterus* Bigot, 1890b: 283 (*Psilopus*). Indonesia (Maluku).
- imparile* Parent, 1933a: 174. Australia (Qld). **N. syn.**
- longicornis*, authors, not Fabricius, 1775, misid.
- compressipes** Parent, 1939a: 157. PNG (PNG).
- crypticum** Becker, 1922b: 193. PNG (Bismarck Arch).
- digitulum** Becker, 1922b: 190. PNG (PNG).
- dilectum** Parent, 1935a: 368. Malaysia (Sabah); PNG (PNG).
- disparitarse** Parent, 1935c: 66. Solomon Is.
- nigricinctum* Parent, 1941: 203. Solomon Is. **N. syn.**
- diversicolor** Parent, 1928: 197. Australia (Qld).
- duplociliatum** Parent, 1933a: 172. Australia (NT); Australia (Qld, WA).
- egens* Walker, 1858b: 92 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya).
- eminens** Parent, 1935c: 68. Solomon Is; PNG (PNG).
- excellens** Parent, 1934b: 114. Solomon Is.
- fasciatum** Guérin-Méneville, 1831: pl. 20 [1838: 293]. Indonesia (Irian Jaya); Indonesia (Maluku).
- cognatum* Parent, 1929: 200. Indonesia (Maluku).
- ferriferum** Lamb, 1929: 126. Western Samoa; American Samoa, Fiji, Tonga.
- liber* Parent, 1934c: 293 (*Condylostylus*). Fiji. **N. syn.**
- fissilamellatum** Parent, 1939a: 158. PNG (PNG).
- flavitibiale* de Meijere, 1915b: 119 (*Psilopus lilacinus* ssp.). Indonesia (Irian Jaya). **N. stat.**
- formosum** Parent, 1934c: 281. Not given [?Australasian].
- funerale** Parent, 1933a: 173. Australia (Qld).
- globiferum** Wiedemann, 1830a: 222 (*Psilopus*). China; Hawaiian Is; Hong Kong, Ryukyu Is, Taiwan.
- figuralatum* Becker, 1922b: 184. Hong Kong. **N. syn.**
- fraternum* Van Duzee, 1933: 310. Hawaiian Is. **N. syn.**
- ignavum** Becker, 1922b: 174. PNG (PNG).
- impressum** Becker, 1922b: 173. PNG (PNG); Indonesia (Irian Jaya).
- inerme** de Meijere, 1913b: 343 (*Psilopus albopilosus* ssp.). Indonesia (Irian Jaya); Australia (Qld), PNG (PNG). **N. stat.**
- inflatum** Becker, 1922b: 221 (*Condylostylus*). PNG (PNG). **N. comb.**
- innatum** Lamb, 1929: 134. Western Samoa.
- insulanum** Parent, 1939a: 159. PNG (Bismarck Arch).
- interruptum** Becker, 1922b: 177. Australia (NT).
- lacteimicans** Becker, 1923: 28. "Samoa"; Western Samoa.
- decorum* Lamb, 1929: 132. Western Samoa. **N. syn.**
- latefuscatum* Parent, 1929: 204. "Iles Samoa." **N. syn.**
- latemaculatum** Parent, 1939a: 160. PNG (PNG).
- leopoldi** Parent, 1932h: 23. Indonesia (Irian Jaya).
- leucopogon** Wiedemann, 1824: 40 (*Dolichopus*). "India orient"; Australia (NT, Qld), French Polynesia

- (Society Is), New Caledonia (New Caledonia), PNG (PNG), Western Samoa; Cocos (Keeling) Is, Madagascar, Mascarenes, Seychelles, Taiwan, Tanzania, widespread. Oriental tropics (incl. Chagos Is).
- apicalis* Wiedemann, 1830a: 227 (*Psilopus*). Indonesia (Sumatra).
- conicornis* Macquart, 1846: 248(120) (*Psilopus*). India.
- curvifera* Thomson, 1869: 508 (*Psilopus*). French Polynesia (Society Is). N. syn.
- loewi* Enderlein, 1912c: 378. Taiwan.
- leucopygum* de Meijere, 1906b: 82 (*Agonosoma*). Indonesia (Irian Jaya); PNG (PNG).
- leveri* Parent, 1934b: 115. Solomon Is.
- festivum* Parent, 1935c: 69. Solomon Is. N. syn.
- lilacinum* de Meijere, 1913b: 341 (*Psilopus*). Indonesia (Irian Jaya).
- lucigena* Walker, 1858b: 91 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
- extendens* Walker, 1865b: 111 (*Psilopus*). "New Guinea" [= Indonesia (Irian Jaya)].
- luctuosum* Parent, 1928: 195. Fiji.
- ludens* Parent, 1935c: 70. Solomon Is; Marshall Is, PNG (PNG).
- maculipenne* Guérin-Méneville, 1831: pl. 20 [1838: 294]. Indonesia (?Sumatra); Indonesia (Irian Jaya, Maluku), PNG (PNG).
- benedictus* Walker, 1858b: 91 (*Psilopus*). Indonesia (Maluku).
- persuadens* Walker, 1860b: 149 (*Psilopus*). Indonesia (Maluku).
- diversifrons* de Meijere, 1913b: 345 (*Psilopus*). Indonesia (Irian Jaya). N. syn.
- maculiventre* Parent, 1935c: 71. Solomon Is.
- leuocygum*, Parent, 1934, not de Meijere, 1906, misid.
- marginale* Walker, 1861b: 283 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
- obscuripennis* de Meijere, 1913a: 54 (*Psilopus*). Indonesia (Maluku). N. syn.
- anthracinum* Becker, 1922b: 191. PNG (PNG). N. syn.
- medium* Becker, 1922b: 139. PNG (PNG).
- meijeri* Parent, 1932e: 349 [1932f: 579]. Indonesia (Maluku); Malaysia (Sabah).
- moderatum* Walker, 1864: 209 (*Psilopus*). Indonesia (Maluku).
- moleustum* Parent, 1934c: 288. Vanuatu; Kiribati (Gilbert Is), Tuvalu.
- multilatum* Parent, 1935c: 72. Solomon Is; Micronesia.
- nigrofasciatum* Macquart, 1850: 430(126) (*Psilopus*). Australia, "côte orientale"; Australia (NSW, Qld).
- regale* Parent, 1932a: 111. Australia (NSW).
- chetiscutatum* Parent, 1932a: 113. Australia (NSW). N. syn.
- nigrohalteratum* Parent, 1939a: 161. PNG (PNG).
- nigrolimbatum* de Meijere, 1913b: 340 (*Psilopus*). Indonesia (Irian Jaya).
- nobile* Parent, 1933a: 175. Australia (NT); Australia (Qld, WA).
- noumeanum* Bigot, 1890b: 288 (*Psilopus*). New Caledonia (New Caledonia).
- bigoti* Parent, 1932g: 223. New Caledonia (New Caledonia). N. syn.
- obscuripes* Parent, 1934b: 117. Solomon Is; PNG (Bougainville I).
- orciferum* Walker, 1858b: 92 (*Psilopus*). Indonesia (Maluku). N. comb.
- pacificum* Parent, 1930: 113. French Polynesia (Society Is).
- globifer*, authors, not Wiedemann, 1830, misid.
- pagdeni* Parent, 1937a: 138. Solomon Is.
- palapes* Hardy & Kohn, 1964: 234. Hawaiian Is; Sri Lanka.
- papuasinum* Bigot, 1890b: 283 (*Spathiospiłopus*). "Nouvelle-Guinée"; PNG (Bismarck Arch).
- parvicucullatum* Lamb, 1929: 129. Western Samoa.
- patelliferum* Thomson, 1869: 507 (*Psilopus*). Guam.
- macropus* Thomson, 1869: 508 (*Psilopus*). Guam. N. syn.
- pexum* Becker, 1922b: 173. PNG (PNG).
- pexoides* Parent, 1939a: 161. PNG (PNG). N. syn.
- planitarse* Becker, 1922b: 168. PNG (PNG).
- prolixiens* Walker, 1856c: 120 (*Psilopus*). Malaysia (Sarawak); Australia (NT, Qld), Indonesia (Irian Jaya, Maluku), PNG (PNG); India, Indonesia, Philippines, Singapore.

- delectans* Walker, 1856c: 120 (*Psilopus*). Malaysia (Sarawak).
perficiens Walker, 1860b: 150 (*Psilopus*). Indonesia (Maluku). N. syn.
albopilosus Wulp, 1895a: 46 (*Psilopus*). Indonesia (Java).
divisum Becker, 1922b: 182. PNG (PNG) & India & Malaysia & Philippines. N. syn.
diversum. Incorr. orig. spell. of *divisum* (Becker, 1922b: 242).
altopilosum, error for *albopilosus*.
provocans Parent, 1934c: 289. Vanuatu.
purpurascens de Meijere, 1915b: 117 (*Psilopus*; n. n. for *purpuratum* de Meijere). Indonesia (Irian Jaya);
 PNG (PNG). N. comb.
purpuratum de Meijere, 1906b: 84 (*Agonosoma*). Indonesia (Irian Jaya). [Preocc. Aldrich, 1901.]
quadratum Wulp, 1884d: 222 (*Psilopus*). Indonesia (Maluku).
salomone Parent, 1929: 205. Solomon Is.
saonekense de Meijere, 1913a: 56 (*Psilopus*). Indonesia (Maluku); PNG (PNG). N. comb.
atripes Parent, 1934c: 278. Indonesia (Maluku). N. syn.
seticorne Walker, 1864: 234 (*Psilopus*). Indonesia (Maluku).
sigma Parent, 1935c: 73. Solomon Is.
solitarium Parent, 1935c: 74. Solomon Is.
splendidum Wulp, 1869: 111 (*Psilopus*). Indonesia (Irian Jaya); PNG (PNG).
signatipenne de Meijere, 1906b: 83 (*Agonosoma*). Indonesia (Irian Jaya). N. syn.
trigemmans Walker, 1849: 650 (*Psilopus*). Not given [?Australasian].
tuberculicorne Macquart, 1855: 104(84) (*Psilopus*). French Polynesia (Marquesas); French Polynesia
 (Society Is), Niue.
candidum Parent, 1932d: 872. French Polynesia (Society Is). N. syn.
viduum Lamb, 1929: 135. Western Samoa.
waigeense de Meijere, 1913a: 57 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (PNG).
geniculatus de Meijere, 1913b: 347 (*Psilopus*). Indonesia (Irian Jaya). N. syn.
appendiculatus de Meijere, 1915b: 120 (*Psilopus geniculatus* ssp.). Indonesia (Irian Jaya). [Preocc.
 Bigot, 1890.]
mutabile Becker, 1922b: 173 (n. n. for *appendiculatus* de Meijere). N. syn.
futile Parent, 1939a: 158. PNG (PNG). N. syn.

Genus CONDYLOSTYLUS Bigot

- CONDYLOSTYLUS** Bigot, 1859a: 215, 223. Type species: *Psilopus bituberculatus* Macquart, 1842, orig. des.
TYLOCHAETUS Bigot, 1888d: xxiv. Type species: *Psilopus bituberculatus* Macquart, 1842, orig. des.
AGONOSOMA, authors, not Guérin-Méneville, 1838, misid.
CHRYSOSOMA, authors, not Guérin-Méneville, 1838, misid.
PSILOPUS, authors, not Meigen, 1824, misid.
SCIAPUS, authors, not Zeller, 1842, misid.
longicornis Fabricius, 1775: 783 (*Musca*). "America"; French Polynesia (Austral Is, Society Is); Bolivia,
 Brazil, Mexico, Panama, Peru, USA, Venezuela, West Indies. N. comb.
chrysoprasii Walker, 1849: 646 (*Psilopus*). "West Indies." N. syn.
ciliipes Aldrich, 1901: 355 (*Psilopus*). Mexico. N. syn.

Genus HELIXOCERUS Lamb

- HELIXOCERUS** Lamb, 1929: 137. Type species: *Helixocerus mendozum* Lamb, 1929, orig. des.
mendozum Lamb, 1929: 137. American Samoa; Western Samoa.

Genus HETEROPSILOPUS Bigot

- HETEROPSILOPUS** Bigot, 1859a: 215, 224. Type species: *Psilopus grandis* Macquart, 1850 [=
Heteropsilopus cingulipes Walker, 1835], orig. des.

CHRYSOSOMA, authors, not Guérin-Méneville, 1838, misid.

PSILOPUS, authors, not Meigen, 1824, misid.

SCIAPUS, authors, not Zeller, 1842, misid.

brevicornis Macquart, 1850: 428(124) (*Psilopus*). Australia (Tas); Australia (NSW, SA, Vic, WA).

venustus Walker, 1852: 209 (*Psilopus*). Australia (WA).

chrysurgus Schiner, 1868: 214 (*Psilopus*). Australia (NSW).

volucre Becker, 1922b: 142 (*Chrysosoma*). "Neu Holland" & "Australien."

bimaculatus Parent, 1932a: 117 (*Sciapus*). Australia (NSW).

caelicus Parent, 1932a: 167 (*Chrysosoma*). Australia (Qld). N. syn.

cingulipes Walker, 1835a: 471 (*Psilopus*). "New Holland"; widesp. Australia (excl. NT, WA).

sidneyensis Macquart, 1847a: 39 [1847b: 55] (*Psilopus*). Australia (NSW).

grandis Macquart, 1850: 430(126) (*Psilopus*). Australia (NSW).

eximus Walker, 1852: 209 (*Psilopus*). "New Holland."

angulosus Bigot, 1890b: 285 (*Psilopus*). "Australie." N. syn.

chalceus White, 1916b: 250 (*Sciapus*). Australia (Tas). N. syn.

alatum Becker, 1922b: 188 (*Chrysosoma*). Australia (NSW).

micans Parent, 1932a: 109 (*Chrysosoma*). Australia (ACT).

metallicum Parent, 1932a: 113 (*Chrysosoma*). Australia (NSW). N. syn.

jacquelineae Parent, 1932a: 169 (*Sciapus*; as *jacquelinei*). Australia (ACT). N. syn.

alatum, error for *alatum*.

sydneyensis, error for *sidneyensis*.

ingenuus Erichson, 1842: 273 (*Psilopus*). Australia (Tas); Australia (ACT, NSW, SA, Vic).

gloriosus Parent, 1932a: 119. Australia (Tas).

plumifer Becker, 1922b: 206 (*Sciapus*). Australia (NSW); Australia (Qld).

squamifer Hardy, 1958: 295. Australia (NSW).

trifasciatus Macquart, 1850: 430(126) (*Psilopus*). Australia (Tas); Australia (NSW, SA, Vic, WA).

Genus KRAKATAUIA Enderlein

KRAKATAUIA Enderlein, 1912c: 408. Type species: *Psilopus rectus* Wiedemann, 1830 (as *Pilopus*), orig. des.

CHRYSOSOMA, authors, not Guérin-Méneville, 1838, misid.

CONDYLOSTYLUS, authors, not Bigot, 1859, misid.

SCIAPUS, authors, not Zeller, 1842, misid.

abbreviata Becker, 1922b: 193 (*Chrysosoma*). PNG (Bismarck Arch). N. comb.

barbescens Parent, 1939a: 156 (*Chrysosoma*). PNG (PNG). N. comb.

evulgata Becker, 1922b: 205 (*Sciapus*). PNG (Bismarck Arch); Marshall Is, Micronesia, Nauru, PNG (PNG), Solomon Is, Vanuatu. N. comb.

frontale Becker, 1922b: 185 (*Chrysosoma aldrichi* ssp.). PNG (PNG). N. syn.

pressipes Parent, 1929: 244 (*Sciapus*). Micronesia [not Nearctic]. N. syn.

occultus Parent, 1934b: 124 (*Sciapus*). Solomon Is. N. syn.

melanochira Bezzi, 1928: 63 (*Chrysosoma*). Fiji. N. comb.

nitidifacies Parent, 1934b: 123 (*Sciapus*). PNG (Bismarck Arch). N. comb.

nupta Bezzi, 1928: 67 (*Condylostylus*). Fiji. N. comb.

recta Wiedemann, 1830a: 225 (*Psilopus*). Indonesia (Sumatra); PNG (PNG); Oriental Reg.

unitus Parent, 1928: 193 (*Sciapus*). Malaysia (Sarawak).

sericea de Meijere, 1913a: 57 (*Psilopus*). Indonesia (Maluku). N. comb.

tabulina Becker, 1922b: 197 (*Sciapus*). PNG (PNG). N. comb.

Genus MESORHAGA Schiner

MESORHAGA Schiner, 1868: 217. Type species: *Mesorrhaga tristis* Schiner, 1868, orig. des.

lata Becker, 1922b: 232. PNG (PNG).

prima Parent, 1932a: 170. Australia (NSW); Australia (ACT).

Genus PARENTIA Hardy

- PARENTIA** Hardy, 1935b: 249. Type species: *Condylostylus separatus* Parent, 1932 [= *Psilopus dispar* Macquart, 1850], orig. des.
- CHRYSSOSOMA*, authors, not Guérin-Méneville, 1831, misid.
- CONDYLOSTYLUS*, authors, not Bigot, 1859, misid.
- SCIAPUS*, authors, not Zeller, 1842, misid.
- ciliifoliata* Parent, 1933c: 339 (*Condylostylus*). NZ (NZ). **N. comb.**
- dichaeta* Parent, 1933c: 334. NZ (NZ). **N. comb.**
- dichaetum* Parent, 1932c: 232 (*Chrysosoma*). *Nomen nudum*.
- dispar* Macquart, 1850: 429(125) (*Psilopus*). Australia, "côte orientale et de la Tasmanie"; Australia (NSW, SA, Vic, WA).
- sublectus* Walker, 1852: 211 (*Psilopus*). Australia (Tas). **N. syn.**
- nigrociliatus* Parent, 1932a: 123 (*Sciapus*). Australia (Tas). **N. syn.**
- separatus* Parent, 1932a: 127 (*Condylostylus*). Australia (Tas). **N. syn.**
- dubia* Parent, 1929: 201 (*Chrysosoma*). Australia (SA).
- fuscata* Hutton, 1901: 32 (*Peliopus*). NZ (NZ). **N. comb.**
- griseicollis* Becker, 1924c: 130 (*Chrysosoma*). NZ (NZ). **N. comb.**
- hexachaeta* Parent, 1933c: 343 (*Condylostylus*). NZ (NZ). **N. comb.**
- huttoni* Parent, 1933c: 336 (*Chrysosoma*). NZ (NZ). **N. comb.**
- huttoni* Parent, 1932c: 232 (*Chrysosoma*). *Nomen nudum*.
- malitiosa* Hutton, 1901: 33 (*Psilopus*). NZ (NZ). **N. comb.**
- milleri* Parent, 1933c: 336 (*Chrysosoma*). NZ (NZ). **N. comb.**
- mobilis* Hutton, 1901: 32 (*Psilopus*). NZ (NZ). **N. comb.**
- modesta* Parent, 1933c: 342 (*Condylostylus*). NZ (NZ). **N. comb.**
- nigropilosa* Macquart, 1847a: 40 [1847b: 56] (*Psilopus*). Australia, "côte orientale"; Australia (ACT, NSW, Tas, Vic).
- recticosta* Parent, 1933c: 340 (*Condylostylus*). NZ (NZ). **N. comb.**
- subnigra* Becker, 1924c: 128 (*Chrysosoma*). NZ (NZ). **N. comb.**
- tonnoiri* Parent, 1933c: 332 (*Sciapus*). NZ (NZ). **N. comb.**
- tricolor* Walker, 1835a: 471 (*Psilopus*). "New Holland"; Australia (NSW, SA, Tas, Vic, WA).
- gemmans* Walker, 1849: 644 (*Psilopus*). Australia (WA).
- viduus* Schiner, 1868: 216 (*Psilopus*). Australia (NSW). **N. syn.**
- amoenus* Becker, 1922b: 219 (*Condylostylus*). Australia (NSW).
- villana* Parent, 1933a: 177. NZ (NZ). **N. comb.**

Genus PLAGIOZOPELMA Enderlein

- PLAGIOZOPELMA** Enderlein, 1912c: 367. Type species: *Plagiozopelma spengeli* Enderlein, 1912 [= *Psilopus appendiculatus* Bigot, 1890], orig. des.
- CHRYSSOSOMA*, authors, not Guérin-Méneville, 1831, misid.
- PSIOPUS*, authors, not Meigen, 1824, misid.
- angustifacies* Becker, 1922b: 186 (*Chrysosoma*). PNG (Bismarck Arch) & Indonesia (Maluku). **N. comb.**
- arctifacies* Parent, 1935c: 65 (*Chrysosoma*). Solomon Is. **N. comb.**
- atropurpureum* Parent, 1939a: 156 (*Chrysosoma*). PNG (PNG); PNG (Bismarck Arch). **N. comb.**
- flavipodex* Becker, 1922b: 156 (*Chrysosoma*). PNG (PNG); Australia (Qld), Guam, Indonesia (Maluku), Northern Marianas; Christmas I (Indian Ocean), Nepal, Philippines. **N. comb.**
- subrectum* Walker, 1864: 209 (*Psilopus*). Indonesia (Maluku); Indonesia (Irian Jaya); Malaysia (Pen). **N. comb.**
- pallidipes* de Meijere, 1913b: 344 (*Psilopus*). Indonesia (Irian Jaya).
- breve* Becker, 1922b: 193. PNG (PNG). **N. syn.**
- terminiferum* Walker, 1858b: 92 (*Psilopus*). Indonesia (Maluku); Australia (Qld), Indonesia (Irian Jaya), PNG (PNG). **N. comb.**

Unplaced species of Sciapodinae

- australensis** Schiner, 1868: 216 (*Psilopus*). Australia (NSW); Australia (ACT, Qld, Tas, Vic).
cosmochirum Bezzi, 1928: 61 (*Chrysosoma*). Fiji.
difficilis Parent, 1932a: 124 (*Sciapus*). Australia (NSW).
exul Parent, 1932c: 240 (*Sciapus*). Not given [unknown].
gemmaus Walker, 1849: 647 (*Psilopus*). NZ (NZ).
nitidus Walker, 1852: 208 (*Psilopus*). Not given [unknown].
novum Parent, 1933c: 344 (*Leptorhethum*). NZ (NZ).
nubeculosum Becker, 1922b: 175 (*Chrysosoma*). PNG (PNG).
palmetorum Doleschall, 1858: 94 (*Psilopus*). Indonesia (Maluku).
pellucens de Meijere, 1913b: 346 (*Psilopus*). Indonesia (Irian Jaya).
restrictus Hutton, 1901: 33 (*Psilopus*). NZ (NZ).
sordidus Parent, 1928: 193 (*Sciapus*). Australia (NSW); Australia (ACT, Qld, SA, Vic).

Subfamily NEURIGONINAE

Genus ARACHNOMYIA White

- ARACHNOMYIA** White, 1916b: 252. Type species: *Arachnomyia arborum* White, 1916, mon.
PLEUROPYGIUS Parent, 1933a: 186. Type species: *Pleuropygius longipes* Parent, 1933 [= *Arachnomyia arborum* White, 1916], mon.
ARCHNOMYIA, **ARCHYNOMYIA**, errors for *Arachnomyia*.
arborum White, 1916b: 253. Australia (Tas); Australia (SA, Vic).
longipes Parent, 1933a: 187 (*Pleuropygius*). Australia (Vic). N. syn.
arboreum, *argorum*, errors for *arborum*.
cuprea Macquart, 1850: 427(123) (*Hydrophorus*). Australia (Tas). N. comb.
ornatipes Hardy, 1939c: 351. Australia (Qld).

Genus HALTERIPHORUS Parent

- HALTERIPHORUS** Parent, 1933c: 368. Type species: *Halteriphorus mirabilis* Parent, 1933, mon.
mirabilis Parent, 1933c: 368. NZ (NZ).

Genus NEURIGONA Rondani

- NEURIGONA** Rondani, 1856: 142. Type species: *Musca quadrifasciata* Fabricius, 1782, orig. des.
SAUCROPUS Loew, 1857: 41 (unnec. n. n. for *Neurigona*).
NEUROGONA, **NEUROGONUS**, errors for *Neurigona*.
angulata de Meijere, 1916e: 228. Indonesia (Java); Indonesia (Maluku), PNG (Bismarck Arch), Solomon Is; Seychelles, Oriental Reg.
dahli Becker, 1922b: 65. PNG (Bismarck Arch).
denudata Becker, 1922b: 62. Taiwan & Australia (Qld) & Bangladesh & India & Sri Lanka.
denuda, error for *denudata*.
signata Parent, 1932a: 174. Australia (Qld).

Subfamily DOLICHOPODINAE

Genus DOLICHOPUS Latreille

- DOLICHOPUS** Latreille, 1796: 159. Type species: *Musca unguilata* Linnaeus, 1758, des. Latreille, 1810: 443.
exsul Aldrich, 1922a: 15. Hawaiian Is; China (Palearctic), India, Nepal, Taiwan.
angustinervis Becker, 1922b: 9. Taiwan & India. N. syn.
sigmatifer Parent, 1937b: 67. Hawaiian Is.

Genus HERCOSTOMUS Loew

HERCOSTOMUS Loew, 1857: 9. Type species: *Sybistroma longiventris* Loew, 1857, orig. des.
argentifacies Parent, 1933c: 347. NZ (NZ).
aurifacies Parent, 1933c: 346. NZ (NZ).
philpotti Parent, 1933c: 349. NZ (Chatham Is).
pollinifrons Parent, 1933c: 348. NZ (NZ).

Genus LICHTWARDTIA Enderlein

LICHTWARDTIA Enderlein, 1912c: 406. Type species: *Lichtwardtia formosana* Enderlein, 1912 [= *Dolichopus ziczac* Wiedemann, 1824], orig. des.
RAGHENEURA, authors, not Rondani, 1856, misid.
DOLICHOPUS, authors, not Latreille, 1796, misid.
ziczac Wiedemann, 1824: 72 (*Dolichopus*). "India orient."; Australia (Qld), Indonesia (Irian Jaya), New Caledonia (New Caledonia), PNG (Bismarck Arch), Solomon Is; tropical Asia from India, Sri Lanka to Philippines.
formosana Enderlein, 1912c: 407. Taiwan.
zickzack, *ziczzack*, errors for *ziczac*.

Genus METAPARACLIUS Becker

METAPARACLIUS Becker, 1922b: 33. Type species: *Metaparaclius subapicalis* Becker, 1922, mon.
australiensis Parent, 1941: 221. Australia (Qld).
subapicalis Becker, 1922b: 33. PNG (PNG).

Genus PARACLIUS Loew

PARACLIUS Loew, 1864a: 97. Type species: *Pelastoneurus arcuatus* Loew, 1861, des. Coquillett, 1910: 583.
LEPTORHETHUM, Parent, 1934a, not Aldrich, 1893, misid.
albodivisus Parent, 1941: 223. Australia (Qld).
australiensis Parent, 1933a: 184. Australia (Qld).
cilipes Hardy, 1939c: 348. Australia (Qld).
darwini Parent, 1933a: 184. Australia (NT).
dorsalis Becker, 1922b: 12. PNG (PNG).
germanus Parent, 1935b: 521. Malaysia (Sabah); Guam.
latifacies Hardy, 1939c: 348. Australia (Qld).
maculifer Parent, 1939a: 167. PNG (PNG).
neglectus Becker, 1922b: 16. Australia (NT); Australia (Qld).
obtusus Hardy, 1939c: 347. Australia (Qld).
ornatipes Parent, 1932e: 351 [1932f: 581]. Indonesia (Maluku).
pinguis Parent, 1935c: 76. Solomon Is.
quadrimaculatus Bezzi, 1928: 56. Fiji.
regularis Becker, 1922b: 15. India & Australia.
scutopilosus Parent, 1941: 224. Solomon Is.
sexmaculatus Bezzi, 1928: 55. Fiji.
strictifacies Parent, 1939a: 167. PNG (PNG).
subarcuatus Bezzi, 1928: 57. Fiji.
tenuinervis Parent, 1935c: 77. Solomon Is.
trigonifer Walker, 1858b: 92 (*Dolichopus*). Indonesia (Maluku); Indonesia (Sulawesi). **N. comb.**
cinereus Walker, 1859c: 115 (*Dolichopus*). Indonesia (Sulawesi).
trisetosus Parent, 1933a: 185. Australia (Qld).
vicarius Walker, 1865b: 112 (*Dolichopus*). "New Guinea" [= Indonesia (Irian Jaya)]. **N. comb.**

Genus TACHYTRECHUS Haliday

AMMOBATES Stannius, 1831: 33. Type species: *Ammobates notatus* Stannius, 1831, des. Rondani, 1856: 143. [Preocc. Latreille, 1809.]
TACHYTRECHUS Stannius, 1831: 261. *Nomen nudum*.
TACHYTRECHUS Haliday in Walker, 1851b: 173 (n. n. for *Ammobates*).
HAMMOBATES, error for *Ammobates*.
TACHYTERECHUS, error for *Tachytrechus*.
tessellatus Macquart, 1842: 185(125) (*Dolichopus*). Senegal; New Caledonia (New Caledonia); widesp. Afrotrop., Oriental Regs.
picticornis Bigot, 1890b: 293 (*Neurigona*). New Caledonia (New Caledonia).

Subfamily MEDETERINAE

Genus ATLTLIA Bickel

ATLTLIA Bickel, 1986a: 165. Type species: *Atlatlia grisea* Bickel, 1986, orig. des.
flaviseta Bickel, 1986a: 169. Australia (WA).
grisea Bickel, 1986a: 168. Australia (NSW); Australia (Qld).

Genus CORINDIA Bickel

CORINDIA Bickel, 1986b: 137. Type species: *Corindia major* Bickel, 1986, orig. des.
capricornis Bickel, 1986b: 141. Australia (Qld); Australia (WA).
collessi Bickel, 1986b: 140. Australia (Qld); Australia (WA).
cooloola Bickel, 1986b: 142. Australia (Qld).
major Bickel, 1986b: 139. Australia (NSW); Australia (Qld, Tas, WA).
minor Bickel, 1986b: 140. Australia (NSW).
nigricornis Bickel, 1986b: 143. Australia (NSW); Australia (Qld).
robensis Bickel, 1986b: 143. Australia (SA).
torresiana Bickel, 1986b: 141. Australia (Qld).
trudis Bickel, 1986b: 143. Australia (NSW).

Genus MEDETERA Fischer von Waldheim

MEDETERA Fischer von Waldheim, 1819: 7. Type species: *Medetera carnívora* Fischer von Waldheim, 1819 [= *Musca diadema* Linnaeus, 1767], mon.
MEDETERUS, error for *Medetera*.
athertonensis Bickel, 1987c: 231. Australia (Qld).
australiana Bickel, 1987c: 218. Australia (NSW).
austroapicalis Bickel, 1987c: 240. Solomon Is; Australia (NSW, Qld), PNG (PNG); Hong Kong, India, Nepal, Philippines, Sri Lanka.
austrofemoralis Bickel, 1987c: 236. Australia (Qld).
bunyensis Bickel, 1987c: 232. Australia (Qld).
cheesmanae Bickel, 1987c: 221. PNG (PNG); Solomon Is.
comes Hardy, 1939c: 352. Australia (Qld).
dorrigensis Bickel, 1987c: 229. Australia (NSW).
femoralis Becker, 1922b: 52. PNG (PNG); PNG (Bismarck Arch).
flaviscutellum Bickel, 1987c: 227. PNG (PNG).
gingra Bickel, 1987c: 231. Australia (NSW).
gomwa Bickel, 1987c: 210. PNG (PNG).
gressitti Bickel, 1987c: 223. PNG (PNG).
grisescens de Meijere, 1916e: 259. Indonesia (Java); American Samoa, Australia (NSW, Qld), Fiji,

Hawaiian Is, New Caledonia (New Caledonia), Northern Marianas, Western Samoa; Japan, Ryukyu Is, Seychelles, widesp. Oriental Reg.

hawaiensis Van Duzee, 1933: 343. Hawaiian Is.

atrrata Van Duzee, 1933: 344. Hawaiian Is.

cilifemorata Van Duzee, 1933: 344. Hawaiian Is.

palmae Hardy, 1939c: 351. Australia (Qld).

irianensis Bickel, 1987c: 221. Indonesia (Irian Jaya).

killertonensis Bickel, 1987c: 229. PNG (PNG).

kokodensis Bickel, 1987c: 212. PNG (PNG).

macalpinei Bickel, 1987c: 214. PNG (PNG); Australia (Qld).

melanesiana Bickel, 1987c: 212. Solomon Is; Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).

minima de Meijere, 1916e: 259. Indonesia (Java); Australia (Qld), Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG), Solomon Is; Indonesia (Sumatra), Malaysia, Singapore.

mooneyensis Bickel, 1987c: 233. Australia (NSW).

morobensis Bickel, 1987c: 212. PNG (PNG); Indonesia (Irian Jaya).

mosmanensis Bickel, 1987c: 218. Australia (NSW).

nigrohalterata Parent, 1932a: 175. Australia (ACT); Australia (NSW, SA, Vic, WA).

niuginiensis Bickel, 1987c: 214. PNG (PNG).

olivacea de Meijere, 1916e: 260. Indonesia (Java); Indonesia (Irian Jaya), PNG (PNG); Indonesia (Sumatra), Malaysia, Philippines.

papuensis Bickel, 1987c: 221. PNG (PNG).

pseudofemoralis Bickel, 1987c: 239. PNG (PNG); Australia (Qld), Indonesia (Irian Jaya), Solomon Is.

queenslandensis Bickel, 1987c: 218. Australia (Qld); Australia (NSW).

rhetheura Bickel, 1987c: 215. PNG (PNG); Indonesia (Irian Jaya).

salomonis Parent, 1941: 233. Solomon Is; American Samoa, Australia (NSW, Qld), Fiji, French Polynesia (Austral Is, Marquesas, Society Is), Indonesia (Irian Jaya), Marshall Is, Micronesia, PNG (Bismarck Arch, PNG), Tokelau Is, Vanuatu, Western Samoa; Philippines.

toxopeusi Parent, 1932e: 352 [1932f: 582]. Indonesia (Maluku).

uda Bickel, 1987c: 231. Australia (NSW); Australia (Qld).

waris Bickel, 1987c: 220. Indonesia (Irian Jaya).

wongabelensis Bickel, 1987c: 220. Australia (Qld).

Genus SYSTEMUS Loew

SYSTEMUS Loew, 1857: 34. Type species: *Rhaphium adpropinquans* Loew, 1857 [= *Rhaphium pallipes* Roser, 1840], des. Foote *et al.*, 1965: 517.

australis Bickel, 1986c: 265. Australia (ACT); Australia (NSW, Qld).

curryi Bickel, 1986c: 267. Australia (WA).

Genus THRYPTICUS Gerstaecker

THRYPTICUS Gerstaecker, 1864: 43. Type species: *Thrypticus smaragdinus* Gerstaecker, 1864, mon.

abditus Becker – not Australasian/Oceanian.

australis Bickel, 1986b: 145. Australia (ACT); widesp. Australia, Norfolk I.

fortescuensis Bickel, 1986b: 147. Australia (WA).

tropicus Bickel, 1986b: 147. Australia (Qld).

Unplaced species of Medeterinae

extranea Becker, 1922b: 49 (*Medetera*). Australia (NSW).

Subfamily HYDROPHORINAE

Genus ABATETIA Miller

NELSONIA Parent, 1933c: 349. Type species: *Nelsonia robusta* Parent, 1933, mon. [Preocc. Merriam, 1897.]

ABATETIA Miller, 1945: 72 (n. n. for *Nelsonia*).
robusta Parent, 1933c: 350 (*Nelsonia*). NZ (NZ).

Genus APHROSYLOPSIS Lamb

APHROSYLOPSIS Lamb, 1909: 132. Type species: *Aphrosylopsis lineatus* Lamb, 1909, mon.
lineata Lamb, 1909: 132. NZ (Bounty I).

Genus CYMATOPUS Kertész

CYMATOPUS Kertész, 1901c: 408. Type species: *Cymatopus tibialis* Kertész, 1901, mon.

VANDUZEEIA Parent, 1934c: 257. Type species: *Vanduzeeia cheesmanae* Parent, 1934 (as *cheesmani*), mon.
VANDUZEEIA. Incorr. orig. spell. of *Vanduzeeia* (Parent, 1934c: pl. 67).

leopoldi Meuffels & Grootaert, 1984: 146. PNG (PNG).

simplex Parent, 1941: 195. Australia (Qld); Australia (NSW, Tas, Vic), Lord Howe I, Norfolk I.

spinosus Parent, 1934c: 297 (*Vanduzeeia*). "Samoa."

tibialis Kertész, 1901c: 409. PNG (PNG).

Genus HELICHOCHAETUS Parent

HELICHOCHAETUS Parent, 1933c: 354. Type species: *Helichocharetus discifer* Parent, 1933, mon.
discifer Parent, 1933c: 356. NZ (NZ).

Genus HYDROPHORUS Fallén

HYDROPHORUS Fallén, 1823e: 2. Type species: *Hydrophorus nebulosus* Fallén, 1823, by validation of
I.C.Z.N., 1985a: 162.

pacificus Van Duzee, 1933: 347. Hawaiian Is.

praecox Lehmann, 1822: 42 [1824: 243] (*Dolichopus*). Germany; Australia (ACT, NSW, Tas), French
Polynesia (Society Is), NZ (NZ); widesp. Old World & oceanic islands.

vagus Hutton, 1901: 34 (*Liancalus*). NZ (NZ).

williamsi Parent, 1938: 211. Hawaiian Is.

Genus PARALIANCALUS Parent

PARALIANCALUS Parent, 1938: 213. Type species: *Liancalus metallicus* Grimshaw, 1901, orig. des.
metallicus Grimshaw, 1901: 13 (*Liancalus*). Hawaiian Is.

Genus PARALIPTUS Bezzi

PARALIPTUS Bezzi, 1923d: 179. Type species: *Paraliptus mirabilis* Bezzi, 1923, orig. des.
mirabilis Bezzi, 1923d: 181. Australia (Qld).

Genus SCORPIURUS Parent

SCORPIURUS Parent, 1932a: 107,161 [1933c: 357]. Type species: *Scorpiurus aenescens* Parent, 1932,
mon.

aenescens Parent, 1932a: 107,161 [1933c: 357]. Australia (Tas); NZ (NZ).

Genus SIGMATINEURUM Parent

SIGMATINEURUM Parent, 1938: 215. Type species: *Sigmatineurum chalybeum* Parent, 1938, orig. des. *chalybeum* Parent, 1938: 216. Hawaiian Is.

Genus THAMBEMYIA Oldroyd

THAMBEMYIA Oldroyd, 1956: 210. Type species: *Thambemyia pagdeni* Oldroyd, 1956, orig. des. *CONCHOPUS* Takagi, 1965: 44. Type species: *Conchopus rectus* Takagi, 1965, orig. des. *PARAPHROSYLUS*, authors, not Becker, 1922, misid. *acrosticalis* Parent, 1937b: 69 (*Cymatopus*). Hawaiian Is; Wake I.

Genus THINOPHILUS Wahlberg

THINOPHILUS Wahlberg, 1844: 37. Type species: *Rhaphium flavipalpe* Zetterstedt, 1843, mon. **THINOPHILUS** Schiødte, 1844: 44. Type species: *Rhaphium flavipalpe* Zetterstedt, 1843, mon. [Preocc. Wahlberg, 1844.]

Subgenus PARATHINOPHILUS Parent

PARATHINOPHILUS Parent, 1932a: 161 (as gen.). Type species: *Parathinophilus expolitus* Parent, 1932, mon. **expolitus** Parent, 1932a: 162 (*Parathinophilus*). Australia (?Tas). **milleri** Parent, 1933c: 360. NZ (NZ).

Subgenus SCHOENOPHILUS Mik

SCHOENOPHILUS Mik, 1878: 9 (as gen.). Type species: *Thinophilus versutus* Haliday, 1851, orig. des. *fuscicoxalis* Grootaert & Meuffels, 1984: 220. PNG (PNG). *hilaris* Parent, 1941: 230. Taiwan; PNG (PNG). *splendens* Grootaert & Meuffels, 1984: 217. PNG (PNG).

Subgenus THINOPHILUS Wahlberg

THINOPHILUS Wahlberg, 1844: 37 (as gen.). Type species: *Rhaphium flavipalpe* Zetterstedt, 1843, mon. **THINOPHILUS** Schiødte, 1844: 44 (as gen.). Type species: *Rhaphium flavipalpe* Zetterstedt, 1843, mon. [Preocc. Wahlberg, 1844.] **annulatus** Parent, 1941: 229. Australia (Qld). **constrictus** Parent, 1932e: 351 [1932f: 581]. Indonesia (Maluku). **flagellatus** Grootaert & Meuffels, 1984: 210. PNG (PNG). **govaerei** Grootaert & Meuffels, 1984: 212. PNG (PNG). **scutohirtus** Parent, 1941: 232. Australia (Qld); Australia (NSW). **taylori** Parent, 1939a: 168. PNG (Bismarck Arch). **vangoethemi** Grootaert & Meuffels, 1984: 215. PNG (PNG). **violaceus** Parent, 1935c: 79. PNG (Bismarck Arch). **wasselli** Hardy, 1935b: 255. Australia (Qld).

Unplaced species of Hydrophorinae

borboroides Oldroyd, 1955: 243 (*Acropsilus*). NZ (Campbell I); NZ (Auckland Is).

pedestris Lamb, 1909: 132 (*Schoenophilus*). NZ (Macquarie I); NZ (Auckland Is, Campbell I).

ssp. **campbellensis** Harrison, 1964: 310 (*Schoenophilus*). NZ (Campbell I); NZ (Auckland Is).

ssp. **pedestris** s. str. NZ (Macquarie I).

Subfamily RHAPHIINAE

Genus RHAPHIUM Meigen

RHAPHIUM Meigen, 1803: 272. Type species: *Rhaphium macrocerum* Meigen, 1824, des. Curtis, 1835: 568.
XIPHANDRIUM Loew, 1857: 36. Type species: *Rhaphium quadrifilatum* Loew, 1857 (as *quadrifilum*), des. Coquillett, 1910: 621.
PORPHYROPS, authors, not Meigen, 1824, misid.
pudicum Parent, 1932a: 165 (*Xiphandrium*). Australia (SA); Australia (ACT, NSW, Vic); Norfolk I. N. comb.

Genus SYNTORMON Loew

SYNTORMON Loew, 1857: 35. Type species: *Rhaphium metathesis* Loew, 1857, des. Coquillett, 1910: 611.
aemulans Becker, 1922b: 57. Australia (NSW).
flexibilis Becker, 1922b: 55. Taiwan; Australia (NSW), Bonin Is, Hawaiian Is; St. Helena.
distortitarsis Van Duzee, 1933: 338. Hawaiian Is.
formosus Parent, 1933c: 367. NZ (NZ).
xiphandroides Parent, 1932a: 164. Australia (Tas).

Subfamily DIAPHORINAE

Genus ACHRADOCERA Becker

ACHRADOCERA Becker, 1922b: 207. Type species: *Achradowera femoralis* Becker, 1922, des. Robinson, 1970b: 31.
ACRODOCERA, error for *Achradowera*.
insularis Lamb, 1933: 73. French Polynesia (Society Is).
insularis Parent, 1933a: 179. French Polynesia (Society Is). N. syn. [Preocc. Lamb, 1933.]

Genus ASYNDETUS Loew

ASYNDETUS Loew, 1869a: 35 [1872b: 149]. Type species: *Diaphorus interruptus* Loew, 1861, des. Bigot, 1890b: 278.
acuticornis de Meijere, 1913b: 350 (*Diaphorus*). Indonesia (Irian Jaya).
brunnicosus Becker, 1922b: 85. PNG (PNG).
carcinophilus Parent, 1937b: 132. Hawaiian Is.
exactus Walker, 1859c: 116 (*Chrysotus*). Indonesia (Sulawesi); Indonesia (Irian Jaya).
nigripalpus de Meijere, 1913b: 350 (*Diaphorus*). Indonesia (Irian Jaya).
fractus de Meijere, 1913b: 349. Indonesia (Irian Jaya).
latitarsatus Becker, 1922b: 83. PNG (Bismarck Arch).
lichtwardti Kertész, 1901c: 411. PNG (PNG).
porrectus Parent, 1939a: 165. PNG (PNG).

Genus CHRYSOTUS Meigen

CHRYSOTUS Meigen, 1824: 40. Type species: *Musca nigripes* Fabricius, 1794, des. Westwood, 1840: 134.
adsiduus Becker, 1922b: 89. Taiwan & Australia (NSW) & PNG (PNG); Indonesia (Sumatra).
albisignatus Becker, 1924c: 123. NZ (NZ).
bellax Parent, 1933c: 378. NZ (NZ).
chaetipalpus Parent, 1933c: 379. NZ (NZ).

- chaetoproctus** Parent, 1933c: 379. NZ (NZ).
cockerellae Curran, 1929b: 2. New Caledonia (New Caledonia).
denticornis Lamb, 1932: 233. French Polynesia (Marquesas); French Polynesia (Society Is).
divergens Parent, 1941: 214. Solomon Is.
diversus Parent, 1933c: 378. NZ (NZ).
excretus Becker, 1922b: 87. PNG (PNG) & Taiwan; Philippines.
infirmus Parent, 1933a: 179. French Polynesia (Society Is).
inornatus Parent, 1933a: 180. French Polynesia (Society Is).
javanensis de Meijere, 1916e: 238. Indonesia (Java); Fiji, Indonesia (Maluku); Indonesia (Sumatra), Taiwan.
neoselandensis Parent, 1933c: 381. NZ (Chatham Is).
pallidipalpus Van Duzee, 1933: 313. Hawaiian Is.
 vulgaris Van Duzee, 1933: 313. Hawaiian Is. [Preocc. Van Duzee, 1924.]
 elegans Parent, 1937b: 68. Hawaiian Is.
parapicalis Bickel & Dyte, n. n. Australia (Tas).
 apicalis Parent, 1932a: 159. Australia (Tas). [Preocc. Aldrich, 1896.]
parthenus Hardy & Kohn, 1964: 241. Hawaiian Is.
setifer Parent, 1932a: 160. Australia (Tas).
uniseriatus Parent, 1933c: 380. NZ (NZ).
verecundus Parent, 1933a: 180. French Polynesia (Society Is).
vicinus Parent, 1933c: 380. NZ (NZ).

Genus CRYPTOPHLEPS Lichtwardt

- Cryptophleps** Lichtwardt, 1898: 491. Type species: *Cryptophleps kerteszi* Lichtwardt, 1898, mon.
CRYPTOPHLEBS, error for *Cryptophleps*.
papuanus Grootaert & Meuffels, 1987: 149. PNG (PNG).

Genus DIAPHORUS Meigen

- DIAPHORUS** Meigen, 1824: 32. Type species: *Diaphorus flavocinctus* Meigen, 1824 [= *Dolichopus oculatus* Fallén, 1823], des. Westwood, 1840: 134.
alligatus Walker, 1856c: 121 (*Dolichopus*). Malaysia (Sarawak); PNG (PNG).
argenteotomentosus Kertész, 1901c: 410 (*Sympycnus*). PNG (PNG).
basicinctus Parent, 1941: 215. Solomon Is.
biroi Kertész, 1901c: 409. PNG (PNG).
cilitibia Parent, 1933a: 181. Australia (Vic).
communis White, 1916b: 255. Australia (Tas).
distinctus Parent, 1932a: 173. Australia (ACT).
exarmatus Parent, 1932a: 155. Australia (Tas).
fulvifrons Parent, 1939a: 166. PNG (PNG).
hilaris Meuffels & Grootaert, 1985: 13. PNG (PNG).
infumatus Parent, 1933c: 375. NZ (NZ).
intactus Becker, 1922b: 73. Taiwan & Indonesia (Java) & Australia (NSW); Philippines.
lateniger Parent, 1939a: 166. PNG (PNG).
ludibundis Parent, 1932a: 155. Australia (Tas).
maurus Osten Sacken, 1882b: 114. Philippines; Indonesia (Maluku), PNG (Bismarck Arch, PNG); India, Indonesia (Java), Sri Lanka.
meijeri Parent, 1933a: 181. Australia (Qld).
minor de Meijere, 1916e: 241. Indonesia (Java); Australia (NSW), PNG (PNG); India, Taiwan.
monyx Meuffels & Grootaert, 1985: 11. PNG (PNG).
nigerrimus de Meijere, 1913b: 351. Indonesia (Irian Jaya); India, Sri Lanka.
nigribarbatus Parent, 1932a: 156. Australia (Tas).
obscurus Parent, 1933c: 376. NZ (NZ)..

parapraestans Dyte, 1980: 223 (n. n. for *praestans* Parent). NZ (NZ).
praestans Parent, 1933c: 375. NZ (NZ). [Preocc. Parent, 1931.]
pilosus Parent, 1932a: 157. Australia (Tas).
plumicornis de Meijere, 1913b: 351. Indonesia (Irian Jaya); Indonesia (Maluku); Indonesia (Java), Philippines.
praestus Meuffels & Grootaert, 1985: 23. PNG (PNG).
pulvillatus Meuffels & Grootaert, 1985: 16. PNG (PNG).
resumens Walker, 1858b: 93. Indonesia (Maluku); Indonesia (Sulawesi), Malaysia (Pen).
serenus Becker, 1922b: 72. "Neu-Guinea" & Singapore & Indonesia (Maluku); PNG (Bismarck Arch), Solomon Is.
setosus White, 1916b: 254. Australia (Tas).
stylifer Parent, 1933a: 182. NZ (NZ).
tetrachaetus Parent, 1933c: 374. NZ (NZ).
ultimus Becker, 1922b: 76. PNG (PNG).
unicolor Becker, 1922b: 75. Australia (NSW).
varitibia Parent, 1932a: 173. Australia (ACT).
virescens Thomson, 1869: 506. French Polynesia (Society Is).
wonosobensis de Meijere, 1916e: 240. Indonesia (Java); Indonesia (Irian Jaya); "Borneo," Indonesia (Sumatra).

Genus OSTENIA Hutton

OSTENIA Hutton, 1901: 34. Type species: *Ostenia robusta* Hutton, 1901, mon.
robusta Hutton, 1901: 34. NZ (NZ).

Subfamily SYMPYCNINAE

Genus BREVIMYIA Miller

BRACHYMYIA Parent, 1933c: 435. Type species: *Brachymyia pulvrea* Parent, 1933, mon. [Preocc. Williston, 1882.]
BREVIMYIA Miller, 1945: 72 (n. n. for *Brachymyia*).
pulvrea Parent, 1933c: 436 (*Brachymyia*). NZ (NZ).

Genus CAMPSICNEMUS Haliday

CAMPTOSCELES Haliday, 1832: 357 (*Medetera* subg.). Suppressed by I.C.Z.N., 1958b: 349.
CAMPSICNEMUS Haliday in Walker, 1851b: 187. Type species: *Dolichopus scambus* Fallén, 1823, by validation of I.C.Z.N., 1958b: 351.
EMPEROPTERA Grimshaw in Grimshaw & Speiser, 1902: 81. Type species: *Emperoptera mirabilis* Grimshaw, 1902, mon.
EMPEROTERA, error for *Emperoptera*.
acuticornis Parent, 1939b: 225. Hawaiian Is.
aepetus Hardy & Kohn, 1964: 41. Hawaiian Is.
albicomus Tenorio, 1969: 27. Hawaiian Is.
albitarsus Hardy & Kohn, 1964: 42. Hawaiian Is.
ambitylus Hardy & Kohn, 1964: 43. Hawaiian Is.
aurilobus Tenorio, 1969: 27. Hawaiian Is.
bellulus Van Duzee, 1933: 333. Hawaiian Is.
bicirritus Tenorio, 1969: 29. Hawaiian Is.
bicoloripes Parent, 1937b: 73. Hawaiian Is.
bicrenatus Hardy & Kohn, 1964: 45. Hawaiian Is.
biseta Hardy & Kohn, 1964: 46. Hawaiian Is.
breviciliatus Parent, 1939b: 225. Hawaiian Is.

- brevipes** Van Duzee, 1933: 314. Hawaiian Is.
brevitibia Hardy & Kohn, 1964: 49. Hawaiian Is.
brunnescens Hardy & Kohn, 1964: 50. Hawaiian Is.
bryophilus Adachi, 1954: 294 (*Emperoptera*). Hawaiian Is.
calcaratus Grimshaw, 1901: 14. Hawaiian Is.
calcaritarsus Adachi, 1953: 120. Hawaiian Is.
camptoplax Hardy & Kohn, 1964: 53. Hawaiian Is.
capitulatus Hardy & Kohn, 1964: 54. Hawaiian Is.
carinatus Hardy & Kohn, 1964: 56. Hawaiian Is.
chauliopodus Hardy & Kohn, 1964: 57. Hawaiian Is.
ciliatus Van Duzee, 1933: 315. Hawaiian Is.
clinotibia Hardy & Kohn, 1964: 59. Hawaiian Is.
comatus Hardy & Kohn, 1964: 60. Hawaiian Is.
compressus Hardy & Kohn, 1964: 61. Hawaiian Is.
congregatus Malloch, 1932d: 123. Hawaiian Is.
coniculus Hardy & Kohn, 1964: 64. Hawaiian Is.
contortus Parent, 1937b: 75. Hawaiian Is.
cracens Hardy & Kohn, 1964: 65. Hawaiian Is.
crassipes Hardy & Kohn, 1964: 66. Hawaiian Is.
crinitibia Van Duzee, 1933: 331. Hawaiian Is.
crispatus Tenorio, 1969: 30. Hawaiian Is.
crossotibia Hardy & Kohn, 1964: 70. Hawaiian Is.
crossotus Hardy & Kohn, 1964: 68. Hawaiian Is.
deficiens Parent, 1939b: 226. Hawaiian Is.
depauperatus Parent, 1939b: 226. Hawaiian Is.
diamphidius Hardy & Kohn, 1964: 72. Hawaiian Is.
dicondylus Hardy & Kohn, 1964: 73. Hawaiian Is.
diffusus Hardy & Kohn, 1964: 75. Hawaiian Is.
digitatus Tenorio, 1969: 31. Hawaiian Is.
disjunctus Hardy & Kohn, 1964: 76. Hawaiian Is.
distinctus Hardy & Kohn, 1964: 77. Hawaiian Is.
distortipes Grimshaw, 1901: 14. Hawaiian Is.
divergens Van Duzee, 1933: 333. Hawaiian Is.
drymoscartes Hardy & Kohn, 1964: 79. Hawaiian Is.
ephydrus Hardy & Kohn, 1964: 80. Hawaiian Is.
exiguus Hardy & Kohn, 1964: 82. Hawaiian Is.
eximius Hardy & Kohn, 1964: 83. Hawaiian Is.
expansus Tenorio, 1969: 32. Hawaiian Is.
ferrugineus Parent, 1934c: 298. Hawaiian Is.
fimbriatus Grimshaw, 1901: 13. Hawaiian Is.
finitimus Tenorio, 1969: 34. Hawaiian Is.
flavipes Hardy & Kohn, 1964: 86. Hawaiian Is.
 flavithorax Hardy & Kohn, 1964: 87. Hawaiian Is.
flaviventer Hardy & Kohn, 1964: 88. Hawaiian Is.
flexuosus Parent, 1939b: 226. Hawaiian Is.
fragilis Parent, 1939b: 227. Hawaiian Is.
fulvifacies Hardy & Kohn, 1964: 91. Hawaiian Is.
fumipennis Parent, 1937b: 76. Hawaiian Is.
furax Parent, 1939b: 228. Hawaiian Is.
fusticulus Hardy & Kohn, 1964: 94. Hawaiian Is.
gloriosus Van Duzee, 1933: 318. Hawaiian Is.
 concavus Van Duzee, 1933: 316. Hawaiian Is.
goniochaeta Hardy & Kohn, 1964: 96. Hawaiian Is.

- grimshawi** Van Duzee, 1933: 319. Hawaiian Is.
haleakalaae Zimmerman, 1938: 146 (*Emperoptera*). Hawaiian Is.
hardyi Tenorio, 1969: 34. Hawaiian Is.
hawaiiensis Hardy & Delfinado, 1974: 368. Hawaiian Is.
helvolus Hardy & Kohn, 1964: 99. Hawaiian Is.
hispidipes Hardy & Kohn, 1964: 100. Hawaiian Is.
hoplitipodus Adachi, 1953: 121. Hawaiian Is.
hygrophilus Hardy & Kohn, 1964: 103. Hawaiian Is.
impariseta Hardy & Kohn, 1964: 104. Hawaiian Is.
inaequalis Hardy & Kohn, 1964: 105. Hawaiian Is.
indecorus Hardy & Kohn, 1964: 106. Hawaiian Is.
inermpipes Malloch, 1932d: 123. Hawaiian Is.
insuetus Hardy & Kohn, 1964: 108. Hawaiian Is.
invaginatus Tenorio, 1969: 35. Hawaiian Is.
labilis Hardy & Kohn, 1964: 109. Hawaiian Is.
latipenna Hardy & Kohn, 1964: 110. Hawaiian Is.
lepidochaites Hardy & Kohn, 1964: 111. Hawaiian Is.
longiciliatus Parent, 1939b: 229. Hawaiian Is.
longiquus Tenorio, 1969: 36. Hawaiian Is.
longitibia Hardy & Kohn, 1964: 114. Hawaiian Is.
loxothrix Hardy & Kohn, 1964: 115. Hawaiian Is.
macula Parent, 1939b: 229. Hawaiian Is.
medioflocus Hardy & Kohn, 1964: 117. Hawaiian Is.
membranilobus Parent, 1939b: 230. Hawaiian Is.
mirabilis Grimshaw in Grimshaw & Speiser, 1902: 81 (*Emperoptera*). Hawaiian Is.
miritibialis Van Duzee, 1933: 330. Hawaiian Is.
miser Parent, 1939b: 230. Hawaiian Is.
modicus Hardy & Kohn, 1964: 122. Hawaiian Is.
mucronatus Hardy & Kohn, 1964: 123. Hawaiian Is.
mundulus Hardy & Kohn, 1964: 124. Hawaiian Is.
nambai Hardy & Kohn, 1964: 125. Hawaiian Is.
nigricollis Van Duzee, 1933: 320. Hawaiian Is.
nigroanalis Parent, 1939b: 231. Hawaiian Is.
norops Hardy & Kohn, 1964: 128. Hawaiian Is.
obscurus Parent, 1937b: 78. Hawaiian Is.
olympicola Parent, 1939b: 231. Hawaiian Is.
ornatus Van Duzee, 1933: 323. Hawaiian Is.
 strigosus Van Duzee, 1933: 326. Hawaiian Is.
pallidus Parent, 1939b: 232. Hawaiian Is.
paniculatus Hardy & Kohn, 1964: 132. Hawaiian Is.
parvulus Hardy & Kohn, 1964: 133. Hawaiian Is.
patellifer Grimshaw in Grimshaw & Speiser, 1902: 80. Hawaiian Is.
 nudifemorata Van Duzee, 1933: 332. Hawaiian Is.
penicillatus Parent, 1934c: 300. Hawaiian Is.
perplexus Hardy & Kohn, 1964: 135. Hawaiian Is.
petalicnemus Hardy & Kohn, 1964: 137 (n. n. for *arcuata* Adachi). Hawaiian Is.
 arcuata Adachi, 1953: 117. Hawaiian Is. [Preocc. Van Duzee, 1917.]
pherocteis Hardy & Kohn, 1964: 138. Hawaiian Is.
philohydratus Hardy & Kohn, 1964: 139. Hawaiian Is.
planitibia Parent, 1939b: 232. Hawaiian Is.
platystylatus Hardy & Kohn, 1964: 141. Hawaiian Is.
plautinus Adachi, 1953: 122. Hawaiian Is.
profusus Hardy & Kohn, 1964: 143. Hawaiian Is.

- putillus** Parent, 1937b: 80. Hawaiian Is.
pycnochaeta Hardy & Kohn, 1964: 145. Hawaiian Is.
rectus Malloch, 1932d: 124. Hawaiian Is.
flavicornis Van Duzee, 1933: 317. Hawaiian Is.
restrictus Hardy & Kohn, 1964: 147. Hawaiian Is.
rhyphopus Hardy & Kohn, 1964: 148. Hawaiian Is.
ridiculus Parent, 1937b: 81. Hawaiian Is.
sciarus Hardy & Kohn, 1964: 150. Hawaiian Is.
scolimerus Hardy & Kohn, 1964: 151. Hawaiian Is.
scurra Parent, 1934c: 299. French Polynesia (Marquesas).
setiger Hardy & Kohn, 1964: 152. Hawaiian Is.
silvaticus Hardy & Kohn, 1964: 153. Hawaiian Is.
simplices Parent, 1937b: 82. Hawaiian Is.
sinuatus Van Duzee, 1933: 324. Hawaiian Is.
spinicoxa Hardy & Kohn, 1964: 156. Hawaiian Is.
tarsiciliatus Parent, 1939b: 233. Hawaiian Is.
terracola Hardy & Kohn, 1964: 158. Hawaiian Is.
tibialis Van Duzee, 1933: 327. Hawaiian Is.
spinitibia Van Duzee, 1933: 325. Hawaiian Is.
truncatus Hardy & Kohn, 1964: 160. Hawaiian Is.
uncatus Tenorio, 1969: 38. Hawaiian Is.
undulatus Hardy & Kohn, 1964: 162. Hawaiian Is.
uniseta Hardy & Kohn, 1964: 163. Hawaiian Is.
vafellus Parent, 1939b: 233. Hawaiian Is.
viridulus Hardy & Kohn, 1964: 165. Hawaiian Is.
williamsi Van Duzee, 1933: 328. Hawaiian Is.
octosetosus Van Duzee, 1933: 322. Hawaiian Is.
obtusus Van Duzee, 1933: 321. Hawaiian Is.

Genus CHAETOGONOPTERON de Meijere

CHAETOGONOPTERON de Meijere, 1914a: 96. Type species: *Chaetogonopteron appendiculatum* de Meijere, 1914, mon.
cheesmaniae Hollis, 1963b: 732. PNG (PNG).

Genus CHRYSOTIMUS Loew

- CHRYSOTIMUS** Loew, 1857: 48. Type species: *Chrysotimus pusio* Loew, 1857, des. Coquillett, 1910: 524.
alacer Parent, 1932a: 150. Australia (Tas).
alipes Parent, 1932a: 151. Australia (Tas).
alumnus Parent, 1932a: 151. Australia (Tas).
ambiguus Parent, 1932a: 152. Australia (Tas).
amoenus Parent, 1932a: 153. Australia (Tas); Australia (Vic).
bilineatus Parent, 1933c: 382. NZ (NZ).
calcaneatus Parent, 1932a: 171. Australia (ACT).
lucens Parent, 1932a: 153. Australia (Tas).
lunulatus Parent, 1933c: 383. NZ (NZ).
luteolus Parent, 1932a: 172. Australia (ACT); Australia (Vic).
nigrichaetus Parent, 1933c: 361 (*Thrypticus*). NZ (NZ).
repertus Parent, 1932a: 172. Australia (ACT); Australia (Tas).
scutatus Parent, 1933c: 382. NZ (NZ).

Genus COLOBOCERUS Parent

COLOBOCERUS Parent, 1933c: 403. Type species: *Colobocerus alchymicus* Parent, 1933, mon. *alchymicus* Parent, 1933c: 403. NZ (NZ).

Genus EURYNOGASTER Van Duzee

EURYNOGASTER Van Duzee, 1933: 339. Type species: *Eurynogaster clavicaudata* Van Duzee, 1933, orig. des.

SWEZIELLA Van Duzee, 1933: 346. Type species: *Sweziella albifacies* Van Duzee, 1933 [= *Eurynogaster virida* Van Duzee, 1933], mon.

PACHYURUS Parent, 1934c: 305. Type species: *Pachyurus hawaiensis* Parent, 1934 [preocc., = *Eurynogaster parenti* Hardy & Kohn, 1964], mon. [Preocc. Agassiz, 1831.]

UROPACHYS Parent, 1935c: 80 (n. n. for *Pachyurus*).
ablusispina Tenorio, 1969: 53. Hawaiian Is.
aeruginosa Hardy & Kohn, 1964: 177. Hawaiian Is.
angusticerca Tenorio, 1969: 53. Hawaiian Is.
angustifacies Hardy & Kohn, 1964: 178. Hawaiian Is.
apicenigra Parent, 1939b: 240. Hawaiian Is.
argentata Hardy & Kohn, 1964: 180. Hawaiian Is.
binodata Parent, 1939b: 241. Hawaiian Is.
bullata Hardy & Kohn, 1964: 182. Hawaiian Is.
callaina Hardy & Kohn, 1964: 184. Hawaiian Is.
cilifemorata Parent, 1939b: 241. Hawaiian Is.
clavastyla Hardy & Kohn, 1964: 186. Hawaiian Is.
clavaticauda Van Duzee, 1933: 340. Hawaiian Is.
concava Tenorio, 1969: 55. Hawaiian Is.
conspicua Hardy & Kohn, 1964: 189. Hawaiian Is.
crassicercus Hardy & Kohn, 1964: 190. Hawaiian Is.
dolichostoma Hardy & Kohn, 1964: 191. Hawaiian Is.
emarginata Tenorio, 1969: 56. Hawaiian Is.
exartema Hardy & Kohn, 1964: 193. Hawaiian Is.
flavicrura Hardy & Kohn, 1964: 194. Hawaiian Is.
flaviventer Hardy & Kohn, 1964: 196. Hawaiian Is.
furva Hardy & Kohn, 1964: 196. Hawaiian Is.
fusticerca Hardy & Kohn, 1964: 197. Hawaiian Is.
gracilipennata Hardy & Kohn, 1964: 199. Hawaiian Is.
hamata Hardy & Kohn, 1964: 200. Hawaiian Is.
hawaiensis Grimshaw, 1901: 16 (*Chrysotus*). Hawaiian Is.
nitida Van Duzee, 1933: 341. Hawaiian Is.
hispida Hardy & Kohn, 1964: 203. Hawaiian Is.
incompta Hardy & Kohn, 1964: 204. Hawaiian Is.
kauaiensis Hardy & Kohn, 1964: 204. Hawaiian Is.
lanceolata Tenorio, 1969: 56. Hawaiian Is.
maculata Parent, 1939b: 242. Hawaiian Is.
mediocris Tenorio, 1969: 59. Hawaiian Is.
minor Parent, 1938: 213 (*Paraliancalus*). Hawaiian Is.
multispinosa Hardy & Kohn, 1964: 208. Hawaiian Is.
nigripedis Hardy & Kohn, 1964: 208. Hawaiian Is.
nigrohalterata Parent, 1939b: 243. Hawaiian Is.
nudata Hardy & Kohn, 1964: 211. Hawaiian Is.
obscura Tenorio, 1969: 59. Hawaiian Is.
obscurifacies Parent, 1939b: 244. Hawaiian Is.
paludis Hardy & Kohn, 1964: 213. Hawaiian Is.

- palustricola** Hardy & Kohn, 1964: 214. Hawaiian Is.
parenti Hardy & Kohn, 1964: 215 (n. n. for *hawaiensis* Parent). Hawaiian Is.
hawaiensis Parent, 1934c: 305 (*Pachyurus*). Hawaiian Is. [Preocc. Grimshaw, 1901.]
pictilipennata Tenorio, 1969: 60. Hawaiian Is.
pulverea Hardy & Kohn, 1964: 216. Hawaiian Is.
retrociliata Parent, 1939b: 244. Hawaiian Is.
saxatilis Grimshaw, 1901: 16 (*Chrysotus*). Hawaiian Is.
luteihalterata Parent, 1939b: 242. Hawaiian Is.
spinigera Grimshaw, 1901: 15 (*Chrysotus*). Hawaiian Is.
subciliata Hardy & Kohn, 1964: 220. Hawaiian Is.
tanyceraea Hardy & Kohn, 1964: 221. Hawaiian Is.
tergoprolixa Hardy & Kohn, 1964: 222. Hawaiian Is.
undulata Tenorio, 1969: 62. Hawaiian Is.
variabilis Hardy & Kohn, 1964: 223. Hawaiian Is.
virida Van Duzee, 1933: 342. Hawaiian Is.
albifacies Van Duzee, 1933: 346 (*Sweziella*). Hawaiian Is.
viridifacies Parent, 1938: 209. Hawaiian Is.
vittata Hardy & Kohn, 1964: 227. Hawaiian Is.
williamsi Hardy & Kohn, 1964: 228. Hawaiian Is.
xanthopleura Hardy & Kohn, 1964: 229. Hawaiian Is.

Genus FILATOPUS Robinson

- NEMATOPUS* Parent, 1933a: 186. *Nomen nudum*.
NEMATOPUS Parent, 1933c: 398. Unavailable name; genus-group name proposed after 1930 without type-species designation. [Preocc. Berthold, 1827.]
FILATOPUS Miller, 1945: 72 (n. n. for *Nematopus*). Unavailable name; genus-group name proposed after 1930 without type-species designation.
FILATOPUS Robinson, 1970b: 40. Type species: *Nematopus ciliatus* Parent, 1933, orig. des.
ciliatus Parent, 1933c: 400 (*Nematopus*). NZ (NZ).
mirabilis Parent, 1933c: 401 (*Nematopus*). NZ (NZ).
ornatus Parent, 1933c: 400 (*Nematopus*). NZ (NZ).
ornatus Parent, 1933a: 186 (*Nematopus*). *Nomen nudum*.

Genus ISCHIOCHAETUS Bickel & Dyte, n. gen.

- ISCHIOCHAETUS* Parent, 1933c: 384. Unavailable name; genus-group name proposed after 1930 without type-species designation.
ISCHIOCHAETUS Bickel & DYTE, n. gen. Type species: *Ischiochaetus ornatus* Parent, 1933, pres. des. [For description to validate proposal of new genus see generic characters cited for *Ischiochaetus* by Parent, 1933c: 384.]
lenis Parent, 1933c: 385. NZ (NZ).
ornatus Parent, 1933c: 384. NZ (NZ).
rotundicornis Parent, 1933c: 386. NZ (NZ).
spinosus Parent, 1933c: 386. NZ (NZ).

Genus LIPAROMYIA White

- LIPAROMYIA** White, 1916b: 255. Type species: *Liparomyia sedata* White, 1917, mon.
sedata White, 1916b: 256. Australia (Tas).
separata Parent, 1932a: 145 (*Sympycnus*). Australia (ACT). N. comb.

Genus MICROPYGUS Bickel & Dyte, n. gen.

MICROPYGUS Parent, 1933c: 424. Unavailable name; genus-group name proposed after 1930 without type-species designation.

MICROPYGUS Bickel & DYTE, n. gen. Type species: *Micropygus bifenestratus* Parent, 1933, pres. des. [For description to validate proposal of new genus see generic characters cited for *Micropygus* by Parent, 1933c: 424-25.]

bifenestratus Parent, 1933c: 426. NZ (NZ).

bipunctatus Parent, 1933c: 429. NZ (NZ).

brevicornis Parent, 1933c: 431. NZ (NZ).

brevithorax Parent, 1933c: 430. NZ (NZ).

divergens Parent, 1933c: 431. NZ (NZ).

inornatus Parent, 1933c: 432. NZ (NZ).

lacustris Parent, 1933c: 432. NZ (NZ).

nigripes Parent, 1933c: 431. NZ (NZ).

puerulus Parent, 1933c: 428. NZ (NZ).

pulchellus Parent, 1933c: 429. NZ (NZ).

ripicola Parent, 1933c: 434. NZ (NZ).

serratus Parent, 1933c: 430. NZ (NZ).

striatus Parent, 1933c: 427. NZ (NZ).

tarsatus Parent, 1933c: 435. NZ (NZ).

transiens Parent, 1933c: 434. NZ (NZ).

transicus, error for *transiens*.

vagans Parent, 1933c: 428. NZ (NZ).

vagans Parent, 1932c: 230. *Nomen nudum*.

Genus SCELLOIDES Bickel & DYTE, n. gen.

SCELLOIDES Parent, 1933c: 387. Unavailable name; genus-group name proposed after 1930 without type-species designation.

SCELLOIDES Bickel & DYTE, n. gen. Type species: *Scelloides ornatipes* Parent, 1933, pres. des. [For description to validate proposal of new genus see generic characters cited for *Scelloides* by Parent, 1933c: 387.]

armatus Parent, 1933c: 390. NZ (NZ).

brunneifrons Parent, 1933c: 394. NZ (NZ).

conspicuus Parent, 1933c: 396. NZ (NZ).

fulvifrons Parent, 1933c: 396. NZ (NZ).

maculatus Parent, 1933c: 396. NZ (NZ).

ornatipes Parent, 1933c: 393. NZ (NZ).

parcespinosus Parent, 1933c: 392. NZ (NZ).

parvus Parent, 1933c: 398. NZ (NZ).

pollinosus Parent, 1933c: 395. NZ (NZ).

raptorius Parent, 1933c: 395. NZ (NZ).

spinosis Parent, 1933c: 391. NZ (NZ).

vicinus Parent, 1933c: 398. NZ (NZ).

Genus SYMPYCNUS Loew

SYMPYCNUS Loew, 1857: 42. Type species: *Porphyrops annulipes* Meigen, 1824, des. Coquillett, 1910: 610.

Subgenus PHRUDONEURA Meuffels & Grootaert

PHRUDONEURA Meuffels & Grootaert, 1987: 319. Type species: *Sympycnus abbreviatus* Meuffels & Grootaert, 1987, orig. des.

abbreviatus Meuffels & Grootaert, 1987: 321. PNG (PNG).

Subgenus SYMPYCNUS Loew

- SYMPYCNUS** Loew, 1857: 42 (as gen.). Type species: *Porphyrops annulipes* Meigen, 1824, des. Coquillett, 1910: 610.
- PYCSYMNUS** Frey, 1925: 20 (as gen.). Type species: *Sympycnus mutatus* Becker, 1922, orig. des. **adustus** Parent, 1932a: 135. Australia (Tas).
- aechmophorus** Meuffels & Grootaert, 1987: 330. PNG (PNG).
- albinotatus** Parent, 1933c: 411. NZ (NZ).
- albiserratus** Meuffels & Grootaert, 1987: 381. PNG (PNG).
- alipes** Meuffels & Grootaert, 1987: 372. PNG (PNG).
- allectorius** Parent, 1932a: 134. Australia (Tas).
- ambulator** Parent, 1932a: 136. Australia (Tas).
- amplitarsus** Parent, 1933c: 420. NZ (NZ).
- anachrosticus** Meuffels & Grootaert, 1987: 341. PNG (PNG); Australia (Qld).
- anomalipennis** Becker, 1922b: 103. Australia (NSW); Australia (ACT, Qld, Tas, Vic), Lord Howe I.
- araneipes** Meuffels & Grootaert, 1987: 350. PNG (PNG).
- astutus** Parent, 1932a: 133. Australia (Tas).
- brevicornis** Parent, 1933c: 417. NZ (NZ).
- callidus** Parent, 1932a: 137. Australia (NSW); Australia (Qld).
- campbelli** Parent, 1933c: 416. NZ (NZ).
- campsicnemoides** Meuffels & Grootaert, 1987: 326. PNG (PNG).
- candidimanus** Meuffels & Grootaert, 1987: 376. PNG (PNG).
- capilliger** Parent, 1932a: 138. Australia (ACT).
- claudicans** Parent, 1932a: 139. Australia (ACT).
- compressipes** Meuffels & Grootaert, 1987: 384. PNG (PNG).
- contemptus** Parent, 1933c: 424. NZ (NZ).
- crassitarsus** Parent, 1932a: 140. Australia (Tas).
- ctenophorus** Meuffels & Grootaert, 1987: 366. PNG (PNG).
- distinctus** Parent, 1933c: 412. NZ (NZ).
- distinctus* Parent, 1933a: 170. *Nomen nudum*.
- edwardsi** Parent, 1933c: 413. NZ (NZ).
- gigas** Meuffels & Grootaert, 1987: 334. PNG (PNG).
- gracilipes** Parent, 1933c: 407. NZ (NZ).
- harrisi** Parent, 1933c: 415. NZ (NZ).
- humilis** Parent, 1933c: 410. NZ (NZ).
- ictericus** Meuffels & Grootaert, 1987: 346. PNG (PNG).
- ignavus** Parent, 1933c: 170. NZ (NZ).
- incomptus** Meuffels & Grootaert, 1987: 333. PNG (PNG).
- infimus** Parent, 1932a: 141. Australia (ACT).
- laetus** Becker, 1922b: 94. Taiwan & PNG (PNG) & Singapore; Indonesia (Nusa Tenggara), Nepal, Philippines.
- leucotarsus** Meuffels & Grootaert, 1987: 378. PNG (PNG).
- longicornis** Parent, 1933c: 422. NZ (NZ).
- longipilus** Parent, 1933c: 415. NZ (NZ).
- luteinotatus** Parent, 1933c: 411. NZ (NZ).
- marginatus** Parent, 1932a: 142. Australia (NSW).
- memorabilis** Parent, 1932a: 143. Australia (Tas).
- miritarsis** Meuffels & Grootaert, 1987: 387. PNG (PNG).
- modestus** Parent, 1933c: 408. NZ (NZ).
- moestus** Parent, 1933c: 408. NZ (NZ).
- nigrisquamis** Meuffels & Grootaert, 1987: 369. PNG (PNG).
- normalis** Parent, 1933c: 417. NZ (NZ).

- obscurus** Parent, 1932a: 144. Australia (Tas).
ornatipes Parent, 1933c: 420. NZ (NZ).
ornatus Parent, 1933c: 421. NZ (NZ).
pallipes Meuffels & Grootaert, 1987: 353. PNG (PNG).
plumipes Parent, 1939a: 155. PNG (PNG).
plumitarsis de Meijere, 1916e: 246. Indonesia (Java); PNG (PNG); Indonesia (Sumatra).
praecipuus Becker, 1922b: 100. PNG (PNG).
priapus Meuffels & Grootaert, 1987: 357. PNG (PNG).
prospicuus Becker, 1922b: 101. PNG (PNG).
puerulus Bezzi, 1928: 59. Fiji.
pulchriceps Walker, 1864: 210 (*Dolichopus*). Indonesia (Irian Jaya).
ripicola Meuffels & Grootaert, 1987: 362. PNG (PNG).
rutilus Becker, 1922b: 98. PNG (PNG) & Taiwan; Indonesia (Sumatra).
scitulus Parent, 1932a: 149. Australia (Tas).
setifemoratus Parent, 1932a: 146. Australia (ACT).
setiger Becker, 1922b: 96. PNG (PNG); Philippines.
sticticus Meuffels & Grootaert, 1987: 338. PNG (PNG).
tasmanicus Parent, 1932a: 147. Australia (Tas).
tenueciliatus Parent, 1933c: 418. NZ (NZ).
teuchophoroides Meuffels & Grootaert, 1987: 323. PNG (PNG).
tricorniger Meuffels & Grootaert, 1987: 344. PNG (PNG).
torrenticola Meuffels & Grootaert, 1987: 359. PNG (PNG).
vagus Becker, 1922b: 98. PNG (PNG).

Genus TETRACHAETUS Bickel & Dyte, n. gen.

TETRACHAETUS Parent, 1933c: 436. Unavailable name; genus-group name proposed after 1930 without type-species designation.

TETRACHAETUS Bickel & DYTE, n. gen. Type species: *Tetrachaetus bipunctatus* Parent, 1933, pres. des. [For description to validate proposal of new genus see generic characters cited for *Tetrachaetus* by Parent, 1933c: 436.]

bipunctatus Parent, 1933c: 437. NZ (NZ).

simplex Parent, 1933c: 439. NZ (Chatham Is) & NZ (NZ).

Genus TEUCHOPHORUS Loew

TEUCHOPHORUS Loew, 1857: 44. Type species: *Dolichopus spinigerella* Zetterstedt, 1843, des.

Coquillett, 1910: 613.

- armatus** Meuffels & Grootaert, 1986: 253. PNG (PNG).
conspicuus Meuffels & Grootaert, 1986: 223. PNG (PNG).
costalis Meuffels & Grootaert, 1986: 229. PNG (PNG).
denticulatus Meuffels & Grootaert, 1986: 227. PNG (PNG).
digitatus Meuffels & Grootaert, 1986: 237. PNG (PNG).
femoratus Meuffels & Grootaert, 1986: 221. PNG (PNG).
fuscicornis Meuffels & Grootaert, 1986: 240. PNG (PNG).
grandior Meuffels & Grootaert, 1986: 251. PNG (PNG).
laingensis Meuffels & Grootaert, 1986: 256. PNG (PNG).
longifrons Bickel, 1983: 42. Australia (NSW).
parcearmatus Meuffels & Grootaert, 1986: 246. PNG (PNG).
pectinatus Meuffels & Grootaert, 1986: 242. PNG (PNG).
pusio Meuffels & Grootaert, 1986: 225. PNG (PNG).
quadratus Meuffels & Grootaert, 1986: 235. PNG (PNG).
queenslandicus Bickel, 1983: 40. Australia (Qld).
simplicipes de Meijere, 1916e: 253. Indonesia (Java); PNG (PNG).

spatulifer Meuffels & Grootaert, 1986: 232. PNG (PNG).
uncinatus Meuffels & Grootaert, 1986: 249. PNG (PNG).
vanaartsini Meuffels & Grootaert, 1986: 245. PNG (PNG).

Subfamily BABINDELLINAE

Genus BABINDELLA Bickel

BABINDELLA Bickel, 1987b: 97. Type species: *Babindella physoura* Bickel, 1987, orig. des.
physoura Bickel, 1987b: 98. Australia (Qld).
whianensis Bickel, 1987b: 100. Australia (NSW).

Unplaced genera of Dolichopodidae

Genus ACHALCUS Loew

ACHALCUS Loew, 1857: 30. Type species: *Porphyrops flavigollis* Meigen, 1824, des. Robinson, 1970b: 22.
chaetifemoratus Parent, 1933c: 362. NZ (NZ).
luteipes Parent, 1933c: 363. NZ (NZ).
medius Parent, 1933c: 364. NZ (NZ).
minor Parent, 1933c: 365. NZ (NZ).
minusculus Parent, 1933c: 364. NZ (NZ).
minutus Parent, 1933c: 366. NZ (NZ).
nigroscutatus Parent, 1933c: 363. NZ (NZ).
relictus Parent, 1933c: 365. NZ (NZ).
separatus Parent, 1933c: 366. NZ (NZ).

Genus ACROPSILUS Mik

ACROPSILUS Mik, 1878: 6. Type species: *Chrysotus niger* Loew, 1869, mon.
protractus Robinson, 1963: 830. Solomon Is.

Genus KOWMUNGIA Bickel

KOWMUNGIA Bickel, 1987a: 147. Type species: *Kowmungia nigrifemorata* Bickel, 1987, orig. des.
angustifrons Bickel, 1987a: 150. Australia (NSW).
crassitarsis Bickel, 1987a: 152. Australia (NSW).
flavisetosa Bickel, 1987a: 152. Australia (Qld).
nigrifemorata Bickel, 1987a: 148. Australia (NSW).

Genus MICROMORPHUS Mik

MICROMORPHUS Mik, 1878: 6. Type species: *Hydromorus albipes* Zetterstedt, 1843, orig. des.
albipes Zetterstedt, 1843: 6 (*Hydromorus*). Scandinavia; NZ (NZ); Nepal, West Indies, Europe, C. Am.,
 N Africa, N. Am.