

54. Family MICROPEZIDAE

By Neal L. Evenhuis

Micropezidae, whose species are commonly known as stilt flies, comprise long-bodied, long-legged, often black flies usually with infuscated wings. The family is comprised of almost 450 species in about 40 genera and 5 subfamilies worldwide. They are predominantly tropical in distribution and especially speciose in the Neotropical Region.

Sixty species in 10 genera are recorded from the regions covered in this catalog. Of the 5 subfamilies, 2 (Eurybatinae and Taeniampterinae) are known from the regions covered here and 1 subfamily (Calycopteryginae) comprises subapterous forms on the subantarctic islands of Heard and Kerguelen (see Appendix I).

Adults are either predaceous on small insects or are attracted to excrement or decaying fruit. Some species, much the same as in the stron-

gylophthalmyiid genus, *Strongylophthalmyia*, mimic ants; others mimic wasps and are especially similar in appearance to some ichneumonid wasps. Species of the genus *Anaeropsis* have stalked eyes. Little is known of the larval habits, but they are probably phytophagous or saprophagous. Berg (1947) described the habits and immature stages of *Mimegralla striatofasciata* from the Solomon Islands.

This chapter benefitted from information on some type specimens kindly supplied by Dr. D.K. McAlpine.

Refs.: Hennig (1934-1936, rev.), Berg (1947, immat. biol.), Steyskal (1947, Solomon Is spp.; 1952b, Oriental-Pacific spp.; 1964, larval habits; 1977a, cat. Oriental spp.), Aczél (1951, classif.; 1959, Micronesian spp.), McAlpine (1975, classif.), Ferrar (1987, immat.).

Subfamily EURYBATINAE

Genus ANAEROPSIS Bigot

ANAEROPSIS Bigot, 1866: 201. Type species: *Anaeropsis lorquini* Bigot, 1866 [= *Phytalmia guttipennis* Walker, 1861], orig. des.
guttipennis Walker, 1861c: 269 (*Phytalmia*). Indonesia (Sulawesi); Indonesia (Maluku).
lorquini Bigot, 1866: 202. Indonesia (Maluku).

Genus COTHORNOBATA Czerny

COTHORNOBATA Czerny, 1932b: 267. Type species: *Cothornobata striatifrons* Czerny, 1932 [= *Trepidaria cyanea* Hendel, 1913], mon.
SPHAERICOCEPHALA Czerny, 1932b: 291. Unavailable name; genus-group name proposed after 1930 without type-species designation.
SPHAERICOCEPHALA Steyskal, 1977a: 12. Type species: *Trepidaria cyanea* Hendel, 1913, orig. des. *viriata* Enderlein, 1922b: 174 (*Grammicomyia*). PNG (PNG). N. comb.

Genus CREPIDOCHETUS Enderlein

CREPIDOCHETUS Enderlein, 1922b: 172. Type species: *Crepidochetus forcipatus* Enderlein, 1922, orig. des.
GONGYLOCEPHALA Czerny, 1932b: 292. Type species: *Gongyocephala nigrifemur* Czerny, 1932, mon. ater Steyskal, 1947: 5 (*Gongyocephala*). Solomon Is.
debilis Walker, 1859a: 124 (*Cardiacephala*). Indonesia (Maluku); Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG).

pallidus Steyskal, 1947: 4 (*Gongylocephala*). Solomon Is; Philippines.

Genus METOPOCHETUS Enderlein

METOPOCHETUS Enderlein, 1922b: 164, 171, 172. Type species: *Metopochetus ralumensis* Enderlein, 1922, orig. des.
METOPOCHTUS, error for *Metopochetus*.
bivittatus Macquart, 1846: 342(214) (*Calobata*). Australia (NSW); Australia (Tas).
compressus Walker, 1853: 389 (*Calobata*). Not given [Australia].
perclusus Walker, 1864: 230 (*Calobata*). Indonesia (Irian Jaya).
piceus Walker, 1853: 391 (*Calobata*). Australia (Tas).
ralumensis Enderlein, 1922b: 171. PNG (Bismarck Arch).
tenuipes Walker, 1853: 393 (*Calobata*). Australia (Tas).
terminalis Walker, 1853: 390 (*Calobata*). Not given [Australia].
tipuloides Walker, 1865b: 125 (*Calobata*). "New Guinea" [= Indonesia (Irian Jaya)]; PNG (PNG).

Genus NESTIMA Osten Sacken

NESTIMA Osten Sacken, 1881a: 457. Type species: *Nestima polita* Osten Sacken, 1881, mon.
CROSA Steyskal, 1952b: 176. Type species: *Eurybata semilauta* Osten Sacken, 1882, orig. des.
armillata Enderlein, 1922b: 175 (*Grammicomyia*). PNG (PNG). N. comb.
buergersi Enderlein, 1922b: 171 (*Eurybata*). PNG (PNG). N. comb.
flavifrons Bigot, 1886c: 382 (*Eurybata*). PNG (PNG). N. comb.
fragilis Walker, 1856a: 37 (*Micropeza*). Malaysia (Pen) & Singapore; Indonesia (Irian Jaya), PNG (PNG). N. comb.
nigriceps de Meijere, 1913b: 362 (*Eurybata*). Indonesia (Irian Jaya). N. comb.
petasibarba Enderlein, 1922b: 171 (*Eurybata*). PNG (PNG). N. comb.
pleuralis Steyskal, 1952b: 179. Indonesia (Irian Jaya).
politina Osten Sacken, 1881a: 458. Indonesia (Irian Jaya); PNG (PNG).
prolixa Walker, 1861d: 299 (*Micropeza*). Indonesia (Irian Jaya).
tenuis Doleschall, 1858: 127 (*Micropeza*). Indonesia (Maluku); Indonesia (Irian Jaya). N. comb.
tetras Steyskal, 1947: 2 (*Eurybata*). Solomon Is. N. comb.
viridinsula Steyskal, 1952b: 179. PNG (Bismarck Arch).
yapensis Steyskal, 1952b: 177 (*Crosa*). Micronesia; Belau. N. comb.

Genus PAPEZA McAlpine

PAPEZA McAlpine, 1975: 242. Type species: *Papeza szentivanyi* McAlpine, 1975, orig. des.
funiculipes Enderlein, 1922b: 174 (*Grammicomyia*). PNG (PNG). N. comb.
szentivanyi McAlpine, 1975: 242. PNG (PNG).

Subfamily TAENIAPTERINAE

Genus GRAMMICOMYIA Bigot

GRAMMICOMYIA Bigot, 1859b: 314. Type species: *Grammicomyia testacea* Bigot, 1859, mon.
bergi Steyskal, 1947: 7. Solomon Is.
halli Steyskal, 1952b: 162. PNG (PNG).
inermpipes Malloch, 1935a: 343. Western Samoa; American Samoa.

Genus MIMTEGRALLA Rondani

MIMTEGRALLA Rondani, 1850b: 180. Type species: *Calobata coeruleifrons* Macquart, 1843, orig. des.
HYBOBATA Enderlein, 1922b: 196. Type species: *Calobata triannulata* Macquart, 1843, orig. des.

HYOBOPATA. Incorr. orig. spell. of *Hybobata* (Enderlein, 1922b: 196).

CYCLOSPHEN Frey, 1927a: 69. Type species: *Taenioptera galbula* Osten Sacken, 1882, orig. des.

NEOCALOBATA Malloch, 1935a: 346 (*Calobata* subg.). Type species: *Calobata deferens* Malloch, 1935, orig. des.

TOWNESA Steyskal, 1952b: 171. Type species: *Townesa spinosa* Steyskal, 1952, orig. des.

abana Walker, 1849: 1054 (*Calobata*). Not given [Australia]; Indonesia (Maluku). **N. comb.**

albimana Doleschall, 1856: 413 (*Taenioptera*). Indonesia (Java); Belau, Guam, Micronesia, Northern Marianas, PNG (PNG); Ryukyu, E Oriental Reg.

longiventris Thomson, 1869: 589 (*Calobata*). Northern Marianas.

pictipes de Meijere, 1914b: 175 (*Calobata nigripes* var.). Indonesia (Java).

palauensis Hennig, 1935c: 201 (*albimana* ssp.). Belau.

albitarsis Wiedemann – not Australasian/Oceanian.

australica Hennig, 1935a: 91 (*contingens* ssp.). Australia (Qld); Australia (NT). [Proposed (incorrectly) as a new replacement name for specimens misidentified by Enderlein as *lunaria* Osten Sacken.] **N. stat.**

lunaria, Enderlein, 1922, not Osten Sacken, 1881, misid.

cedens Walker, 1856a: 135 (*Calobata*). Malaysia (Sarawak); Indonesia (Irian Jaya); Oriental Reg.

contingens Walker, 1864: 221 (*Calobata*). Indonesia (Irian Jaya); PNG (PNG), Solomon Is.

deferens Malloch, 1935a: 346 (*Calobata*). Western Samoa; American Samoa.

diffundens Walker, 1861e: 17 (*Calobata*). Indonesia (Maluku).

extrema Hennig, 1935c: 203 (*albimana* ssp.). Vanuatu. **N. stat.**

gutticollis Walker, 1861e: 17 (*Calobata*). Indonesia (Maluku). **N. comb.**

immiscens Walker, 1864: 221 (*Calobata*). Indonesia (Irian Jaya). **N. comb.**

ledermannii Enderlein, 1922b: 196. PNG (PNG); ?PNG (Bismarck Arch).

lunaria Osten Sacken, 1881a: 456 (*Calobata*). Indonesia (Maluku).

eclipsis Osten Sacken, 1882b: 201 (*Calobata*). Indonesia (Maluku).

novaehbrideana Steyskal, 1952b: 169 (*contingens* ssp.). Vanuatu. **N. stat.**

resoluta Walker, 1860a: 161 (*Calobata*). Indonesia (Sulawesi); Indonesia (Maluku).

salomonis Hennig, 1935c: 192 (*contingens* ssp.). Solomon Is.

solomonis, error for *salomonis*.

samoana Czerny, 1932b: 271 (*Cylosphen*). American Samoa.

sepoïdes Walker, 1859a: 124 (*Calobata*). Indonesia (Maluku); Indonesia (Irian Jaya), Micronesia; Indonesia (Sulawesi)

impingens Walker, 1860a: 161 (*Calobata*). Indonesia (Sulawesi).

contraria Walker, 1861c: 253 (*Calobata*). Indonesia (Irian Jaya).

buergersi Enderlein, 1922b: 184 (*Calobata*). PNG (PNG).

keyensis Hennig, 1935a: 87 (*albimana* ssp.). Indonesia (Maluku).

ponapensis Hennig, 1935c: 207. Micronesia.

kusiaeana Steyskal, 1952b: 170 (*ponapensis* ssp.). Micronesia.

keiensis. Incorr. subs. spell. of *keyensis* (Hennig, 1935c: 201).

spinosa Steyskal, 1952b: 172 (*Townesa*). Micronesia. **N. comb.**

stabilis Walker, 1861d: 298 (*Calobata*). Indonesia (Irian Jaya).

striatofasciata Enderlein, 1922b: 184 (*Calobata*). PNG (Bismarck Arch); PNG (Bougainville I), Solomon Is.

kroeberti Czerny, 1932b: 270 (*Cylosphen*). PNG (Bismarck Arch).

tongana Czerny, 1932b: 372 (*Cylosphen*). Tonga.

Genus RAINIERIA Rondani

RAINIERIA Rondani, 1843: 40. Type species: *Calobata calceata* Fallén, 1820, orig. des.

TANIPODA Rondani, 1856: 116. Type species: *Calobata calceata* Fallén, 1820, orig. des.

TANYPODA, error for *Tanipoda*.

boninensis Hennig, 1935c: 300 (*Crepidochetus*). Bonin Is.

boniensis, error for *boninensis*.

Genus STEYSKALIA Aczél, n. stat.

STEYSKALIA Aczél, 1959: 79 (*Mimegralla* subg.). Type species: *Mimegralla perfulva* Steyskal, 1952, orig. des.
perfulva Steyskal, 1952b: 169 (*Mimegralla*). Micronesia. N. comb.

Unplaced species of Micropezidae

albimana Macquart, 1843: 402(245) (*Calobata*). Indonesia (Java) & Australia (NSW) & Cuba & USA.
brevicellulata Macquart, 1843: 403(246) (*Calobata*). Australia (NSW).
coarctata Walker, 1861d: 298 (*Calobata*). Indonesia (Irian Jaya).
forficuloides Walker, 1861c: 253 (*Micropeza*). Indonesia (Irian Jaya).
plagiata Walker, 1861c: 253 (*Calobata*). Indonesia (Irian Jaya).
rufipes Macquart, 1851: 271(298) (*Calobata*). "Asie."