



- carolina** C. Willemse, **Salomona** HOLOTYPE ♀ 1751  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 342 Fig. 18-20  
 pin  
 MICRONESIA: Caroline Is: [Palau Is] Angaur I 17.IV.1936 Z. Ono  
 Y. Kondo given as collector in original publication. Right foretarsus, right midleg missing.
- carolinensis** C. Willemse, **Conocephalus** HOLOTYPE ♂ 1756  
 1942 *Overdruk Natuurhist. Maandbl.* 31(9): 6 Fig. 12, 13  
 pin  
 MICRONESIA: Caroline Is: Truk Is: Tarik I 3.I.1936 Z. Ono  
 Holotype with left wing glued to card; left tegmen, right antenna missing. ALLOTYPE, 1756a, pin,  
 MICRONESIA: Caroline Is: Palau Is: Melekiok I, 6.IV.1936, Z. Ono. Left antenna, right hindleg  
 missing.
- carolinensis** C. Willemse, **Phaulula** HOLOTYPE ♂ 1759  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 333 Fig. 6-9  
 pin  
 MICRONESIA: Caroline Is: Ponape I: Ponalagas (=Ponauran) to Neipip 7.III.1936 Z. Ono  
 Holotype with left antenna missing flagellum; left fore-, mid-, and hindlegs, right foretarsus, right  
 hindleg distad of femur, and left tegmen missing; left wing tattered. ALLOTYPE, 1759a, pin,  
 MICRONESIA: Caroline Is: Ponape I: Rentau, 1.III.1936, Z. Ono. Left tegmen partly missing.
- castaneipictus** C. Willemse, **Spinisternum** HOLOTYPE ♀ 10541  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 13 Fig. 22, 23  
 pin  
 NEW GUINEA (NE): Busu R.: E of Lae 100 m 14.IX.1955 J. L. Gressitt  
 Both antennae, left fore- and hindtarsi missing.
- castaneopicta** C. Willemse, **Gressittiella** HOLOTYPE ♂ 10527  
 1961 *Pac. Insects* 3(1): 96 Fig. 1-3  
 pin  
 NEW GUINEA (NE): Mt Otto 2200 m 24.VI.1955 J. L. Gressitt  
 Holotype with left midtarsus missing. ALLOTYPE, 10527a, pin, same data as holotype.
- colorata** Hebard, **Fatuhivella** HOLOTYPE ♂ 665  
 1935 *Bull. B. P. Bishop Mus.* 114: 129 Fig. 11-1n  
 pin  
 MARQUESAS IS: Fatuhiva I: Teavaipuhiau 655 m 25.VIII.1930 G. LeBronnec  
 Sweeping over *Paspalum conjugatum*  
 Holotype with right hindleg missing; left hindleg glued to label. ALLOTYPE, 665a, pin, same data  
 as holotype. Right antenna, left foreleg missing; right midleg glued to label.
- curvicauda** C. Willemse, **Biroa** HOLOTYPE ♀ 10540  
 1961 *Pac. Insects* 3(1): 101 Fig. 8  
 pin  
 BISMARCK ARCHIPELAGO: New Britain I: Gazelle Pen.: Bainings: St. Paul's 350 m 7.IX.1955  
 J. L. Gressitt  
 Both antennae missing flagellum; left foreleg, right foreleg detached, wrapped in cellophane; left  
 midleg, left hindleg, right hindtarsus missing.
- dublona** C. Willemse, **Salomona** HOLOTYPE ♀ 1755  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 344 Fig. 21  
 pin  
 MICRONESIA: Caroline Is: Truk Is: Dublon I 21.XII.1935 Z. Ono  
 Left foreleg, left midleg, left tegmen on separate pin; left hindtarsus, right mid- and hindleg  
 missing.
- forcipata** C. Willemse, **Nicsara** HOLOTYPE ♂ 10534  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 6 Fig. 10-12  
 pin  
 NEW GUINEA (NE): Mt Otto 2200 m 23.VI.1955 J. L. Gressitt

- Holotype with right midleg, both hindlegs missing; left antenna missing flagellum. ALLOTYPE, 10534a, pin, same data as holotype. Right midleg, right hindtarsus missing; right hindleg glued to label.
- gressitti** Chopard, **Phlugiola** HOLOTYPE ♂ 10445  
 1969 *Mem. Soc. Entomol. Ital.* 48(1B): 47 Fig. 1-4  
 SOLOMON IS: New Georgia Group: New Georgia I: Munda 1-30 m 15.VII.1959 J. L. Gressitt  
 pin
- inexpectata** C. Willemse, **Dichophaula** HOLOTYPE ♂ 1752  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 335 Fig. 10-12  
 MICRONESIA: Caroline Is: Kusaie I: Mt Wakapp 2.I.1936 Z. Ono  
 Left wing and tegmen spread and tattered; both antennae missing pedicel and flagellum; right foreleg, right hindleg, left midleg missing; left foreleg detached, placed in cellophane.
- insulana** C. Willemse, **Phrictaeformia** HOLOTYPE ♂ 10530  
 1961 *Pac. Insects* 3(1): 104 Fig. 9, 10  
 BISMARCK ARCHIPELAGO: New Britain I: Gazelle Pen.: Bainings: St. Paul's 350 m  
 6.IX.1955 [J. L. Gressitt]  
 Left midleg missing.
- insulana** C. Willemse, **Subrioides** HOLOTYPE ♂ 10539  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 12 Fig. 21  
 NEW GUINEA (NE): Ahl Val.: Nondugl 1750 m 8.VII.1955 J. L. Gressitt  
 Locality misspelled in original publication as "Nondug I." Both antennae missing distad of scape; left foretarsus, left mid- and hindlegs, right foreleg, and hindtarsus missing.
- macroptera** C. Willemse, **Conocephalus carolinensis** HOLOTYPE ♀ 1757  
 1942 *Overdruk Natuurhist. Maandbl.* 31(9): 7 Fig. 14  
 MICRONESIA: Caroline Is: Ponape Is: Wone 11.II.1936 Y. Kondo  
 Deposition site mistakenly published as Basel. Holotype with left hindtarsus missing. ALLOTYPE, 1757a, pin, MICRONESIA: Caroline Is: Ponape Is: Roi (or Reu), 14.II.1936, Z. Ono. Left tegmen detached, placed between glass cover slips; both hindlegs missing; left midleg, right fore- and midlegs detached, wrapped in cellophane.
- marmorata** Hebard, **Fatuhivella** HOLOTYPE ♀ 666  
 1935 *Bull. B. P. Bishop Mus.* 114: 130 Fig. 1c  
 MARQUESAS IS: Fatuhiva I: Ridge E of Oomoa Valley 914 m 28.VIII.1930 G. Le Bronnec  
 Antennae detached, glued to card; right midleg missing.
- marquesana** Hebard, **Phisis** HOLOTYPE ♂ 668  
 1935 *Bull. B. P. Bishop Mus.* 114: 133  
 MARQUESAS IS: Uahuka I: Hane Val. 9 m 23.II.1931 G. Le Bronnec & H. Tauraa  
 At light  
 ALLOTYPE, 668a, pin, same data as holotype except: 46 m, 15.III.1931, at light. Flagella of both antennae missing.
- minima** C. Willemse, **Philmontis nigrofasciatus** HOLOTYPE ♂ 10536  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 15  
 NEW GUINEA (NE): Salawaket Range: Sepalakembang 1920 m 14.IX.1956 E. J. Ford, Jr.  
 Locality misspelled in original publication as "Sepakalembang." Both antennae missing distad of scapes; left hindleg missing.

- nigrofasciatus** C. Willemse, **Philmontis** HOLOTYPE ♂ 10535  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: Fig. 24  
 NEW GUINEA (NE): Asaro-Chimbu Divide: Daulo Pass 2500 m 12.VI.1955 J. L. Gressitt  
 Misspelled in original publication as "Asaro-Chimbo div." Holotype with right hindleg missing.  
 Allotype, 10535a, pin, same data as holotype.
- nihoa** Hebard, **Banza** HOLOTYPE ♂ 256  
 1926 *Bull. B. P. Bishop Mus.* 31: 83 Fig. 9  
 HAWAIIAN IS: Nihoa I 12.VI.1923 E. H. Bryan, Jr.  
 Ex bunch grass  
 ALLOTYPE, 256a, pin, same data as holotype except: 16.VI.1923. Both antennae missing  
 flagellum.
- novaequinae** C. Willemse, **Leptophyoides** HOLOTYPE ♂ 10528  
 1961 *Pac. Insects* 3(1): 99 Fig. 4, 5  
 NEW GUINEA (NW): Wissel Lakes (=Wisselmeren): Urapura: Kamo Val. 1530 m 11.VIII.1955  
 J. L. Gressitt  
 Holotype with left midleg, left antenna missing; right hindleg detached, in cellophane, missing  
 distad of tibia. ALLOTYPE, 10528a, pin, NEW GUINEA (NE): Wissel Lakes (=Wisselmeren):  
 Okaitadi, 1800 m, 7.VIII.1955, J. L. Gressitt. Altitude incorrectly published as "1600 m." Left  
 foreleg, right hindleg detached, in cellophane; left midleg, right midleg missing.
- solomona** C. Willemse, **Subria** HOLOTYPE ♀ 10537  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 6 Fig. 10-12  
 SOLOMON IS: Malaita I: Auki 2-20 m 22.IX.1957 J. L. Gressitt  
 Both antennae missing flagellum; left midleg, left hindleg, left tegmen, left wing missing.
- tridens** Hebard, **Conocephalus** HOLOTYPE ♂ 664  
 1935 *Bull. B. P. Bishop Mus.* 114: 127 Fig. 1b, 1k  
 MARQUESAS IS: Eiao I: Vaituha 366 m 3.X.1929 A. M. Adamson  
 On *Cassia occidentalis*  
 Holotype with both antennae missing flagellum; left midleg, right midleg, right hindleg missing.  
 ALLOTYPE, 664a, pin, MARQUESAS IS: Eiao I: above Vaituha, 244 m, 29.IX.1929, A. M.  
 Adamson. Right hindleg missing.
- trukkensis** C. Willemse, **Phaulula** HOLOTYPE ♂ 1753  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 332 Fig. 3-5  
 MICRONESIA: Caroline Is: Truk Is: Dublon I 25.XII.1935 Z. Ono  
 Holotype with flagella of both antennae partly missing; left wing and tegmen spread, tattered; both  
 hindlegs missing. ALLOTYPE, 1753a, pin, same data as holotype except: 22.XII.1935. Left  
 antenna, left fore- and midleg, left hindtarsus missing.
- uniformis** C. Willemse, **Pseudophrictaetypus** HOLOTYPE ♀ 10532  
 1961 *Pac. Insects* 3(1): 106 Fig. 11  
 NEW GUINEA (SE): Kokoda to Pitoki 400 m 23.III.1956 J. L. Gressitt  
 Both hindlegs missing tarsus.
- uniformis** C. Willemse, **Subria** HOLOTYPE ♂ 10538  
 1966 *Publ. Natuurhist. Genoot. Limburg* 16: 10 Fig. 18  
 BISMARCK ARCHIPELAGO: New Britain I: Gazelle Pen.: Bainings: St. Paul's 350 m 7.IX.1955  
 J. L. Gressitt

Holotype with both antennae missing distad of scape; both midlegs, right foreleg missing distad of femur. ALLOTYPE, 10538a, pin, same data as holotype. Right foreleg, right midtarsus missing; left hindleg detached, pinned with specimen pin beneath labels.

- variopicta** C. Willemse, **Mossula** HOLOTYPE ♂ 10529  
 1961 *Pac. Insects* 3(1): 112 Fig. 17, 18 pin  
 SOLOMON IS: Malaita I: Auki 2-20 m 22.IX.1957 J. L. Gressitt  
 Holotype with left hindtarsus missing. ALLOTYPE, 10529a, pin, same data as holotype.
- zimmermanni** C. Willemse, **Biroa** HOLOTYPE ♂ 1754  
 1950 *Eos, Rev. Esp. Entomol., Tomo Extraord.*: 337 Fig. 13 pin  
 MICRONESIA: Caroline Is: Palau Is: [Babeldaob I] Melekiok 6.IV.1936 Z. Ono  
 Flagella of both antennae missing; left midleg, both hindlegs missing.

### GENUS-GROUP INVENTORY

Banza: nihoa 30  
 Biroa: curvicauda 28; zimmermanni 31  
 Conocephalus: carolinensis 28; carolinensis macroptera 29; tridens 30  
 Dichophaula: inexpectata 29  
 Fatuhivella: colorata 28; marmorata 29  
 Gressittiella: castaneopicta 28  
 Leptophyoides: novaeguineae 30  
 Mossula: variopicta 31  
 Nicsara: affinis 27; forcipata 28  
 Nukuhivella: agraeioides 27  
 Phaulula: carolinensis 28; trukkenis 30  
 Philmontis: nigrofasciatus 30; nigrofasciatus minima 29  
 Phisis: marquesana 29  
 Phlugiola: gressitti 29  
 Phrictaeformia: insulana 29  
 Phrictaetypus: aberrans 27  
 Pseudophrictaetypus: uniformis 30  
 Salomona: carolina 28; dublona 28  
 Spinisternum: castaneipictus 28  
 Subria: solomona 30; uniformis 30  
 Subrioides: insulana 29

### LITERATURE CITED

- Beier, M.** 1966. Tettigoniidae: Subfam. Meconematinae, Mecopodinae, Phyllophorinae. *Orthopterorum Catalogus Pars* 9: 247-342.
- Chopard, L.** 1969. Unextraordinaire Tettigoniide des Iles Salomon. *Mem. Soc. Entomol. Ital.* 48(1B): 47-51.
- Hebard, M.** 1926. Dermaptera and Orthoptera. *Bull. B. P. Bishop Mus.* 31: 82-88.  
 1935. The Dermaptera and Orthoptera of the Marquesas Islands. *Bull. B. P. Bishop Mus.* 114: 105-40.
- Radovsky, F. J., G. A. Samuelson & W. A. Steffan.** 1976. Catalog of entomological types in the Bernice P. Bishop Museum. Introduction. *Pac. Insects* 17: 1-5.

- Willemse, C.** 1942. On a collection of Indo-Australian, Melanesian and Micronesian Tettigoniidae. *Overdruk Natuurhist. Maandbl.* **31**(9): 1-14.
1950. On a collection of Orthoptera from the Caroline Islands from the Bernice P. Bishop Museum of Honolulu. *Eos, Rev. Esp. Entomol. Tomo Extraord.* : 325-61.
1961. Tettigonoidea of the Papuan Subregion (Orthoptera). 1. Mecopodidae. *Pac. Insects* **3**: 93-116.
1966. Descriptions of new and redescrptions of lesser known Orthoptera. Part II. *Publ. Natuurhist. Genoot. Limburg* **16**: 1-16.