

♀ resembling male except for usual sexual differences in end of abdomen.
Length about 1 mm.



FIG. 2.—End of abdomen, showing male genitalia of
Meoneura freta sp.n.

This species resembles *flavifacies* in the colour of face, but that species, in addition to having more than one pair of dorsocentral bristles and a different hypopygium, has the ocellar triangle more distinct and more polished and some small bristles on disc of fourth abdominal tergite.

Described from four males and two females taken at Blakeney Point on the Norfolk coast on July 17th, 1934.

At the same time and place I took additional specimens of *M. bicuspidata* Coll., and would call attention to the fact that the ocellar triangle of this species is neither so large nor so sharply differentiated from rest of frons as in *M. neottiophila* Coll.

Finally, I can record the capture at Barton Mills (Suffolk) at the end of May, 1935, of additional specimens of *M. neglecta* Coll. Raylands, Newmarket.

June 12th, 1937.

CHECK-LIST OF THE CERCOPIDAE OF OCEANIA.

BY V. LALLEMAND.

Family CERCOPIDAE.

Subfamily CERCOPINAE.

Tribe PTYELINI.

Genus *Ptyelus* Lepelletier et Serville, 20, p. 608.

(Type: *Ptyelus flavescentes* Fabricius.)

Ptyelus inermis Montrouzier, 21, p. 71.

New Caledonia: Lifu.

Ptyelus sexmaculatus Montrouzier, 21, p. 71.

New Caledonia: Lifu.

Ptyelus lineolus Montrouzier, 21, p. 71.

New Caledonia.

I do not know these three species, but it is more than probable that they belong to some genus other than *Ptyelus*.

Genus *Carystoterpa* Lallemand, 17, p. 264.

(Type: *Carystoterpa trimaculata* White.)

Carystoterpa trimaculata trimaculata White, 27, pl. 7, fig. 10, (*Aphrophora*); Walker, 28, p. 718, (*Ptyelus*); Alfken, 1, p. 598, (*Ptyelus*); Kirkaldy, 12, p. 28; Myers, 23, p. 179, figs. 1, 2, 4, (*Philaenus*); Lallemand, 13, p. 37, (*Ptyelus*); Lallemand, 17, p. 264.

✖ Chatham Islands. (Also in New Zealand.)

Carystoterpa trimaculata laeta Alfken, 1, p. 598, (*Ptyelus*); Myers, 23, p. 180, figs. 3, 5, (*Philaenus*).

✖ Chatham Islands.

Carystoterpa trimaculata tristis Alfken, 1, p. 598, (*Ptyelus*); Myers, 23, p. 180, fig. 6, (*Philaenus*).

✖ Chatham Islands.

Genus *Novophilaenus* Lallemand, 17, p. 264.

(Type: *Novophilaenus calatus* Lallemand).

Novophilaenus calatus Lallemand, 14, p. 294, (*Ptyelus*); 17, p. 265.

Loyalty Islands: Maré.

Novophilaenus novae-caledoniae Lallemand, 14, p. 295, (*Ptyelus*).*

New Caledonia: Bovrail.

Genus *Strandiana* Lallemand, 17, p. 264.

(Type: *Strandiana longipennis* Lallemand.)

Strandiana longipennis Lallemand, 14, p. 297, (*Hindola*); 17, p. 264.

New Caledonia.

Tribe CLOVIINI.

Genus *Clovia* Stal, 25, p. 68, 75.

(Type: *Clovia bigoti* Signoret.)

Clovia boitardi Montrouzier, 22, p. 112, (*Cercopis*); Jacobi, 10, p. 10.

Trobiand Islands: Woodlark.

Clovia froggatti Distant, 4, p. 388.

Solomon Islands: Ysabel Island.

Clovia froggatti Distant, var., Jacobi, 10, p. 12.

var. *jacobii* Lallemand, 16, p. 677.

Solomon Islands: Bougainville.

* I include this species in the genus *Novophilaenus* with certain reservations, having in my possession only one badly preserved specimen.

Genus *Lallemandana* China, 3, p. 466.

(*Lallemandia* China, 2, p. 39.)

(Type: *Lallemandana fenestrata* Fabricius.)

Lallemandana fenestrata fenestrata Fabricius, 7, p. 684; 8, p. 270; 9, p. 67, (*Cicada*); Stal, 25, p. 16, (*Clovia*); Lallemand, 13, p. 43, (*Clovia*); China, 3, p. 40.

Society Islands: Tahiti: Vallée de la Reine.

Lallemandana fenestrata tahitiensis China, 2, p. 41, figs. 2, g; 3, g; 4, e; 5, b; 6, b.

Society Islands: Tahiti: Papenoo Valley, Anaroii Plateau, Papeari, Papara Valley.

Lallemandana fenestrata pallida Lallemand, 15, p. 635, (*Clovia*); China, 2, p. 43, figs. 2, h; 3, c; 4, d; 5, e, f; 6, h, i.

Society Islands: Tahiti: Hitiaa, Tautira, Vaitepiha Valley, Anaroii Plateau.

Lallemandana fenestrata sociabilis Lallemand, 15, p. 634, (*Clovia*); China, 2, p. 43; figs. 2, f; 3, h; 4, h; 5, d; 6, a.

Society Islands: Tahiti: Lake Vaihiria, Vaipuarii Valley, Anaroii Plateau, Papenoo Valley, Vallée de la Reine, Papara Valley.

Lallemandana fenestrata mooreana China, 2, p. 44; figs. 2, c; 3, f; 4, f; 5, h; 6, d.

Society Islands: Moorea: Opunohu Valley.

Lallemandana fenestrata adamsonii China, 2, p. 46; figs. 2, c; 3, j; 4, i; 5, i; 6, f.

Society Islands: Tahiti: Papenoo Valley.

Lallemandana fenestrata interrupta Lallemand, 15, p. 634, (*Clovia insignis* var.); China, 3, p. 47; figs. 2, i; 3, b; 4, c; 5, j; 6, g.

Society Islands: Borabora: Fanui.

Lallemandana fenestrata insignis Distant, 5, p. 357, (*Clovia*); China, 2, p. 47; figs. 2, d; 3, c; 4, h; 5, g; 6, l.

Tuamotus: Henderson (Elizabeth) Island.

Lallemandana fenestrata rapana Lallemand, 15, p. 634, (*Clovia*); China, 2, p. 47; figs. 2, a; 3, a; 4, b; 5, b; 6, j.

Rapa.

Lallemandana fenestrata oceanica Jacobi, 10, p. 14, (*Clovia*); China, 2, p. 48.

Tonga.

Lallemandana fenestrata samoensis China, 2, p. 48; Jacobi, 10, p. 14, (*Clovia oceanica*, var.).

Samoa.

Lallemandana eugeniae Stal, 25, p. 75, (*Clovia*) ; Lallemand, 13, p. 43, (*Clovia*) ; China, 2, p. 49.

Synonymy : *Ptyelus patruelis* Stål, 24, p. 287.

Marianne Islands : Guam.

Caroline Islands : Pouynipet.

Lallemandana juddi Lallemand, 18, p. 49, fig. 2, (*Clovia*) ; China, 2, p. 49.

Samoa : Ofu and Tau.

Lallemandana biformis Lallemand, 18, p. 49 ; fig. 3, a, b, (*Clovia*) ; China, 2, p. 49.

Samoa : Tutuila : Pago-Pago ; Upolu : Malololelei.

Lallemandana bryani Lallemand, 18, p. 50, fig. 4, (*Clovia*) ; China, 2, p. 49.

Samoa : Savaii : Salailua.

Lallemandana armstrongi Lallemand, 18, p. 51, fig. 5, (*Clovia*) ; China, 2, p. 49.

Samoa : Upolu : Apia, Siumu.

Lallemandana buxtoni Lallemand, 18, p. 51, fig. 6, (*Clovia*) ; China, 2, p. 49.

Samoa : Upolu : Vailima.

Lallemandana navigans Jacobi, 10, p. 13, (*Clovia*) ; Lallemand, 18, p. 52, fig. 7, (*Clovia*) ; China, 2, p. 49.

Samoa : Upolu : Vailutai, Falelatai, Apia, Mulifanua, Lalo-manu ; Savaii : Tuasivi, Salailua, Fagamalo, Safuni ; Tutuila : Pago-Pago, Amauli.

Lallemandana swazeyi Lallemand, 18, p. 48, (*Clovia*) ; China, 2, p. 49.

Samoa : Savaii : Safune ; Tutuila : Leone.

Lallemandana cheesmani Lallemand, 15, p. 635, (*Clovia*) ; China, 2, p. 49, figs. 1, b ; 2, j.

Society Islands : Tahiti : Lake Vaihiria, Anaroi Plateau.

Lallemandana mumfordi China, 2, p. 50.

Society Islands : Tahiti : Ta Aroa Pass.

Genus *Nesaphrestes* Kirkaldy, 11, p. 20.

(Type : *Nesaphrestes dreptias* Kirkaldy.)

Nesaphrestes dreptias Kirkaldy, 11, p. 21 ; Lallemand, 13, p. 41.

Fiji : Viti Levu : Rewa.

Nesaphrestes physmatophilus Kirkaldy, 11, p. 21 ; Lallemand, 13, p. 41.

Fiji : Viti Levu : Rewa.

Genus *Perinoia* Walker, 26, p. 729.

(Type : *Perinoia septemfasciata* Walker.)

Perinoia specialis Jacobi, 10, p. 21.

Solomon Islands : Shortland Island.

Perinoia geminata Jacobi, 10, p. 21.

Solomon Islands : New Georgia.

Perinoia imitans Jacobi, 10, p. 19.

Solomon Islands : Bougainville.

Perinoia caput-ranae Le Guillou, 19, p. 262, (*Aphrophora*) ; Stål,

25, p. 75 ; Lallemand, 13, p. 43, (*Clovia*) ; Jacobi, 10, p. 19.

Samoa. *New Britain*. (Also in *New Guinea*.)

Iophosa Jacobi, 10, p. 22.

(Type : *Iophosa speiseri* Distant.)

Iophosa speiseri Distant, 6, p. 389 ; pl. II, fig. 3, (*Perinoia*) ; Jacobi,

10, p. 22.

New Caledonia.

Tribe CERCOPINI.

Genus *Handschinia* Lallemand, 16, p. 678.

(Type : *Handschinia salomonis* Lallemand.)

Handschinia salomonis Lallemand, 16, p. 678.

Solomon Islands.

Subfamily TOMASPIDINAE.

Genus *Aufidus* Stål.

(Type : *Aufidus trifasciatus* Stål.)

Aufidus hopkinsi Lallemand, 18, p. 53, fig. 8.

Samoa : Upolu : Malololelei.

Aufidus samoanus samoanus Lallemand, 18, p. 53, fig. 9.

Samoa : Savaii : Tuasivi, Salailua, Safune ; Upolu : Malololelei, Vaea, Apia, Vailima, Mulifanua, Falelatai, Siumu, Aleipata ; Tutuila : Amauli, Afono, Fagasa, Leone, Pago-Pago.

Aufidus samoanus immaculatus Lallemand, 18, p. 54.

Samoa : Savaii : Safune ; Tutuila : Pago-Pago.

Aufidus samoanus obscurus Lallemand, 18, p. 54.

Samoa : Upolu : Siumu, Malololelei, Vaea ; Savaii : Safune.

Genus *Nesaphrogeneia* Kirkaldy, 11, p. 22.

(Type : *Nesaphrogeneia vitis* Kirkaldy.)

Nesaphrogeneia vitis Kirkaldy, 11, p. 22 ; Lallemand, 13, p. 84.

Fiji : Viti Levu.

BIBLIOGRAPHY.

1. ALFKEN, J. D. Beitrag zur Insectenfauna der hawaiischen neuseeländischen Inseln. Zool. Jahrb., Abt. Syst. 19, pp. 561-627, 1904.

2. CHINA, W. E. Cercopidae of the Society Islands. Bishop Museum Bull. no. 111, art. no. 8, pp. 39-50, Honolulu, 1935 (separate Jan. 1933).
3. ————— Critical notes on some neotropical species of *Tomaspis* (Homoptera, Cercopidae), Addendum. Ann. Mag. Nat. Hist. (10), Vol. XIV, pp. 448-466, London, October, 1934.
4. DISTANT, W. L. Rhynchota from the Solomon Islands. Ann. Mag. Nat. Hist. (8), Vol. VIII, pp. 334-338, London, 1911.
5. ————— On a small collection of Rhynchota made by Mr. David R. Tait at Henderson's Island. Ann. Mag. Nat. Hist. (8), Vol. XI, pp. 554-557, London, 1913.
6. ————— Rhynchota from New Caledonia and the surrounding Islands. In Sarasin & Roux, Nova-Caledonia, zool., Vol. I, pt. 4, 1914.
7. FABRICIUS, J. C. Systema entomologica, 1775.
8. ————— Mantispa insectorum, vol. 2, 1787.
9. ————— Systema Rhyngotorum, 1803.
10. JACOBI, A. Kritische Bemerkungen über die Cercopidae (Rhynchota Homoptera) mit 7 textfiguren. Archiv für Naturgeschichte, Jahrg. 87, abt. A, Heft 12, pp. 1-65, December, 1921.
11. KIRKALDY, G. W. Leaf-hoppers Supplement (Hemiptera). Report of the Experiment Station of the Hawaiian Sugar Planters' Association, Bull. no. III, pp. 1-186, XX pl., Honolulu, September, 1907.
12. ————— A list of the Hemiptera (excluding Sternorrhyncha) of the maorian subregions, with notes on a few of the species. Trans. New Zealand Inst., Vol. XII, pp. 22-29, 1909.
13. LALLEMAND, V. Wytsman, Genera Insectorum, fasc. 143, Cercopidae, 1912.
14. ————— Homoptères nouveaux de la collection du Muséum national de Paris et de la mienne, Bulletin du Muséum de Paris, XXX, pp. 201-207, 294-300, 378-386, 490-493, 1924.
15. ————— Description de nouveaux homoptères du Museum de Londres. Ann. Mag. Nat. Hist. (10), Vol. I, pp. 634-638, London, May, 1928.
16. ————— Homoptères des îles de la Sonde et de l'Australie du nord. Revue suisse de zoologie, T. 42, no. 26, pp. 661-681, October, 1935.
17. ————— Description de trois genres et de deux espèces nouvelles d'homoptères de l'Insulinide et de l'Océanie (avec deux fig.), 1936. Tidschrift zum 60 gelertstage von Pr. Dr. Embrik Strand, Vol. I, pp. 264-266.
18. ————— Insects of Samoa and other Samoan terrestrial Arthropoda, Part II, fasc. 2, Hemiptera, Cercopidae, London, June, 1928.
19. LE GUILLOU, E. J. F. Description des hémiptères recueillis pendant son voyage de circumnavigation sur la corvette La Zélée. Revue Zoologique, p. 261, 1841.
20. LEPELLETIER and SERVILLE. Encyclopédie méthodique, Vol. 10, 1825.
21. MONTROUZIER. Essai sur la faune entomologique de la Nouvelle-Calédonie (Balade) et les îles des Pins, Art, Lifu, etc. Ann. Soc. ent. France, pp. 59-74, Jan. 1861.
22. ————— Essai sur la faune de l'île Woodlark ou Moiou. Ann. sci. physiques et naturelles de Lyon (2), t. VII, 1st pt., 1855.

2. CHINA, W. E. Cercopidae of the Society Islands. Bishop Museum Bull. no. 111, art. no. 8, pp. 39-50, Honolulu, 1935 (separate Jan. 1933).
3. ————— Critical notes on some neotropical species of *Tomaspis* (Homoptera, Cercopidae), Addendum. Ann. Mag. Nat. Hist. (10), Vol. XIV, pp. 448-466, London, October, 1934.
4. DISTANT, W. L. Rhynchota from the Solomon Islands. Ann. Mag. Nat. Hist. (8), Vol. VIII, pp. 334-338, London, 1911.
5. ————— On a small collection of Rhynchota made by Mr. David R. Tait at Henderson's Island. Ann. Mag. Nat. Hist. (8), Vol. XI, pp. 554-557, London, 1913.
6. ————— Rhynchota from New Caledonia and the surrounding Islands. In Sarasin & Roux, Nova-Caledonia, zool., Vol. I, pt. 4, 1914.
7. FABRICIUS, J. C. Systema entomologica, 1775.
8. ————— Mantispa insectorum, vol. 2, 1787.
9. ————— Systema Rhyngotorum, 1803.
10. JACOBI, A. Kritische Bemerkungen über die Cercopidae (Rhynchota Homoptera) mit 7 textfiguren. Archiv für Naturgeschichte, Jahrg. 87, abt. A, Heft 12, pp. 1-65, December, 1921.
11. KIRKALDY, G. W. Leaf-hoppers Supplement (Hemiptera). Report of the Experiment Station of the Hawaiian Sugar Planters' Association, Bull. no. III, pp. 1-186, XX pl., Honolulu, September, 1907.
12. ————— A list of the Hemiptera (excluding Sternorrhyncha) of the maorian subregions, with notes on a few of the species. Trans. New Zealand Inst., Vol. XII, pp. 22-29, 1909.
13. LALLEMAND, V. Wytsman, Genera Insectorum, fasc. 143, Cercopidae, 1912.
14. ————— Homoptères nouveaux de la collection du Muséum national de Paris et de la mienne, Bulletin du Muséum de Paris, XXX, pp. 201-207, 294-300, 378-386, 490-493, 1924.
15. ————— Description de nouveaux homoptères du Museum de Londres. Ann. Mag. Nat. Hist. (10), Vol. I, pp. 634-638, London, May, 1928.
16. ————— Homoptères des îles de la Sonde et de l'Australie du nord. Revue suisse de zoologie, T. 42, no. 26, pp. 661-681, October, 1935.
17. ————— Description de trois genres et de deux espèces nouvelles d'homoptères de l'Insulinide et de l'Océanie (avec deux fig.), 1936. Tidschrift zum 60 gelertstage von Pr. Dr. Embrik Strand, Vol. I, pp. 264-266.
18. ————— Insects of Samoa and other Samoan terrestrial Arthropoda, Part II, fasc. 2, Hemiptera, Cercopidae, London, June, 1928.
19. LE GUILLOU, E. J. F. Description des hémiptères recueillis pendant son voyage de circumnavigation sur la corvette La Zélée. Revue Zoologique, p. 261, 1841.
20. LEPELLETIER and SERVILLE. Encyclopédie méthodique, Vol. 10, 1825.
21. MONTROUZIER. Essai sur la faune entomologique de la Nouvelle-Calédonie (Balade) et les îles des Pins, Art, Lifu, etc. Ann. Soc. ent. France, pp. 59-74, Jan. 1861.
22. ————— Essai sur la faune de l'île Woodlark ou Moiou. Ann. sci. physiques et naturelles de Lyon (2), t. VII, 1st pt., 1855.