

## CATALOG OF ENTOMOLOGICAL TYPES IN THE BISHOP MUSEUM.

### Hymenoptera: Cynipoidea<sup>1</sup>

By Grace Nakahashi and Gordon M. Nishida<sup>2</sup>

*Abstract.* The 63 holotypes and 20 allotypes of Cynipoidea (Cynipidae and Liopteridae) in the Bishop Museum collection are listed alphabetically, with added information as to their condition.

The 63 holotypes and 20 allotypes of Cynipoidea in the Bishop Museum collection represent 65 species: 64 cynipids and 1 liopterid. Carl M. Yoshimoto (1962a, 1962b, 1963a, 1963b) described 38 of the 64 cynipid species. Yoshimoto & K. Yasumatsu (1965) described 9, and R.C.L. Perkins (1910) described 18 cynipid species. T.C. Maa (1962) described the single liopterid species.

Of the 65 species, 42 were described from the Hawaiian Is. This collection takes on a measure of historical importance in the light of Hawaiian entomology, as 18 of the 42 species described from the Hawaiian Is were collected and described by R.C.L. Perkins in *Fauna Hawaiiensis* (1910). Also, another 18 of the 42 Hawaiian species were collected by entomologists of the Hawaiian Sugar Planters' Association, with O.H. Swezey collecting 15 of the 18.

Some of the species were collected as part of international, inter-institutional expeditions. For example, the 9 type-species from the Ryukyu Is were collected under the auspices of the U.S.-Japan Cooperative Science Program in 1963.

Other than the Hawaiian Is and Ryukyu Is, species were described from the following areas: Society Is (1), Fiji (4), Samoa (1), Micronesia (3), New Guinea (3), Bismarck Archipelago (1), and Thailand (1).

The format used in this catalog follows Radovsky et al. (1976).

#### SPECIES-GROUP ENTRIES

Order HYMENOPTERA

Superfamily CYNPOIDEA

Family CYNIPIDAE

<b>abnormis</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>	HOLOTYPE ♀	2584
1910 <i>Fauna Hawaiiensis</i> 2(6): 673		pin
HAWAIIAN IS: Oahu I: [Mt] Tantalus 457-610 m IX.1906 R.C.L. Perkins		

Mounted on card.

1. This work was partially supported by grant #BMS 75015971 from the U.S. National Science Foundation to the Bishop Museum.
2. Bishop Museum, Department of Entomology, P.O. Box 19000-A, Honolulu, Hawaii 96819, USA.

<b>agromyzae</b> Yoshimoto, <i>Weldia</i>		HOLOTYPE ♀	3179
1962 <i>Pac. Insects</i> 4(4): 809 Fig. 5B, 5F, 5G	HAWAIIAN IS: Oahu I: Mt Kaala 4.VII.1916 O.H. Swezey	pin	
Ex <i>Agromyza</i> in <i>Coccus</i>			
ALLOTYPE ♂, 3179a, pin, same data as holotype.			
<b>amamiensis</b> Yoshimoto & Yasumatsu, <i>Odonteucoila</i>		HOLOTYPE ♀	6125
1965 <i>Pac. Insects</i> 7(4): 646 Fig. 1	RYUKYU IS: Amami Group: Tokuno I: Mikyo 130 m 24.VII.1963 C.M. Yoshimoto	pin	
Malaise trap			
U.S.-Japan Cooperative Science Program.			
<b>angusta</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3193
1962 <i>Pac. Insects</i> 4(4): 836 Fig. 10C, 10L	HAWAIIAN IS: Oahu I: Palolo 3.I.1915 O.H. Swezey	pin	
Right hindleg missing distad of femur, left mid- and hindlegs missing distad of trochanter.			
ALLOTYPE ♂, 3193a, pin, HAWAIIAN IS: Oahu I: Mt Kaala, 14.VIII.1927, O.H. Swezey; left antenna missing 12 segments.			
<b>ashmeadi</b> Perkins, <i>Cothonaspis (Nesodiranchis)</i>		HOLOTYPE ♀	2575
1910 <i>Fauna Hawaiiensis</i> 2(6): 668 Fig.	HAWAIIAN IS: Oahu I: [Mt] Tantalus 457-610 m R.C.L. Perkins	pin	
Mounted on card.			
<b>aurantiaca</b> Yoshimoto, <i>Nesodiranchis</i>		HOLOTYPE ♂	3176
1962 <i>Pac. Insects</i> 4(4): 805 Fig. 3B, 3F, 4D	HAWAIIAN IS: Kauai I: Kokee 11.VI.1919 H.T. Osborn	pin	
Right antenna missing distad of scape, right foretarsus missing, left mid- and hindtarsi missing.			
<b>bryani</b> Yoshimoto, <i>Kleidotoma (Kleidotoma)</i>		HOLOTYPE ♀	3174
1962 <i>Pac. Insects</i> 4(4): 803 Fig. 2A, 2C, 2F	HAWAIIAN IS: Oahu I: Maunalua 19.IV.1937 E.H. Bryan, Jr.	pin	
<b>cognata</b> Yoshimoto & Yasumatsu, <i>Hexacola</i>		HOLOTYPE ♀	6129
1965 <i>Pac. Insects</i> 7(4): 650 Fig. 4	RYUKYU IS: Iriomote I: Ushiku-mori 350 m 7.XI.1963 G.A. Samuelson	pin	
Malaise trap			
U.S.-Japan Cooperative Science Program. Left midleg missing distad of coxa, right midleg missing 3 tarsomeres. ALLOTYPE ♂, 6129a, pin, same data as holotype; right antenna missing 2 segments.			
<b>debilis</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>		HOLOTYPE ♀	2581
1910 <i>Fauna Hawaiiensis</i> 2(6): 672	HAWAIIAN IS: Hawaii I 1908(?) R.C.L. Perkins	pin	
Mounted on card.			
<b>declinis</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>		HOLOTYPE ♀	2580
1910 <i>Fauna Hawaiiensis</i> 2(6): 671	HAWAIIAN IS: Oahu: [Mt] Tantalus 1905 R.C.L. Perkins	pin	
Mounted on card.			
<b>depressa</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3192
1962 <i>Pac. Insects</i> 4(4): 835 Fig. 10D	HAWAIIAN IS: Hawaii I: Kilaeua 28.VI.1934 O.H. Swezey	pin	
Ex <i>Railliardia</i>			
ALLOTYPE missing.			
<b>dichroma</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>		HOLOTYPE ♀	2586
1910 <i>Fauna Hawaiiensis</i> 2(6): 674	HAWAIIAN IS: Oahu I: [Mt] Tantalus 457 m X.1906 R.C.L. Perkins	pin	
Mounted on card.			
<b>distincta</b> Yoshimoto, <i>Maacynips</i>		HOLOTYPE ♀	3064
1963 <i>Pac. Insects</i> 5(3): 516 Fig. 3b		pin	

PNG: BISMARCK ARCH: New Britain I: Vudal Riv: SW of Keravat	13.XII.1959	T.C. Maa	
Left foretibia and tarsus missing.	ALLOTYPE ♂, 3064a, pin, same data as holotype; left midtarsus missing.		
<b>dubiosa</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>		HOLOTYPE ♀	2585
1910 <i>Fauna Hawaiiensis</i> 2(6): 673		pin	
HAWAIIAN IS: Oahu I: [Mt] Tantalus 457 m IV.1907 R.C.L. Perkins			
Mounted on card. Abdomen partly crushed as in original description.			
<b>elevata</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3191
1962 <i>Pac. Insects</i> 4(4): 833 Fig. 10F, 10M		pin	
HAWAIIAN IS: Maui I: Waikamoi [Stream] 1372 m 19.I.1926 O.H. Swezey			
Abdomen missing.			
<b>elliptica</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3203
1963 <i>Pac. Insects</i> 5(2): 441 Fig. 7		pin	
FIJI: Viti Levu I: Nandarivatu 1128 m 10.IX.1938 E.C. Zimmerman			
Beating shrubbery			
Elevation originally published as 900 m.			
<b>flavida</b> Yoshimoto, <i>Weldia</i>		HOLOTYPE ♀	3180
1962 <i>Pac. Insects</i> 4(4): 810 Fig. 5A, 5E		pin	
HAWAIIAN IS: Oahu I: Mt Kaala 18.V.1920 O.H. Swezey			
Right hindleg missing, left midtarsus missing.	ALLOTYPE ♂, 3180a, pin, HAWAIIAN IS:		
Oahu I: Kaala Mts, 4.VII.1916, O.H. Swezey.			
<b>fuscorubra</b> Yoshimoto, <i>Nesodiranchis</i>		HOLOTYPE ♀	3177
1962 <i>Pac. Insects</i> 4(4): 807 Fig. 3D, 3H, 4C		pin	
HAWAIIAN IS: Hawaii I: Kilauea 27.VI.1917 O.H. Swezey			
Ex <i>Straussia</i>			
<b>globicornis</b> Yoshimoto, <i>Hypodiranchis</i>		HOLOTYPE ♀	3187
1962 <i>Pac. Insects</i> 4(4): 812 Fig. 6E, 6G, 7F		pin	
HAWAIIAN IS: Hawaii I: Upper Hamakua Ditch Trail 2.X.1929 O.H. Swezey			
Ex <i>Delissea</i>			
Right antenna missing 7 segments.			
<b>grandis</b> Yoshimoto, <i>Pseudodiranchis</i>		HOLOTYPE ♀	3182
1962 <i>Pac. Insects</i> 4(4): 823 Fig. 9A		pin	
HAWAIIAN IS: Oahu I: Mt Tantalus 11.VI.1957 J.W. Beardsley			
ALLOTYPE ♂, 3182a, pin, same data as holotype.			
<b>grandissima</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3194
1962 <i>Pac. Insects</i> 4(4): 837 Fig. 7L, 10A, 10K		pin	
HAWAIIAN IS: Hawaii I: Kilauea 1220 m 20.VII.1920 W.M. Giffard			
Iliahi ( <i>Santalum</i> sp.) and Naio ( <i>Myoporum sandwicense</i> )			
ALLOTYPE ♂, 3194a, pin, HAWAIIAN IS: Hawaii I: Upper Waiakea Forest Res., XII.1950, N.L.H. Krauss.			
<b>gressitti</b> Yoshimoto & Yasumatsu, <i>Leptolamina</i>		ALLOTYPE ♂	6124a
1965 <i>Pac. Insects</i> 7(4): 647			
RYUKYU IS: Iriomote I: Ushiku-mori 350 m 7.XI.1963 G.A. Samuelson			
Malaise trap			
U.S.-Japan Cooperative Program. Missing from collection. Holotype ♀ deposited at Kyushu University, Japan.			
<b>gressitti</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>		HOLOTYPE ♀	3336
1962 <i>Insects Micronesia</i> 19(3): 99 Fig. 6		pin	
MICRONESIA: Marshall Is: Jaluit Atoll: Jaluit I: Jabor 1.V.1958 J.L. Gressitt			
<b>guamensis</b> Yoshimoto, <i>Eucoilidea</i>		HOLOTYPE ♀	3338
1962 <i>Insects Micronesia</i> 19(3): 107 Fig. 12		pin	
MICRONESIA: Mariana Is: Guam I: Umatac X.1957 N.L.H. Krauss			
Left antenna missing 3 segments.			

<b>hygrophila</b> Perkins, <i>Eucoila (Psichacra)</i>	HOLOTYPE ♀	2588
1910 <i>Fauna Hawaiensis</i> 2(6): 675 HAWAIIAN IS: Oahu I: [Mt] Tantalus IV.1907 R.C.L. Perkins Mounted on card.	pin	
<b>intermedia</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>	HOLOTYPE ♀	2577
1910 <i>Fauna Hawaiensis</i> 2(6): 670 HAWAIIAN IS: Oahu I: [Mt] Tantalus IX.1906 R.C.L. Perkins Mounted on card.	pin	
<b>kraussi</b> Yoshimoto, <i>Kleidotoma (Kleidotoma)</i>	HOLOTYPE ♀	3198
1963 <i>Pac. Insects</i> 5(2): 434 Fig. 1 FIJI: Viti Levu I: Nandi XI.1957 N.L.H. Krauss	pin	
<b>lateralis</b> Yoshimoto, <i>Pseudeucoila (Heptamerocera)</i>	HOLOTYPE ♀	3202
1963 <i>Pac. Insects</i> 5(2): 439 Fig. 6 AMERICAN SAMOA: Tutuila I 305 m 13.X.1918 H.C. Kellers Year of collection incorrectly published as 1915. Right antenna missing 9 segments, all wings missing.	pin	
<b>longicornis</b> Yoshimoto, <i>Pseudodiranchis</i>	HOLOTYPE ♀	3183
1962 <i>Pac. Insects</i> 4(4): 823 Fig. 8D, 9C, 9M HAWAIIAN IS: Maui I: Ridge above Halelaau 21.XII.1928 O.H. Swezey Right foreleg missing, left fore- and both midlegs missing distad of coxa.	pin	
<b>magnificus</b> Yoshimoto, <i>Pseudeucoila (Hexamerocera)</i>	HOLOTYPE ♀	3189
1962 <i>Pac. Insects</i> 4(4): 827 Fig. 11C, 11E HAWAIIAN IS: Oahu I: Mt Tantalus 14.I.1956 J.W. Beardsley	pin	
<b>micromorpha</b> Perkins, <i>Eucoilidea</i>	HOLOTYPE ♀	2592
1910 <i>Fauna Hawaiensis</i> 2(6): 676 HAWAIIAN IS: Oahu I: [Mt] Tantalus IV.1907 R.C.L. Perkins Mounted on card.	pin	
<b>monilis</b> Yoshimoto, <i>Pseudodiranchis</i>	HOLOTYPE ♀	3186
1962 <i>Pac. Insects</i> 4(4): 826 Fig. 8F, 9F, 9L HAWAIIAN IS: Maui I: Puukukui 20.XII.1928 O.H. Swezey Ex <i>Lobelia gloriae</i> ALLOTYPE ♂, 3186a, pin, same data as holotype; right antenna missing.	pin	
<b>naias</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>	HOLOTYPE ♀	2582
1910 <i>Fauna Hawaiensis</i> 2(6): 672 HAWAIIAN IS: Oahu I: [Mt] Tantalus 457 m IV.1907 R.C.L. Perkins Mounted on card.	pin	
<b>nigra</b> Yoshimoto, <i>Nesodiranchis</i>	HOLOTYPE ♀	3178
1962 <i>Pac. Insects</i> 4(4): 808 Fig. 3C, 3E, 4B HAWAIIAN IS: Maui I: Ridge above Halelaau 915–1006 m 21.XII.1928 E.H. Bryan, Jr. Ex <i>Sideroxylon</i>	pin	
<b>oblonga</b> Yoshimoto, <i>Hypodiranchis</i>	HOLOTYPE ♀	3188
1962 <i>Pac. Insects</i> 4(4): 817 Fig. 6C, 6K, 6L, 7C HAWAIIAN IS: Kauai I: Alakai Swamp 9.VIII.1925 O.H. Swezey ALLOTYPE ♂, 3188a, pin, same data as holotype.	pin	
<b>ovovata</b> Yoshimoto, <i>Pseudodiranchis</i>	HOLOTYPE ♀	3185
1962 <i>Pac. Insects</i> 4(4): 826 Fig. 9D HAWAIIAN IS: Oahu I: Mt Kaala 18.V.1920 O.H. Swezey	pin	
<b>octosegmenta</b> Yoshimoto & Yasumatsu, <i>Hexacola</i>	HOLOTYPE ♀	6131
1965 <i>Pac. Insects</i> 7(4): 652 RYUKYU IS: Amami Group: Tokuno I: Mikyo 130 m 24.VII.1963 C.M. Yoshimoto U.S.-Japan Cooperative Science Program. Left midleg missing 3 tarsomeres.	pin	
<b>okinawaensis</b> Yoshimoto & Yasumatsu, <i>Pseudeucoila (Pseudeucoila)</i>	HOLOTYPE ♂	6133
1965 <i>Pac. Insects</i> 7(4): 657	pin	

RYUKYU IS: Iriomote I: Ushiku-mori 350 m 7-10.XI.1963 G.A. Samuelson Malaise trap		
U.S.-Japan Cooperative Science Program. Right antenna missing distad of 5th segment. Holotype published as ♀; however, specimen is actually ♂.		
<b>oreias</b> Perkins, <i>Eucoila (Psichacra)</i>	HOLOTYPE ♀	2590
1910 <i>Fauna Hawaiiensis</i> 2(6): 674	pin	
HAWAIIAN IS: Hawaii I: Kilauea R.C.L. Perkins		
Mounted on card.		
<b>orobates</b> Perkins, <i>Eucoila (Psichacra)</i>	HOLOTYPE ♀	2591
1910 <i>Fauna Hawaiiensis</i> 2(6): 675	pin	
HAWAIIAN IS: Hawaii I: Kilauea R.C.L. Perkins		
Mounted on card.		
<b>ovata</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>	HOLOTYPE ♀	3190
1962 <i>Pac. Insects</i> 4(4): 831 Fig. 7I, 10P, 10O	pin	
HAWAIIAN IS: Hawaii I: nr Humuula 3.VIII.1946 E.C. Zimmerman		
Sweeping		3190
ALLOTYPE ♂, 3190a, pin, HAWAIIAN IS: Kauai I: Kokee, 1037-1220 m, 4-6.VIII.1961, Maa, Miyatake & Yoshimoto; left antenna missing 3 segments.		
<b>pacifica</b> Yoshimoto, <i>Cothonaspis (COTHONASPIS)</i>	HOLOTYPE ♀	3337
1962 <i>Insects Micronesia</i> 19(3): 105 Fig. 11	pin	
MICRONESIA: Wake Atoll: Peale I 1.VIII.1940 T. Lyons		
On radish leaf		
Right antenna missing distad of pedicel, left antenna missing distad of 5th segment.		
<b>papuana</b> Yoshimoto, <i>Maacynips</i>	HOLOTYPE ♀	3063
1963 <i>Pac. Insects</i> 5(3): 515 Fig. 2a, 2b, 2c, 2d	pin	
IRIAN: NEW GUINEA (NW): Waris: S of Hollandia 450-500 m 1-17.VIII.1959 T.C. Maa		
Sweeping		3063
ALLOTYPE ♂, 3063a, pin, IRIAN: NEW GUINEA (NW): Bodem: 11 km SE of Oerber- fahren, 7-17.VII.1959, T.C. Maa; right antenna missing 3 segments.		
<b>papuensis</b> Yoshimoto, <i>Leptolamina</i>	HOLOTYPE ♀	3205
1963 <i>Pac. Insects</i> 5(3): 513 Fig. 1	pin	
PNG: NEW GUINEA (SE): Daradae Plantation: 8 km N of Port Moresby 500 m T.C. Maa		
Sweeping		
<b>parallela</b> Yoshimoto & Yasumatsu, <i>Pseudeucoila (Hexamerocera)</i>	ALLOTYPE ♂	6126a
1965 <i>Pac. Insects</i> 7(4): 653 Fig. 5		
RYUKYU IS: Amami Group: Tokuno I: Mikyo 130 m 24.VII.1963 C.M. Yoshimoto Malaise trap		
U.S.-Japan Cooperative Science Program. Both forelegs, both midlegs and right hindlegs missing distad of coxa. Holotype ♀ deposited at Kyushu University, Japan.		
<b>parva</b> Yoshimoto, <i>Maacynips</i>	HOLOTYPE ♂	3065
1963 <i>Pac. Insects</i> 5(3): 517 Fig. 3a, 3c	pin	
IRIAN: NEW GUINEA (SW): Vogelkop: Bomberi 700-900 m 6.VI.1959 T.C. Maa		
<b>pele</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>	HOLOTYPE ♀	2576
1910 <i>Fauna Hawaiiensis</i> 2(6): 669	pin	
HAWAIIAN IS: Hawaii I: Kilauea R.C.L. Perkins		
Ovipositing in dipterous larvae belonging to genus <i>Drosophila</i>		
Mounted on card.		
<b>perkinsi</b> Yoshimoto, <i>Pseudeucoila (Pseudeucoila)</i>	HOLOTYPE ♀	3195
1962 <i>Pac. Insects</i> 4(4): 838	pin	
HAWAIIAN IS: Hawaii I: Kilauea: Kilauea Iki Trail 8.VII.1934 O.H. Swezey Ex <i>Vaccinium</i>		
Two specimens on point, 1 evidently a ♂.		

<b>philygra</b> Perkins, <b>Eucoila (Psichacra) hygrophila</b>	HOLOTYPE ♀	2589
1910 <i>Fauna Hawaiensis</i> 2(6): 675 HAWAIIAN IS: Oahu I: [Mt] Tantalus 457-610 m R.C.L. Perkins Mounted on card.	pin	pin
<b>quinaria</b> Yoshimoto & Yasumatsu, <b>Hexacola</b>	HOLOTYPE ♀	6128
1965 <i>Pac. Insects</i> 7(4): 649 Fig. 3 RYUKYU IS: Amami Group: Tokuno I: Mikyo 130 m 24.VII.1963 C.M. Yoshimoto Malaise trap U.S.-Japan Cooperative Science Program. ALLOTYPE ♂, 6128a, pin, RYUKYU IS: Iriomote I: Ushiku-mori, 350 m, 7.XI.1963, G.A. Samuelson	pin	pin
<b>rufula</b> Yoshimoto, <b>Eucoilidea</b>	HOLOTYPE ♀	3179
1962 <i>Pac. Insects</i> 4(4): 845 Fig. 13A, 13B, 13F HAWAIIAN IS: Oahu I: Quarantine I 15.III.1920 O.H. Swezey Ex <i>Agromyza</i> in radish	pin	pin
<b>ryukyuensis</b> Yoshimoto & Yasumatsu, <b>Rhoptromeris</b>	HOLOTYPE ♀	6132
1965 <i>Pac. Insects</i> 7(4): 653 RYUKYU IS: Iriomote I: Ushiku-mori 350 m 7.XI.1963 G.A. Samuelson Malaise trap U.S.-Japan Cooperative Science Program. ALLOTYPE ♂, 6132a, pin, same data as holotype; left antenna missing 2 segments.	pin	pin
<b>samuelseni</b> Yoshimoto & Yasumatsu, <b>Hexacola</b>	HOLOTYPE ♀	6127
1965 <i>Pac. Insects</i> 7(4): 648 Fig. 2 RYUKYU IS: Iriomote I: Ushiku-mori 350 m 7.XI.1963 G.A. Samuelson Malaise trap U.S.-Japan Cooperative Science Program. Right antenna missing distad of pedicel.	pin	pin
<b>similis</b> Perkins, <b>Cothonaspis (Hypodiranchis) debilis</b>	HOLOTYPE ♀	2583
1910 <i>Fauna Hawaiensis</i> 2(6): 672 HAWAIIAN IS: Hawaii I: Kilauea R.C.L. Perkins Specimens missing from the mount.	pin	pin
<b>spatulata</b> Yoshimoto, <b>Weldia</b>	HOLOTYPE ♀	3181
1962 <i>Pac. Insects</i> 4(4): 311 Fig. 5C, 5D, 5H HAWAIIAN IS: Oahu: Waiahole VIII.1916 O.H. Swezey ALLOTYPE ♂, 3181a, pin, same data as holotype; right hindleg missing distad of trochanter, right antenna missing 4 segments.	pin	pin
<b>striatus</b> Yoshimoto, <b>Endecameris</b>	HOLOTYPE ♀	3201
1963 <i>Pac. Insects</i> 5(2): 437 Fig. 4 FIJI: Viti Levu I: Suva IV.1951 N.L.H. Krauss Left antenna missing 5 segments.	pin	pin
<b>strigosa</b> Perkins, <b>Cothonaspis (Hypodiranchis)</b>	HOLOTYPE ♀	2579
1910 <i>Fauna Hawaiensis</i> 2(6): 671 HAWAIIAN IS: Oahu I: [Mt] Tantalus IV.1907 R.C.L. Perkins Mounted on card.	pin	pin
<b>strigosus</b> Yoshimoto, <b>Aspidogyrus</b>	HOLOTYPE ♀	3196
1962 <i>Pac. Insects</i> 4(4): 840 Fig. 12A, 12D, 12H HAWAIIAN IS: Maui I: Nahiku 3.VIII.1952 N.L.H. Krauss ALLOTYPE ♂, 3196a, pin, same data as holotype; right antenna missing 3 segments, segments distad of 5th misshaped.	pin	pin
<b>subdebilis</b> Perkins, <b>Cothonaspis (Hypodiranchis) debilis</b>	HOLOTYPE ?	2587
1910 <i>Fauna Hawaiensis</i> 2(6): 673 HAWAIIAN IS: Hawaii I: Kilauea 1906 R.C.L. Perkins Mounted on card.	pin	pin
<b>swezeyi</b> Yoshimoto, <b>Kleidotoma (Pentakleidotata)</b>	HOLOTYPE ♀	3175
1962 <i>Pac. Insects</i> 4(4): 804 Fig. 2B, 2D, 2E, 2G HAWAIIAN IS: Oahu I: Koko Head 22.II.1927 O.H. Swezey	pin	pin

<b>tahitiensis</b> Yoshimoto, <i>Hexacola</i>	HOLOTYPE ♀	3200
1963 <i>Pac. Insects</i> 5(2): 436 Fig. 3	pin	
SOCIETY IS: Tahiti I: Fautaua: nr Papeete 25 m 5–11.VII.1961 J.L. Gressitt		
Malaise trap		
<b>tantali</b> Perkins, <i>Cothonaspis (Hypodiranchis)</i>	HOLOTYPE ♀	2578
1910 <i>Fauna Hawaiensis</i> 2(6): 670	pin	
[HAWAIIAN IS: Oahu I: nr Honolulu 457 m] R.C.L. Perkins		
Mounted on card. Locality label missing, data from publication.		
<b>tereticornis</b> Yoshimoto, <i>Pseudodiranchis</i>	HOLOTYPE ♀	3184
1962 <i>Pac. Insects</i> 4(4): 825 Fig. 7B, 8H, 9N	pin	
HAWAIIAN IS: Oahu I: Wailupe 23.I.1915		
ALLOTYPE ♂, 3184a, pin, same data as holotype.		
<b>zimmermani</b> Yoshimoto, <i>Episoda</i>	HOLOTYPE ♀	3199
1963 <i>Pac. Insects</i> 5(2): 435 Fig. 2	pin	
FIJI: Viti Levu I: Tholo North: Mt Victoria (=Tomanivi): W slopes 915–1220 m 13.IX.1938 E.C. Zimmerman		
Beating		3199
ALLOTYPE ♂, 3199a, pin, FIJI: Ovalau I: Andubangda, 274–457 m, 18.VII.1938, E.C. Zimmerman; right antenna missing 2 segments.		

### Family LIOPTERIDAE

<b>triseptus</b> Maa, <i>Paramblynnotus</i>	HOLOTYPE ♀	3206
1962 <i>Q. J. Taiwan Mus. (Taipei)</i> 15(3&4): 123 Fig. 1, 2	pin	

THAILAND (NW): Chiang Mai: Doi Suthep 1278 m 29.III–4.V.1958 T.C. Maa  
Type number published incorrectly as 3132.

### GENUS-GROUP INVENTORY

#### FAMILY CYNIPIDAE

Aspidogyrus: strigosus  
 Cothonaspis (Cothonaspis): pacifica  
 Cothonaspis (Hypodiranchis): abnormis, debilis, debilis similis, debilis subdebilis, declivis, dichroma, dubiosa, intermedia, naias, pele, strigosa, tantali  
 Cothonaspis (Nesodiranchis): ashmeadi  
 Endecameris: striatus  
 Episoda: zimmermani  
*Eucoila (Psichakra)*: hygrophila, hygrophila philygra, oreias, orobates  
*Eucoilidea*: guamensis, micromorpha, rufula  
*Hexacola*: cognata, octosegmenta, quinaria, samuelsoni, tahitiensis  
*Hypodiranchis*: globicornis, oblonga  
*Kleidotoma (Kleidotoma)*: bryani, kraussi  
*Kleidotoma (Pentakleidotoma)*: svezeyi  
*Leptolamina*: gressitti, papuensis  
*Maacynips*: distincta, papuana, parva  
*Nesodiranchis*: aurantiaca, fuscorubra, nigra  
*Odonteucoila*: amamiensis  
*Pseudeucoila (Pseudeucoila)*: angusta, depressa, elevata, elliptica, grandissima, gressitti, okinawaensis, ovata, perkinsi  
*Pseudeucoila (Heptamerocera)*: lateralis  
*Pseudeucoila (Hexamerocera)*: magnificus, parallela  
*Pseudodiranchis*: grandis, longicornis, monilis, obovata, tereticornis  
*Rhoptromeris*: ryukyuensis  
*Weldia*: agromyzae, flava, spatulata

## FAMILY LIOPTERIDAE

Paramblynnotus: trisectus

## LITERATURE CITED

- Maa, T. C.** 1962. On the genus *Paramblynnotus* Cameron (Hymenoptera: Liopteridae). *Q. J. Taiwan Mus. (Taipei)* **15**(3&4): 123-31.
- Perkins, R. C. L.** 1910. Supplement to Hymenoptera. *Fauna Hawaïensis* **2**(6): 600-86.
- Radovsky, F. J., G. A. Samuelson & W. A. Steffan.** 1976. Catalog of entomological types in the Bernice P. Bishop Museum. Introduction. *Pac. Insects* **17**: 1-5.
- Yoshimoto, C. M.** 1962a. Revision of the Hawaiian Eucoilinae (Hym.: Cynipoidea). *Pac. Insects* **4**(4): 799-845.  
1962b. Insects of Micronesia Hymenoptera: Eucoilinae (Cynipoidea). *Insects Micronesia* **19**(3): 89-107.  
1963a. Synopsis of Polynesian Cynipoidea (Hymenoptera: Eucoilinae). *Pac. Insects* **5**(2): 433-43.  
1963b. The genera *Leptolamina* and *Maacynips*, n. gen., from the Papuan Subregion (Hymenoptera: Cynipoidea, Eucoilinae). *Pac. Insects* **5**(3): 513-17.
- Yoshimoto, C. M. & K. Yasumatsu.** 1965. The Eucoilinae of the Ryukyu Archipelago (Hymenoptera: Cynipoidea). *Pac. Insects* **7**(4): 643-60.

## PUBLICATION ANNOUNCEMENT

## WAU ECOLOGY INSTITUTE HANDBOOK NO. 5

GUIDE TO MT KAINDI: BACKGROUND TO MONTANE  
NEW GUINEA ECOLOGY

By J. L. Gressitt & Nalini Nadkarni  
Illustrated by Margaret Gressitt

This is a general source work for environmental information on a representative mid-mountain area at Wau, south of Lae and Huon Gulf, NE New Guinea. It presents general information on the geography, history, climate, geology, etc. of the area and more detailed information on 9 altitudinal quadrats along a transect from top to bottom of the mountain. There is description of transect study procedure, with partial or preliminary results, including descriptions of the quadrats; also a list of plant genera, plus phenological data for the plants around the summit of the mountain; and a list of rhododendrons. There are illustrations and notes on common flowering trees and plants of the summit area. There are lists of species of spiders, moths, butterflies, plant-feeding beetles, vegetable insects, amphibians, lizards, snakes, birds and mammals, with some indication of altitudinal occurrence and niches for some. Zoogeography, diversity, ecology and conservation are discussed. There are guides to various nature trails in an appendix.

135 pp, 48 figs., 4 plates (2 in color)

\$5.00 (plus postage) from Bishop Museum Press, Box 19000-A, Honolulu, Hawaii 96819, USA.

(Issued December 1978)