

Superfamily OPOMYZOIDEA

69. Family CLUSIIDAE

By Brian R. Pitkin & Neal L. Evenhuis

The Clusiidae is a family of about 220 species in 21 genera worldwide. Nearly half of the known species occur in the Neotropical Region, and 53 species in 8 genera are recorded from the Australasian/Oceanian Regions.

Very little is known of the life history or habits. The few known larvae live in rotten wood and in the galleries of other insects including termites. Adults inhabit forests.

McAlpine (1960) provided a key to the world genera (excluding *Tranomerina* from the

Australasian/Oceanian and Oriental regions; *Xenoclusia* Frey from the Oriental Region; and the Neotropical genera *Chaetoclusiella* Soós, *Sobaroccephaloides* Soós, and *Trichoclusia* Soós) and reviewed the Australian species. Sasakawa (1966) revised the Oriental and Pacific species of *Heteromerina*.

Refs.: McAlpine (1960, rev. Australian spp.), Sasakawa (1966, rev. *Heteromerina*), Ferrar (1987, immat. biol.).

Subfamily CLUSIINAE

Genus HETEROMERINGIA Czerny

- HETEROMERINGIA** Czerny, 1903a: 72. Type species: *Heteroneura nigrimana* Loew, 1864, mon. *australiae* Malloch, 1926f: 48. Australia (NSW).
cornuta Sasakawa, 1966: 72. PNG (PNG).
flaviventris Sasakawa, 1966: 95. Indonesia (Irian Jaya).
gressitti Sasakawa, 1966: 70. PNG (PNG).
hardyi McAlpine, 1960: 75. Australia (NSW).
helicina Sasakawa, 1966: 73. Philippines; Indonesia (Irian Jaya), PNG (PNG).
hypoleuca McAlpine, 1960: 72. Australia (Qld).
imitans Malloch, 1930n: 435. Australia (Qld).
kondoi Sasakawa, 1966: 89. Fiji.
laticornis McAlpine, 1960: 76. Australia (NSW).
leucosticta Frey, 1960: 25. Indonesia (Maluku).
norrisi McAlpine, 1960: 74. Australia (WA).
novaguinensis Sasakawa, 1966: 76. PNG (PNG).
opisthochracea Sasakawa, 1966: 79. Indonesia (Irian Jaya); PNG (Bismark Arch, Bougainville I, PNG).
papuensis Sasakawa, 1966: 81. PNG (PNG).
polynesiensis Sasakawa, 1966: 91. American Samoa.
pristilepsis Sasakawa, 1966: 78. Indonesia (Irian Jaya).
pulla McAlpine, 1960: 73. Australia (NSW).
spinulosa McAlpine, 1960: 74. Australia (NSW); Australia (Tas).
stenygralis Sasakawa, 1966: 82. Indonesia (Irian Jaya); PNG (PNG).
strandtmannorum Sasakawa, 1966: 92. Indonesia (Irian Jaya).
sycophanta Sasakawa, 1966: 94. Indonesia (Irian Jaya).
veitchi Bezzi, 1928: 87. Fiji.

Genus SOBAROCEPHALA Czerny

SOBAROCEPHALA Czerny, 1903a: 85. Type species: *Sobarcephala rubsaameni* Czerny, 1903, mon. Undetermined sp.—Guam (Bohart & Gressitt, 1951: 89).

Genus TETRAMERINGIA McAlpine

TETRAMERINGIA McAlpine, 1960: 68. Type species: *Tetrameringga ustulata* McAlpine, 1960, orig. des. *pubescens* McAlpine, 1960: 70. Australia (NSW). *ustulata* McAlpine, 1960: 69. Australia (NSW); Australia (Qld).

Genus TRANOMERINGIA Sasakawa

TRANOMERINGIA Sasakawa, 1966: 98. Type species: *Tranomeringga zosteriformis* Sasakawa, 1966, orig. des. *melasoma* Sasakawa, 1966: 99. Indonesia (Irian Jaya).

Subfamily CLUSIODINAE

Genus ALLOMETOPON Kertész

ALLOMETOPON Kertész, 1906: 320. Type species: *Allometopon fumipenne* Kertész, 1906, orig. des. *fumipenne* Kertész, 1906: 322. PNG (PNG). *marginale* Sasakawa, 1974: 157. PNG (Bismarck Arch). *perkinsi* McAlpine, 1960: 86. Australia (Qld). *striatum* McAlpine, 1960: 87. Australia (Qld). *tropale* Sasakawa, 1974: 158. PNG (Bismarck Arch).

Genus CLUSIODES Coquillett

HETERONEURA Fallén, 1823b: 2. Type species: *Heteroneura geomyzina* Fallén, 1823, des. Zetterstedt, 1848: 2787. [Preocc. Fallén, 1810.] **CLUSIODES** Coquillett, 1904: 93 (n. n. for *Heteroneura*). **HETERONEVRA** Agassiz, 1847: 180 (unjust. emend. of *Heteroneura*). [Preocc. Macquart, 1835.] *argutus* McAlpine, 1960: 82. Australia (NSW); Australia (Vic). *bismarckensis* Sasakawa, 1974: 160. PNG (Bismarck Arch). *clarus* McAlpine, 1960: 83. Australia (Qld). *gladiator* McAlpine, 1960: 81. Australia (NSW); Australia (Qld, Vic, Tas). *megaspilos* McAlpine, 1960: 83. Australia (NSW); Australia (Qld).

Genus CRASPEDOCHAETA Czerny

CRASPEDOCHAETA Czerny, 1903a: 103. Type species: *Craspedochaeta transversa* Czerny, 1903, mon. **CZERNYOLA** Bezzi, 1907a: 52 (unnec. n. n. for *Craspedochaeta*). **TONNOIRIA** Malloch, 1929k: 98. Type species: *Tonnoiria palliseta* Malloch, 1929, orig. des. [Preocc. Parent, 1929.] **CHAETOCZERNYOLA** Soós, 1962: 141. Type species: *Chaetoczernyola novaeguineae* Soós, 1962, orig. des. *atrifrons* Malloch, 1942: 209 (*Czernyola*). Guam. **N. comb.** *australis* McAlpine, 1960: 78 (*Czernyola*). Australia (NSW). **N. comb.** *biseta* Hendel, 1913a: 80 (*Czernyola*). Taiwan; Indonesia (Irian Jaya), PNG (Bismarck Arch, PNG); widesp. Oriental Reg. *puncticornis* Frey, 1928: 106 (*Czernyola*). Philippines. *laetior* Frey, 1960: 22 (*Czernyola puncticornis* ssp.). Taiwan. **bisignata** McAlpine, 1960: 78 (*Czernyola*). Australia (Qld); Malaysia (Sarawak). **N. comb.**

- caligula** Sasakawa, 1971: 55 (*Czernyola*). PNG (PNG); Indonesia (Irian Jaya), PNG (Bismarck Arch).
- delta** McAlpine, 1960: 79 (*Czernyola*). Australia (Qld); Indonesia (Irian Jaya). **N. comb.**
- hyalina** Sasakawa, 1971: 57 (*Czernyola*). Solomon Is. **N. comb.**
- nigripalpis** Steyskal & Sasakawa, 1966: 246 (*Tonnoiria*). Northern Marianas; Indonesia (Irian Jaya),
PNG (Bismarck Arch, PNG).
- novaeguineae** Soós, 1962: 141 (*Chaetoczernyola*). PNG (PNG); PNG (Bismarck Arch). **N. comb.**
- oedaleostylis** Sasakawa, 1971: 58 (*Czernyola*). PNG (Bismarck Arch).
- palliseta** Malloch, 1929k: 98 (*Tonnoiria*). French Polynesia (Society Is); French Polynesia (Marquesas).
N. comb.
- pleuralis** Curran, 1936: 54 (*Czernyola*). Solomon Is; Australia (Qld), Fiji, Indonesia (Irian Jaya),
Micronesia, PNG (PNG), Vanuatu.
- ponapensis** Steyskal & Sasakawa, 1966: 245 (*Tonnoiria*). Micronesia. **N. comb.**
- sedlaceki** Sasakawa, 1971: 61 (*Czernyola*). PNG (PNG); Indonesia (Irian Jaya). **N. comb.**

Genus PARAHENDELIA McAlpine

PARAHENDELIA McAlpine, 1960: 83. Type species: *Parahendelia latifrons* McAlpine, 1960, orig. des.
latifrons McAlpine, 1960: 84. Australia (NSW); Australia (Qld).

nigriceps McAlpine, 1960: 85. Australia (NSW).