

Bishop Museum Technical Report 38(11) [2007]

**CHECKLIST OF FIJI HYMENOPTERA**  
compiled by Neal L. Evenhuis

**AGAONIDAE**

**Ceratosolen**

**bianchii** Wiebes, 1963: 26

**marshalli** Grandi, 1931: 8

**Kradibia**

**browni** Ashmead, 1904: 342

**Pleistodontes**

**greenwoodi** (Grandi), 1928: 65 [*Blastophagus*]

**Sycosapter**

**philippinensis** Ashmead, 1904: 342 [*Sycoryctes*]

**APHELINIDAE**

**Aphytis**

**chrysomphali** (Mercet), 1912: 135 [*Aphelinus*]

**lepidosaphes** Compere, 1955: 307

**linganensis** Compere, 1955: 303

**Coccobius**

**fijiensis** (Howard), 1914: 83 [*Physcus*]

**intermedius** (Gahan), 1927: 153 [as *Physcus varicornis* var.]

**Coccophagus**

**ceroplastae** (Howard), 1895: 351 [*Aneristus*]

**fumosipennis** Girault, 1915: 64 [*Aneristus*]

**Encarsia**

**citrina** (Craw), 1891: 4 [*Aspidiotiphagus*]

**dispersa** Polaszek, 2004: 412.

**formosa** Gahan, 1924: 14

**guadeloupae** Viggiani, 1988: 35

**protransvena** Viggiani, 1985: 89

**Pteroptrix**  
**parvipennis** (Gahan), 1927: 151 [*Casca*]

## APIDAE

**Amegilla**  
sp. [F. Parker, *in litt.*]

**Apis**  
**mellifera** Linnaeus, 1758

**Braunaspis**  
sp. [F. Parker, *in litt.*]

**Ceratina**  
sp. [F. Parker, *in litt.*]

## BETHYLIDAE

**Epyris**  
sp. [Fullaway, 1957: 273]

**Megaprosternum**  
**longiceps** Azevedo, 2006: 38

**Sclerodermus**  
sp. [Fullaway, 1957: 273]

**Sierola**  
**vitiensis** Fullaway, 1920: 158

## BRACONIDAE

**Apanteles**  
**aganoxenae** Fullaway, 1941: 48  
**artonae** Rohwer, 1926: 188  
**carpatus** (Say), 1836: 263 [*Microgaster*]  
**expulsus** Turner, 1919: 346  
**glomeratus** (Linnaeus), 1758: 568  
**heterusiae** Wilkinson, 1928: 127  
**hyblaeae** Wilkinson, 1928: 114  
**hymeniae** Wilkinson, 1935: 267  
**phytometrae** Wilkinson, 1928: 91

**platyedrae** Wilkinson, 1928: 133

**ruficrus** Haliday, 1834: 253

**samoanus** Fullaway, 1940: 402

**stantoni** Ashmead, 1904: 20

**taylori** Wilkinson, 1928: 202

**tirathabae** Wilkinson, 1928: 202

### **Aulacocentrum**

**pedicellatum** Brues, 1922: 18

### **Aivalycus**

**levis** Belokobylskij, Iqbal & Austin, 2004: 20

### **Austroopius**

**fijiensis** Fullaway, 1936: 179 [*Opius*]

### **Astrozele**

**longipes** (Holmgren), 1869: 429 [*Perlitus*]

*oceanica* Brues, 1922: 15 [*Palinzele*]

### **Bassus**

**hawaiicola** Ashmead, 1905: 970 [*Microodus*]

### **Bracon**

**omiodivorum** (Terry), 1907: 37 [*Microbracon*]

### **Chelonus**

**blackburni** Cameron, 1881: 559

**rugulosus** Lyle, 1923: 338

**vitiensis** Turner, 1918: 345

### **Cotesia**

**marginiventris** (Cresson), 1865: 67 [*Microgaster*]

**ruficrus** Mason, 1981: 110

### **Cryptoxilos**

**beaveri** Shaw & Berry, 2005: 377

### **Diachasmimorpha**

**hageni** (Fullaway), 1952: 412 [*Opius*]

**longicaudatus** (Ashmead), 1905: 970 [*Opius*]

### **Dinocampus**

**coccinellae** (Schrank), 1802: 310 [*Ichneumon*]

**terminatus** (Nees von Esenbeck), 1811: 26 [*Bracon*]

### **Diospilus**

sp. [Fullaway, 1957: 270]

**Disophrys**  
**elegans** Szepligeti, 1900: 61

**Euurobracon**  
**nitidulus** (Brues), 1922: 13 [*Exobracon*]

**Fijibracon**  
**insularis** Belokobylskij, 1995: 44

**Fijispatus**  
**spinator** Belokobylskij, Iqbal & Austin, 2004: 48

**Ischiogonus**  
**fijiensis** Fullaway, 1919: 42

**Macrocentrus**  
**calacte** Nixon, 1938: 317

**Meteorus**  
**trichogrammae** Wilkinson, 1930: 158

**Phaenocarpa**  
**leveri** Nixon, 1939: 67

**Psyllalia**  
**humilis** (Silvestri), 1914: 106 [*Opius*]

**Sathon**  
**belippae** (Rohwer), 1918: 566 [*Apanteles*]

**Schizoprymus**  
**bicticus** Papp, 1993: 131  
**fijicus** Papp, 1993: 142  
**orangus** Papp, 1993: 151

**Sigalphus**  
sp. [Fullaway, 1957: 270]

**Sisupala**  
**splendida** Nixon, 1943: 422

**Spathius**  
**anervis** Belokobylskij, 1995: 45

**Xenarcha**  
sp. [Fullaway, 1957: 270]

**Yelicones**  
**fijiensis** Quicke, Austin & Chisti, 1995: 909

**CERAPHRONIDAE****Aphanogmus****(Ceraphron)****fijiensis** (Ferrière), 1933: 106 [*Ceraphron*]

sp. [Fullaway, 1957: 273]

**CHALCIDAE****Antrocephalus****hakonensis** (Ashmead), 1904: 148 [*Stomatoceras*]

renalis Waterston, 1922: 19

**Brachymeria****fijiensis** Ferrière, 1929: 255**lasus** (Walker), 1841: 219 [*Chalcis*]obscurata (Walker), 1874: 399 [*Chalcis*]**samoana** (Fullaway), 1940: 405 [*Chalcis*]**Dirhinus****giffardi** Silvestri, 1913: 128 [1914: 118]**Proconura****seminigripes** (Girault), 1926: 1 [*Xenarretocera*]**CHRYSIDIDAE****Amaseginae**

Gen undet.

n. sp. [L. Masner, *in litt.*]**COLLETIDAE****Hylaeus****fijiensis** (Cockerell), 1909: 393 [*Prosopis*]**CRABRONIDAE** [corrections kindly supplied by M. Ohl]**Arpactophilus**sp. [F. Parker, *in litt.*]**Bembicinus****inermis** (Handlirsch), 1892: 91 [*Stizus*]

pacificus Turner, 1917: 92

sp. [F. Parker, *in litt.*]

**Liris****festinans festinans** (Smith), 1858: 17*retiaria* (Turner), 1908: 479 [*Notogenidea*]**festinans manilae** (Ashmead), 1905: 130 [*Motes*]**liriformis** (Williams), 1947: 332 [*Notogenidea*]**subtessellatus** (Smith), 1856: 277 [*Larrada*]**Neodasyproctus****veitchi** (Turner), 1917: 84 [*Crabro*]**Pison****argentatum** Shuckard, 1838: 79 [F. Parker, *in litt.*]**hospes** Smith, 1879: 676**ignavum** Turner, 1908: 511**iridipenne** Smith, 1879: 676**tahitense** Saussure, 1867: 65*rechingeri* Kohl, 1908; 309**Podagratooides****oceanicus** (Schulz), 1906: 202 [*Crabro*]**Sceliphron****assimilis** (Dahlbom), 1843: 23 [*Pelopoeus*]**caementarium** (Drury), 1770: 105 [*Sphex*]**Tachysphex****vitiensis** Williams, 1928: 166sp. [F. Parker, *in litt.*]**Tachytes**

sp. [Fullaway, 1957: 279]

**DIAPRIIDAE****Calogalesus****parvulus** Kieffer, 1912: 43**Hoplopria**

sp. [Fullaway, 1957: 273]

**Odontopria**

sp. [Fullaway, 1957: 273]

**DRYINIDAE****Acrodontochelys****vitiensis** (Perkins), 1906: 490 [*Neogonatopus*]**Anteon****fijianum** Olmi, 1984: 569**vitiense** Olmi, 1998: 56**Dicondylus****dubius** Olmi, 1984: 1399**yasamatsui** Olmi, 1984: 524**Haplogonatopus****vitiensis** Perkins, 1906: 488**Plectrogonatopoides****fijianus** Olmi, 1991: 332**Pseudogonatopus****kiefferi** Perkins, 1906: 487**melanacrias** Perkins, 1906: 487**nigricans** (Perkins), 1905: 41 [*Paragonatopus*]**Tetradontochelys****anomalus** (Perkins), 1912: 14 [*Gonatopus*]**ENCYRTIDAE****Adelencyrtus****moderatus** (Howard), 1897: 152 [*Encyrtus*]**Aenasius****advena** Compere, 1937: 393**Anagyrus****dactylopii** (Howard), 1898: 242 [*Aphyucus*]**saccharicola** Timberlake, 1932: 159**Cheilonurus****australiae** (Perkins), 1906: 260 [*Saronotum*]**exitiosus** (Perkins), 1906: 256 [*Echthrogonatopus*]**Coccidoxenoides****perminutus** Girault, 1915: 173**peregrina** Timberlake, (1919): 208 [*Pauridia*]

**Comperiella**  
**bifasciata** Howard, 1906: 122  
**unifasciata** Ishii, 1925: 25

**Comys**  
**infelix** Embleton, 1902: 223 [*Encyrtus*]

**Copidosomopsis**  
**nacoleiae** (Eady), 1960: 667 [*Pseudolitomastix*]

**Cyrtocoryphes**  
**viridiceps** Timberlake, 1926: 8

**Encyrtus**  
**barbatus** Timberlake, 1919: 209

**Microterys**  
**nietneri** (Motschulsky), 1859: 170 [*Encyrtus*]  
**flavus** (Howard), 1881: 367 [*Encyrtus*]

**Ooencyrtus**  
**pacificus** Waterston, 1915: 307

**Ovaloencyrtus**  
**fijiensis** Noyes & Hayat, 1984: 311

**Spaniopterus**  
**crucifer** Gahan, 1927: 150

**EUCHARITIDAE**  
**Chalcura**  
**samoana** Fullaway, 1940: 408

**Psilocharis**  
**pacifica** Heraty, 1994: 86

**Schizaspidia**  
**samoana** (Fullaway), 1940: 409 [*Stilbulaspis*]  
sp. [Fullaway, 1957: 272]

**Trybliographa**  
sp. [Fullaway, 1957: 273]

**EULOPHIDAE****Aceratoneuromyia****indica** (Silvestri), 1910: 232 [*Syntomosphyrum*]**Aprostocetus****beatus** (Perkins), 1906: 263 [*Ootetrastichus*]**hagenowii** (Ratzeburg), 1852: 211 [*Entedon*]**Elachertus****agonoxenae** Kerrich, 1961: 770**Elasmus****hispidarum** Ferrière, 1933: 91

sp. [Fullaway, 1957: 272]

**Eulophus**

sp. [Fullaway, 1957: 272]

**Euplectrus****plathypenae** Howard, 1885: 26**Hemiptarsenus****varicornis** Girault, 1913: 154 [*Eriglyptoideus*]**Oomyzus****sokolowskii** (Kurdjumov), 1912: 238 [*Tetrastichus*]**Pediobius****parvulus** Ferrière, 1933: 95 [*Pleurotropis*]**Stenopetius****rugosus** Boucek, 1988: 638**Tetrastichus****brontispae** (Ferrière), 1933: 100 [*Tetrastichodes*]**giffardianus** Silvestri, 1914: 372**taylori** Ferrière, 1933: 98**Thripastichus****thripophonous** Waterston, 1923: 453 [*Tetrastichus*]**gentilei** (Del Guercio), 1931: 134 [*Tetrastichus*]**EUPELMIDAE**

**Anastatus**

**picticornis** (Cameron) [G. Gibson, *in litt.*]  
sp. 1 [G. Gibson, *in litt.*]

**Australoodera**

sp. 1 [G. Gibson, *in litt.*]  
sp. 2 [G. Gibson, *in litt.*]

**Brasema**

sp. [G. Gibson, *in litt.*]

**Calosota**

sp. 1 [G. Gibson, *in litt.*]  
sp. 2 [G. Gibson, *in litt.*]

**Eupelmus (Eupelmus)**

sp. 1 [G. Gibson, *in litt.*]  
sp. 2 [G. Gibson, *in litt.*]  
sp. 3 [G. Gibson, *in litt.*]  
sp. 4 [G. Gibson, *in litt.*]  
sp. 5 [G. Gibson, *in litt.*]  
sp. 6 [G. Gibson, *in litt.*]  
sp. 7 [G. Gibson, *in litt.*]  
sp. 8 [G. Gibson, *in litt.*]

**Eupelmus (Macroneura)**

sp. 1 [G. Gibson, *in litt.*]

**Eusandalum**

sp. 1 [G. Gibson, *in litt.*]  
sp. 2 [G. Gibson, *in litt.*]

**Paranastatus**

**nigriscutellatus** Eady, 1956: 61

**verticalis** Eady, 1956: 64

sp. 1 [G. Gibson, *in litt.*]

**?Riekosiella**

sp. 1 [G. Gibson, *in litt.*]

**Tineobius**

**decoratus** (Ferrière), 1938: 45 [*Anastatoidea*]

### **Zaschnopsis**

sp. 1 [G. Gibson, *in litt.*]

sp. 2 [G. Gibson, *in litt.*]

sp. 3 [G. Gibson, *in litt.*]

### **EVANIIDAE**

#### **Evania**

**appendigaster** Linnaeus, 1758: 566

**impressa** Schletterer, 1889: 153

**sericea** Cameron, 1883: 191

### **FORMICIDAE**

#### **Adelomyrmex**

**hirsutus** Mann 1921: 458

#### **Anochetus**

**graeffei** Mayr 1870: 961

#### **Anoplolepis**

**gracilipes** (Smith) 1857: 55 [*Formica*]

*longipes* (Jerdon), 1851: 122 [*Formica*]

#### **Camponotus**

**bryani** Santschi 1928: 72

**chloroticus** Emery 1897: 574

*maculatus pallidus samoensis* Santschi, 1919: 326 [Unavailable; infrasubspecific before 1961]

**cristatus** Mayr 1866: 489

**cristatus nagasau** Mann 1921: 482

**cristatus sadinus** Mann 1921: 482

**dentatus** (Mayr) 1866: 492 [*Colobopsis*]

*dentatus humeralis* Wheeler 1934: 416 [preoccupied by Emery, 1920]

**janussus** Bolton, 1995b: 106

*janus* Mann, 1921: 498 [preoccupied by Forel, 1911]

**laminatus** Mayr 1866: 489

**laminatus levuanus** Mann 1921: 479

**lauensis** Mann 1921: 488

**maafui** Mann 1921: 482

**manni** Wheeler 1934: 418

**manni umbratilis** Wheeler 1934: 420

**maudella** Mann 1921: 496

**maudella seemanni** Mann 1921: 498

**oceanicus** (Mayr) 1870: 943 [*Colobopsis*]

**pallidus** Smith, 1857: 57 [from Mann, 1921: 477 (as *maculatus* ssp.); not Fijian]

**polynesicus** Emery, 1896: 374

*carinatus* (Mayr), 1870: 943 [*Colobopsis*]

*mayriella* Mann, 1921: 494

**rotumanus** Wilson & Taylor, 1967: 98

**rufifrons** (Smith), 1860: 95 [*Formica*]

**schmeltzi** Mayr, 1866: 490

**schmeltzi kadi** Mann, 1921: 485

**schmeltzi loloma** Mann, 1921: 486

**schmeltzi trotteri** Mann, 1921: 486

**sexguttatus** (Fabricius), 1793: 354 [*Formica*] [from Simmonds, 1925: 25]

**subtilis** (Smith), 1860: 94 [*Formica*; from Baur, 1897: 877; ?error, not Fijian]

**vitiensis** Mann, 1921: 490

### **Cardiocondyla**

**emeryi** Forel, 1881: 5

**nuda** (Mayr), 1866: 508 [*Leptothorax*]

**obscurior** Wheeler, 1929: 44

### **Cerapachys**

**cryptus** Mann 1921: 408

**fuscor** Mann 1921: 410

**lindrothi** Wilson 1959: 52

**majusculus** Mann 1921 : 408

**sculpturatus** Mann 1921: 407 (as *vitiensis sculpturatus*)

**vitiensis** Mann 1921: 406

**zimmermani** Wilson 1959: 54

### **Diacamma**

**rugosum** (Le Guillou) 1842: 318 [*Ponera*]

### **Eurhopalothrix**

**emeryi** (Forel), 1912: 58 [*Rhopalothrix*]

*elegans* (Mann), 1921: 467 [*Rhopalothrix*]

**insidiatrix** Taylor, 1980: 238

### **Gnamptogenys**

**aterrima** (Mann), 1921: 411 [*Wheeleripone*]

**Hypoponera**

- confinis** (Roger), 1860: 284 [*Ponera*]  
**eutrepta** (Wilson), 1958: 344 [*Ponera*]  
    *biroi rugosa* (Mann), 1921: 415 [*Ponera*]  
**gleadowi** (Forel in Emery), 1895: 60 [*Ponera*]  
**monticola** (Mann), 1921: 418 [*Ponera*]  
**opaciceps** (Mayr), 1887: 536 [*Ponera*]  
**punctatissima** (Roger), 1859: 246 [*Ponera*]  
**turaga** (Mann), 1921: 416 [*Ponera*]  
**vitiensis** (Mann), 1921: 414 [*Ponera*]

**Iridomyrmex**

- anceps** (Roger), 1863: 164 [*Formica*]  
**anceps ignobilis** Mann, 1921: 472

**Leptogenys**

- foveopunctata** Mann, 1921: 421  
**fugax** Mann, 1921: 422  
**humiliata** Mann, 1921: 421  
**letilae** Mann, 1921: 419  
**navua** Mann, 1921: 423  
**vitiensis** Mann, 1921: 424

**Lordomyrma**

- curvata** Sarnat, 2006: 15  
**desupra** Sarnat, 2006: 17  
**levifrons** (Mann), 1921: 453 [*Rogeria*; as *tortuosa* ssp.]  
**polit** (Mann), 1921: 453 [*Rogeria*; as *tortuosa* ssp.]  
**rugosa** (Mann), 1921: 455 [*Ponera*]  
sp. 1 [Sarnat in press]  
**stoneri** (Mann), 1925: 5 [*Rogeria*; as *tortuosa* ssp.]  
**striatella** (Mann), 1921: 454 [*Rogeria*]  
**sukuna** Sarnat, 2006: 29  
**tortuosa** (Mann), 1921: 452 [*Rogeria*]  
**vuda** Sarnat, 2006: 34

**Monomorium**

- australicum** Forel, 1907: 20  
**destructor** (Jerdon), 1851: 105 [*Atta*]  
**floricole** (Jerdon), 1851: 107 [*Atta*]  
**pharaonis** (Linnaeus), 1758: 580 [*Formica*]  
**sechellense** Emery, 1894: 69  
**vitiense** Mann, 1921: 444

**Myrmecina**

**cacabau** (Mann), 1921: 449 [*Archaeomyrmex*]

**Ochetellus**

**sororis** (Mann), 1921: 469 [*Iridomyrmex*]

**Odontomachus**

**angulatus** Mayr, 1866: 500

**simillimus** Smith, 1858: 80

*haematoda* (Linnaeus), 1758: 582 [*Formica*]

**Oligomyrmex**

**atomus** Emery 1900: 328

**Pachycondyla**

**stigma** (Fabricius), 1804: 400 [*Formica*]

**quadridentata** (Smith), 1858: 143 [*Ponera*]

**Paratrechina**

**bourbonica** (Forel), 1886: 210 [*Prenolepis*]

*bengalensis* (Forel), 1894: 406 [*Prenolepis*]

**longicornis** (Latreille), 1802: 113 [*Formica*]

**minutula** (Forel), 1901: 25 [*Prenolepis*]

**oceania** (Mann), 1921: 476 [*Prenolepis*]

**vaga** (Forel), 1901: 26 [*Prenolepis*]

*crassipilis* Santschi, 1928: 54

**vitiensis** (Mann), 1921: 474 [*Prenolepis*]

**Pheidole**

**caldwelli** Mann, 1921: 434

**colaensis** Mann, 1921: 441

**fervens** Smith, 1858: 176

**knowlesi** Mann, 1921: 436

**knowlesi extensa** Mann, 1921: 438

**megacephala** (Fabricius), 1793: 361 [*Formica*]

**oceania** Mayr, 1866: 510

**onifera** Mann, 1921: 427

**roosevelti** Mann, 1921: 438

*sexspinosa* Mayr in Schmeltz, 1869: 46 [*nomen nudum*]

**umbonata** Mayr, 1870: 978

**vatu** Mann, 1921: 431

**wilsoni** Mann, 1921: 433

**Philidris**

- nagasau** (Mann), 1921: 470 [*Iridomyrmex*]  
**nagasau agnata** (Mann), 1921: 472 [*Iridomyrmex*]  
**nagasau alticola** (Mann), 1921: 472 [*Iridomyrmex*]

**Plagiolepis**

- alluaudi** Emery, 1894: 71  
*foreli* Mann, 1921: 473  
*augusti* Emery, 1921: 317

**Platythyrea**

- parallela** (Smith), 1859: 143 [*Ponera*]

**Poecilomyrma**

- senirewae** Mann, 1921: 446  
**senirewae myrmecodiae** Mann, 1921: 448

**Polyrhachis**

- rotumana** Wilson & Taylor, 1967: 99

**Ponera**

- colaensis** Mann, 1921: 417  
**manni** Taylor, 1967: 86

**Pristomyrmex**

- mandibularis** Mann, 1921: 444

**Proceratium**

- oceanicum** De Andrade, 2003: 310  
**relictum** Mann, 1921: 413

**Pyramica**

- membranifera** (Emery), 1869: 24 [*Strumigenys*]  
**trauma** Bolton, 2000a: 408

**Rogeria**

- sublevinodis** Emery 1914: 415 (as *stigmatica sublevinodis*)

**Romblonella**

**scrobifera liogaster** (Santschi) 1928: 69 [*Tetramorium*]  
**vitiensis** Smith 1953: 79

### **Solenopsis**

**geminata** (Fabricius) 1804: 423  
**papuana** Emery 1900: 330  
**cleptes vitiensis** Mann, 1921: 444

### **Strumigenys**

**basiliska** Bolton 2000: 750  
**chernovi** Dlussky 1993: 57  
**daithma** Bolton 2000: 756  
**ekasura** Bolton 2000: 807  
**frivola** Bolton 2000: 817  
**godeffroyi** Mayr 1866: 516  
**jepsoni** Mann 1921: 462  
**mailei** Wilson & Taylor 1967: 38  
**nidifex** Mann 1921: 464  
**panaulax** Bolton 2000: 811  
**praefecta** Bolton 2000: 826  
**rogeri** Emery 1890: 68  
**scelestae** Mann 1921: 463  
**sulcata** Bolton 2000: 828  
**tumida** Bolton 2000: 830  
**wheeleri** Mann, 1921: 466

### **Tapinoma**

**melanocephalum** (Fabricius) 1793: 353 [*Formica*]  
    *australis* Santschi, 1928: 53  
**minutum** Mayr 1862: 703

### **Technomyrmex**

**albipes** (Smith), 1861: 38 [*Formica*]  
**rufescens** Santschi, 1928: 70  
**vitiensis** Mann, 1921: 473

### **Tetramorium**

**bicarinatum** (Nylander), 1846: 1061 [*Myrmica*]  
**guineense** (Fabricius), 1793: 357 [*Formica*]  
    *macra* Emery, 1914: 415  
**insolens** (Smith), 1861: 47 [*Myrmica*]  
    *wilsoni* Mann, 1921: 460  
**lanuginosum** Mayr, 1870: 976

**manni** Bolton, 1985: 247

**pacificum** Mayr, 1870: 976

*pacifica* Mann, 1921: 460 [*Triglyphothrix*]

**simillimum** (Smith), 1851: 118 [*Myrmica*]

*insulare* Santschi, 1928: 69

**tenuicrine** (Emery), 1914: 416

**tonganum** Mayr, 1870: 976

### Vollenhovia

**denticulata** Emery, 1914: 405

*Wasmannia*

*auropunctata* (Roger) [error, not Fijian]

### GASTERUPTIDAE

**Pseudofoenus**

**extraneus** (Turner), 1918: 342 [*Hemifoenus*]

sp. [Jennings & Austin, 2002]

sp. [L. Masner, *in litt.*]

### HALICTIDAE

**Homalictus**

**acrostus** Michener, 1979: 232

**fijiensis** (Perkins & Cheesman), 1928: 21 [*Halictus*]

**suvaensis** Cockerell, 1929: 357

**halrander** Michener, 1979: 231

**perpessicius** Kohl, 1908: 307

**versifrons** (Perkins & Cheesman), 1928: 22 [*Halictus*]

### ICHNEUMONIDAE [compiled by Andrew Bennett]

**Acrodactyla**

sp. [A. Bennett, *in litt.*]

**Brachycyrtus**

sp. [A. Bennett, *in litt.*]

**Campoplex**

sp. [A. Bennett, *in litt.*]

### Casinaria

**infesta** (Cresson), 1872: 172 [*Limneria*]

**vitilevensis** (Kusigemati), 1985: 66 [*Anempheres*]

### Diadromus

**collaris** (Gravenhorst), 1829: 653 [*Ischnus*]

**collaris nigrithorax** (Strobl), 1901 [*Ischnopsidea*]

### Diaparsis

sp. 1 [A. Bennett, *in litt.*]

sp. 2 [A. Bennett, *in litt.*]

### Diplazon

**laetatorius** (Fabricius), 1781: 424 [*Ichneumon*]

### Dusona

sp. [A. Bennett, *in litt.*]

### Echthromorpha

**agrestoria** (Swederus), 1787: 279 [*Ichneumon*]

**immaculata** Krieger, 1909: 331

*diversor* Morley, 1913: 47

**tirathabae** Perkins, 1937: 171 [*Pimpla*]

### Eiphosoma

sp. [A. Bennett, *in litt.*]

### Enicospilus

**aequalis** Szépligeti, 1906: 143 [*Henicospilus*]

**castaneus** (Ashmead), 1901: 349 [*Ophion*]

**coarctatus** (Brullé), 1846: 147 [*Ophion*]

**dolosus** (Tosquinet), 1896: 389 [*Ophion*]

*apicifumatus* Morley, 1915: 139

**heliothidis** Viereck, 1913: 565

*rhoedae* Cheesman, 1936: 183

**melanocarpus** Cameron, 1905: 122

*turneri* Morley, 1912: 51

**morleyi** Townes, 1973: 371 [*Henicospilus*]

**obliquus** Morley, 1912: 50 [*Henicospilus*]  
**rufinervis** Szépligeti, 1906: 142 [*Henicospilus*]  
**shinkanus** Uchida, 1928: 217 [*Henicospilus*]  
*pankumensis* (Cheesman), 1936: 183 [*Henicospilus*]

### **Eriborus**

**tutuilensis** (Fullaway), 1940: 402 [*Campoplex*]  
sp. [A. Bennett, *in litt.*]

### **Eriostethus**

sp. [A. Bennett, *in litt.*]

### **Exochus**

sp. [A. Bennett, *in litt.*]

### **Genotropus**

n. sp. [A. Bennett, *in litt.*]

### **Ichneumon**

**promissorius** Erichson, 1842: 256

### **Leptophion**

sp. 1 [A. Bennett, *in litt.*]  
sp. 2 [A. Bennett, *in litt.*]  
sp. 3 [A. Bennett, *in litt.*]

### **Lissopimpla**

**excelsa** (Costa), 1864: 69 [*Pimpla*]  
**nigricans** Fullaway [A. Bennett, *in litt.*]  
**semipunctata** (Kirby), 1883: 202 [*Rhyssa*]  
**veitchi** Turner, 1919: 343

### **Megastylus**

n. sp. 1 [A. Bennett, *in litt.*]  
sp. 2 [A. Bennett, *in litt.*]

### **Mesochorus**

sp.  
sp. 3 [A. Bennett, *in litt.*]

sp. 4 [A. Bennett, *in litt.*]

### **Metopius**

sp.

### **Netelia**

**fijiensis** (Brues), 1922: 19 [*Paniscus*]

**opacula** (Thomson), 1888: 1199 [*Paniscus*]

**testacea** (Gravenhorst), 1829: 626 [*Paniscus*]

### **Ophion**

*distinctus* Parrott, 1954 [error, not Fijian]

*intermedius* Parrott, 1954 [error, not Fijian]

**inutilis** Smith, 1876: 478

*nigrafoveatus* Parrott, 1954 [error, not Fijian]

*nigravarius* Parrott, 1954 [error, not Fijian]

*vittatus* Parrott, 1954 [error, not Fijian]

### **Orthocentrus**

spp. [A. Bennett, *in litt.*]

### **Paraphylax**

sp. 1 [A. Bennett, *in litt.*]

sp. 2 [A. Bennett, *in litt.*]

sp. 3 [A. Bennett, *in litt.*]

sp. 4 [A. Bennett, *in litt.*]

sp. 5 [A. Bennett, *in litt.*]

sp. 6 [A. Bennett, *in litt.*]

sp. 7 [A. Bennett, *in litt.*]

sp. 8 [A. Bennett, *in litt.*]

sp. 9 [A. Bennett, *in litt.*]

### **Pristomerus**

sp. 1 [A. Bennett, *in litt.*]

sp. 2 [A. Bennett, *in litt.*]

### **Prochus**

n. sp. [A. Bennett, *in litt.*]

### **Proclitus**

n. sp. 1 [A. Bennett, *in litt.*]

sp. 2 [A. Bennett, *in litt.*]

### **Pseudanomalon**

**munin** Gauld & Mitchell, 1976: 121

### **Temelucha**

sp. 1 [A. Bennett, *in litt.*]

sp. 2 [A. Bennett, *in litt.*]

### **Tossinola**

sp. [A. Bennett, *in litt.*]

### **Trathala**

**flavoorbitalis** (Cameron), 1907: 589 [*Tarytia*]

### **Triclistus**

sp. [A. Bennett, *in litt.*]

### **Venturia**

**palmaris** (Wilkinson), 1928: 149 [*Nemeritis*]

### **Zatypoda**

sp. [A. Bennett, *in litt.*]

## **MEGACHILIDAE**

### **Lithurgus**

**albofimbriatus** Sichel, 1856: 38

**scabrosus** (Smith), 1858: 134 [*Megachile*]

### **Megachile**

**diligens hedleyi** Rainbow, 1897: 93

**fimbriiventris** Friese, 1911: 452

**scutellata** Smith, 1879: 66

**similis** Smith, 1879: 66

**MYMARIDAE****Allanagrus**

sp. [J. Huber, *in litt.*]

**Alaptus**

sp. [J. Huber, *in litt.*]

**Anagrus**

**armatus** Ashmead, (1887): 193 [*Paranagrus*]

**frequens** Perkins, (1905): 198 [*Paranagrus*]

**optabilis** Perkins, (1905): 199 [*Paranagrus*]

**perforator** Perkins, (1905): 200 [*Paranagrus*]

**Anaphes**

sp. [J. Huber, *in litt.*]

**Arescon**

sp. [J. Huber, *in litt.*]

**Australomyrmar**

sp. [J. Huber, *in litt.*]

**?Callicoporus**

sp. [J. Huber, *in litt.*]

**Camptoptera**

sp. [J. Huber, *in litt.*]

**Camptopteroides**

sp. [J. Huber, *in litt.*]

**Cleruchus**

sp. [J. Huber, *in litt.*]

**Dicopomorpha**

sp. [J. Huber, *in litt.*]

**Dicopus**

**psyche** Girault, 1913: 22

**Dorya**

sp. [J. Huber, *in litt.*]

**Eubroncus**

sp. [J. Huber, *in litt.*]

**Gonatocerus**

sp. 1 [J. Huber, *in litt.*]

sp. 2 [J. Huber, *in litt.*]

**Omyomymar**

sp. [J. Huber, *in litt.*]

**Palaeoneura**

sp. [J. Huber, *in litt.*]

**Polynema**

**eucharis** Perkins, 1912: 25

**Pseudanephes**

sp. [J. Huber, *in litt.*]

**Schizophragma**

sp. [J. Huber, *in litt.*]

**Stephanodes**

**reduvioli** (Perkins), 1905: 196 [*Polynema*]

**ORUSSIDAE**

**Guiglia**

**rubicunda** Schmidt *in* Vilhelmsen & Schmidt, 2002: 399

**PERILAMPIDAE**

**Calliceras**

**fijiensis** Ferriere, 1933: 106

**PLATYGASTRIDAE****Iphitracelus****lar** Walker [L. Masner, *in litt.*]**POMPILIDAE****Anoplius****caerulescens** (Dalla Torre), 1897: 278 [*Pompilus*]**vitiensis** (Williams), 1947: 329 [*Dendropompilus*]**elatus** (Smith), 1864: 82 [*Pompilus*]**inquirendus** Vachal, 1907: 117**vitiensis** (Williams), 1947: 327 [*Nesopompilus*]*Chrysocurgus***nitidus** (Fabricius) [error, not Fijian]**Cyphononyx****vitiensis** Turner, 1917: 78**Heterodontonyx****guerini** Banks, 1941: 234**PROCTOTRUPIDAE****Caloteleia****vitilevuensis** Fullaway, 1939: 214**Microphanurus****girsulti** Dodd, 1914: 162**Proctotrupes**

sp. [Fullaway, 1957: 273]

**Telenomus****nawai** Ashmead, 1904: 72**tirathabae** Ferrière, 1933: 106**Trissolus****basalis** (Wollaston), 1858: 25 [*Microphanurus*]**PSAMMOCHARIDAE****Cyphononyx**

**vitiensis** Turner, 1917: 78

**Psammochares**

**elatus** (Smith), 1862: 82 [*Pompilus*]

**PTEROMALIDAE**

**Anisopteromalus**

**calandrae** (Howard), 1881: 273 [*Pteromalus*]

**vandinei** (Tucker), 1910: 343 [*Meroporus*]

**Bruchobius**

**laticeps** Ashmead

**Callimomoides**

sp. [G. Gibson, *in litt.*]

**Cerocephala**

**aquila** (Girault), 1920: 143 [*Proamotura*]

**Cleonymus**

sp. [G. Gibson, *in litt.*]

**Dinarmus**

**basalis** (Rondani), 1877: 174 [*Entedon*]

**laticeps** (Ashmead), 1904: 314 [*Bruchobius*]

**Epicopterus**

sp. [Fullaway, 1957: 272]

**Fijita**

**leveri** Boucek, 1988: 415

**Heydenia**

sp. [G. Gibson, *in litt.*]

**Moranila**

**californica** (Howard), 1881: 368 [*Tomocera*]

**Pachycrepoideus**

**vindemmiae** (Rondani), 1875: 145 [*Pteromalus*]

**dubius** Ashmead, 1904: 329

**Proshizonotus**

sp. 1 [G. Gibson, *in litt.*]

sp. 2 [G. Gibson, *in litt.*]

**Spalangia**

**cameroni** Perkins, 1910: 656  
**endius** Walker, 1839: 96  
**geminia** Boucek, 1963: 484  
**nigroaenea** Curtis, 1839: 740

**Zolotarewskya**  
sp. [G. Gibson, *in litt.*]

**SCELIONIDAE**  
**Acolomorpha**  
sp. [L. Masner, *in litt.*]

**Allotropa**  
**prosper** (Nixon), 1942: 462 [*Nasdia*]

**Anthonyon**  
sp. [L. Masner, *in litt.*]

**Baeus**  
sp. [Fullaway, 1957; 273]

**Calliscelio**  
**elegans** (Kieffer) [L. Masner, *in litt.*]

**Gyron**  
**bolivari** Kieffer [L. Masner, *in litt.*]

**Habroteleia**  
sp. [L. Masner, *in litt.*]

**Hadronotus**  
**suvaensis** Dodd, 1914: 161

**Lispoteleia**  
sp. [L. Masner, *in litt.*]

**Malloteleia**  
sp. [L. Masner, *in litt.*]

**Microphanurus**  
**giraulti** Dodd**Odontacolus**  
sp. [L. Masner, *in litt.*]**Oxyteleia**  
sp. [L. Masner, *in litt.*]**Palpoteleia**  
**atra** (Kieffer) [L. Masner, *in litt.*]  
sp. [L. Masner, *in litt.*]**Paratelonomus**  
**matinalis** Johnson [L. Masner, *in litt.*]**Phoenoteleia**  
sp. [L. Masner, *in litt.*]**Platyscelio**  
sp. [Fullaway, 1957: 273]**Prosapegus**  
**glorianus** Dodd, 1920: 324**Psilanteris**  
sp. [L. Masner, *in litt.*]**Sceliacanthella**  
sp. [L. Masner, *in litt.*]**Telenomus**  
**giraulti** Dodd, 1913: 159  
**suvae** Johnson & Bin, 1982: 200**Tiphodytes**  
sp. [L. Masner, *in litt.*]

**Trimorus**

sp. [L. Masner, *in litt.*]

**Trissolus**

**basalis** (Wollaston) [L. Masner, *in litt.*]

**Xentor**

**convexifrons** Masner & Johnson, 2007: 14

**filicornis** Masner & Johnson, 2007: 15

**schlängereri** Masner & Johnson, 2007: 17

**SCOLIIDAE****Campsomeris**

**marginella** (Klug), 1810: 214 [*Scolia*]

**marginella modesta** (Smith), 1855: 91 [*Scolia*]

**manilae** Ashmead, 1904: 8 [*Scolia*]

**ovalauensis** (Saussure), 1869: 62 [*Discolia*]

**SCOLEBYTHIDAE****Ycaploca**

**fijianus** Beaver, 2002: 139

**TORYMIDAE****Bootanelleus**

**orientalis** (Mathur & Hussey), 1956: 1 [*Bootanomyia*]

**Bootania**

**neocalledonica** (Milliron), 1950: 350 [*Pulvilligera*]

**Megastigmus**

sp. [Fullaway, 1957: 272]

**TRICHOGRAMMATIDAE****Pseudoligoseta**

**utilis** (Kowalski), 1917: 302 [*Oligosita*]

**cratitia** (Waterston), 1922: 184 [*Chaetostricha*]

**Trichogramma**

**minutum** Riley, 1871: 157

**Trichogrammatoidea**

**nana** Zehntner, 1896: 490 [*Chaetosticha*]

**VESPIDAE**

[updates kindly provided by J. Carpenter]

**Anterhychium**

**rufipes** (Fabricius), 1775: 367 [*Vespa*]

**Delta**

**insulare** (Smith), 1857: 27 [*Eumenes*] [J. Carpenter, *in litt.*]

*ovalauensis* (Saussure), 1869: 53 [*Eumenes*]

*bidentatus* (Kirby), 1884: 410 [*Belonogaster*]

**latreillei petiolare** (Schulz), 1904: 217 [*Eumenes*] [J. Carpenter, *in litt.*]

**Paralastor**

**graeffei** (Saussure), 1869: 55 [*Alastor*]

**Parodynerus**

**bicinctus** (Fabricius), 1781: 465 [*Vespa*]

*bizonatus* (Boisduval), 1835: 658 [*Odynerus*]

**mediocinctus** (Turner), 1919: 339 [*Odynerus*]

**nigropetiolatus** Giordani Soika, 1957: 220

**Polistes**

**olivaceus** De Geer, 1773: 582

*hebraeus* Fabricius, 1787: 292

*macaensis* Fabricius [misidentification, not Fijian]

---

Last revised 18 November 2007

Supported in part by National Science Foundation grant DEB-0425790 "Fiji Terrestrial Arthropod Survey".