

Bishop Museum Technical Report 38(13) [2007]

**CHECKLIST OF FIJIAN LEPIDOPTERA**  
compiled by **Neal L. Evenhuis**

**AGANAIDAE**

**Asota**

**woodfordi** (Druce), 1888: 221 [*Hypsa*]

**AGATHIPHAGIDAE**

**Agathiphaga**

**vitiensis** Dumbleton, 1952: 18

**AGONOXENIDAE**

**Agonoxena**

**argaula** Meyrick, 1921: 471

**sp.** — [Dugdale, 1978: 66]

**ALUCITIDAE**

**Alucita**

**pygmaea** Meyrick, 1890: 1112

**ARCTIIDAE**

**Argina**

**astraea** (Drury), 1773: 49 [*Phalaena*]

**astrea** (Drury), 1773: 11

**cribraria** (Clerck), 1764: pl. 54 [*Phalaena*]

**Euchromia**

**creusa** (Linnaeus), 1758: 494 [*Sphinx*]

**vitiensis** Hampson, 1903: 340

**Macaduma**

**corvina** Felder & Rogenhofer, 1875: pl. 138

**montana** Robinson, 1975: 101

**striata** Robinson, 1975: 102

**Nyctemera**

*alba* Pagenstecher [ex. Rebel 1910: 423; error, not Fijian]

**baulus** (Boisduval), 1832: 200 [*Leptosoma*]

*fasciata* Walker [ex Butler 1883: 425; error, not Fijian]

**Philagria**

**entella delia** (Fabricius), 1787: 140 [*Noctua*]

**Utetheisa**

**clarae** Robinson, 1971: 124

**lotrix** (Cramer), 1777: 20 [*Phalaena*]

*pulchella* (Linnaeus) [error, not Fijian]

**pulchelloides marsallorum** Rothschild, 1910: 182

**BATRACHEDRIDAE****Batrachedra**

**atridoqua** Meyrick, 1931: 56

**BLASTOBASIDAE****Blastobasis**

sp. [Dugdale 1978: 67]

**CARPOSINIDAE****Meridarchis**

sp. [Dugdale 1978: 67]

**Undetermined Genus**

sp. [Dugdale 1978: 67]

**CHOREUTIDAE****Anthophila**

**chalcotoxa** Meyrick, 1886: 287

**Brenthia**

**melodica** Meyrick, 1922: 487

**COLEOPHORIDAE****Blastobasis****Iososi** Adamski & Brown, 2002: 142**Coleophora****immortalis** Meyrick, 1922: 556**COPROMORPHIDAE****Copromorpha****gypsota** Meyrick, 1886: 282**COSMOPTERYGIDAE****Anatrachyntis****megacentra** (Meyrick), 1923: 59 [*Pyroderces*]**Ascalenia****armigera** Meyrick, 1923: 60**Cosmopterix****chrysocrates** Meyrick, 1919: 232**dulcivora** Meyrick, 1919: 233**epizone** Meyrick, 1897: 340**gloriosa** Meyrick, 1922: 567**mimetis** Meyrick [error, not Fijian]**Glaphyristis****politicopa** Meyrick, 1934: 509**Idiostyla****catharopis** Meyrick, 1922: 573**oculata** Meyrick, 1921: 412**Labdia****allotriopa** Meyrick, 1923: 58**calida** Meyrick, 1921: 411**clytemnestra** Meyrick, 1923: 56

**hastifera** Meyrick, 1920: 318  
**intuens** Meyrick, 1923: 59  
**microdictyas** Meyrick, 1923: 58  
**orthritis** Meyrick, 1930: 545  
**petroxesta** Meyrick, 1921: 451  
**rationalis** Meyrick, 1921: 411  
**saponacea** Meyrick, 1922: 569  
**spirocosma** Meyrick, 1921: 411

### **Limnaecia**

**anthophaga** Meyrick, 1928: 392  
**capsigera** Meyrick, 1921: 454  
**cirrhochrosta** Meyrick, 1933: 429  
**fuscipalpis** Meyrick, 1921: 455  
**inconcinna** Meyrick, 1923: 59  
**phaeopleura** Meyrick, 1924: 90

### **Persicoptila**

**anthomima** Meyrick, 1921: 453  
**aquilifera** Meyrick, 1932: 214  
**phoenoxantha** Meyrick, 1923: 60

### **Proterocosma**

**epizona** Meyrick, 1886: 293  
    *opisona* [incorrect subsequent spelling of *epizona* (Simmonds 1925: 61)]  
**triplanetis** Meyrick, 1886: 293

### **Pyroderces**

**euryspora** Meyrick, 1922: 571  
**terminella** (Walker), 1864: 855 [*Graciliaria*]

### **Stagmatophora**

**cyma** Bradley, 1953: 112  
**erebinthia** Meyrick, 1921: 413  
**flexa** Meyrick, 1921: 413

### **Trissodoris**

**honorariella** (Walsingham), 1907: 515 [*Stagmatophora*]

### **Ulochora**

**streptosema** Meyrick, 1920: 319

**COSSIDAE****Acritocera****negligens** Butler, 1886: 390**CRAMBIDAE****Aeolopetra****palaeanthes** Meyrick, 1934: 500**Aethaloessa****floridalis** (Zeller), 1852: 60 [*Stenia*]**Agrioglypta****enneactis** Meyrick, 1932: 244**Alloperissa****creagraula** Meyrick, 1934: 487**Aphrophantis****velifera** Meyrick, 1933: 379**tridentata** (Meyrick), 1934: 507 [*Argyria*]**Aulacodes****nephelanthopa** Meyrick, 1934: 499**Autarotis****uryala** Meyrick, 1886: 207**Authaeretis****eridora** Meyrick, 1886: 252**Autocharis****senatoria** (Meyrick), 1932: 246 [*Argyria*]**Auxiolophotis****cosmophilopis** (Meyrick), 1934: 503 [*Lygropis*]

**ioxanthias** Meyrick, 1933: 397

### **Azochis**

**pieralis** (Walker), 1859: 627 [*Botys*]  
*mactalis* Felder & Rogenhofer, 1875: pl. 135

### **Bleszynskia**

**hapaliscus** (Zeller), 1852: 71 [*Crambus*]  
**malacellus** (Duponchel), 1836: 61 [*Crambus*]

### **Botyodes**

**asialis** Guenée, 1854: 321

### **Bradina**

**chalcophaea** Meyrick, 1932: 243  
**cirrhophanes** Meyrick, 1932: 242  
**craterotoxa** Meyrick, 1932: 241  
**erilitalis** (Felder & Rogenhofer), 1875: pl. 135 [*Marasmia*]  
**haplomorpha** Meyrick, 1932: 242  
**leptographa** Meyrick, 1932: 243  
**metaleucalis** Walker, 1866: 1372  
**miantodes** Meyrick, 1932: 242  
**parallela** (Meyrick), 1886: 231 [*Pleonectusa*]  
    *horatius* (Butler), 1886: 430 [*Botys*]  
**porphyroclista** Meyrick, 1934: 499  
**punctilinealis** Hampson, 1906: 4  
*rectiferalis* (Walker) [error, not Fijian]  
**semnopa** Meyrick, 1886: 234  
**stigmophanes** Meyrick, 1932: 242  
**trispila** (Meyrick), 1886: 232 [*Pleonectusa*]  
    *aurea* (Druce), 1888: 230 [*Marasmia*]

### **Calamotropha**

**dielota** (Meyrick), 1886: 268 [*Crambus*]

### **Cnaphalocrocis**

**perinephes** (Meyrick), 1886: 236 [*Dolichosticha*]  
**ruralis** (Walker), 1859: 666 [*Botys*]  
**suspicalis** (Walker), 1859: 667 [*Botys*]  
    *bifurcalis* Snellen van Vollenhoven, 1880: 219  
**trapezalis** (Guenée), 1854: 200 [*Salbia*]  
**trebiusalis** (Walker), 1859: 718 [*Botys*]

*stereogona* (Meyrick), 1886: 236 [*Epimima*]  
*venilialis* Walker [error, not Fijian]

### **Compsophila**

**iocosma** Meyrick, 1886: 256  
*bicolor* (Butler), 1886: 423 [*Niphazada*]

### **Conogethes**

**punctiferalis** (Guenée), 1854: 320 [*Astura*]

### **Crocidoloma**

**pavonana** (Fabricius), 1794: 275 [*Pyralis*]  
*binotalis* Zeller, 1852: 66

### **Cryptographis**

**glauculalis** (Guenée), 1854: 306 [*Margaronia*]  
**indica** (Saunders), 1851: 163 [*Eudioptes*]

### **Cullacia**

**cuneiferellus** (Walker), 1863: 175 [*Crambus*]  
**paralyticus** (Meyrick), 1932: 245 [*Crambus*]

### **Diasemia**

**endoschista** Meyrick, 1932: 240

### **Diasemiopsis**

**ramburialis** (Duponchel), 1834: 343 [*Hydrocampus*]

### **Dichocrosis**

**fluminalis** Butler, 1883: 428

### **Diplopseustis**

**perieresalis** (Walker), 1859: 958 [*Ambia*]  
*minima* (Butler), 1881: 684 [*Cymoriza*]

### **Diptychophora**

**sp.** [Dugdale 1978: 68]

**Dracaenura**

- agramma** Meyrick, 1882: 299  
**asthenota** Meyrick, 1886: 229  
**myota** Meyrick, 1886: 230  
**pelochra** Meyrick, 1886: 228  
**stenosoma** (Felder & Rogenhofer), 1875: 124 [*Platamonia*]

**Eumaragma**

- orthiopis** Meyrick, 1933: 408

**Eurytorna**

- heterodoxa** Meyrick, 1886: 252

**Glaucocharis**

- clandenstina** Gasken, 1985: 31  
**fehrei** Gasken, 1985: 32  
**fijiensis** Gasken, 1985: 28  
**multilinealis** Kenrick, 1907: 173  
**praemialis** (Meyrick), 1931: 111 [*Diptychophora*]  
**robinsoni** Gasken, 1985: 34

**Glyphodes**

- caesalis** Walker, 1859: 499  
**cymocraspeda** (Meyrick), 1932: 244 [*Margaronia*]  
**psittacalis** Hübner [error, not Fijian]  
**stolalis** Guenée, 1854: 293

**Haritalodes**

- adjunctalis** Leraut, 2005: 92

**Hellula**

- undalis** (Fabricius), 1781: 282 [*Phalena*]

**Heortia**

- vitessoides** (Moore), 1885: 256 [*Tyspana*]

**Herpetogramma**

- licarsialis** (Walker), 1859: 686 [*Botys*]  
**phaeopteralis** (Guenée), 1854: 349 [*Botys*]

**rudis** (Warren), 1892: 435 [*Acharana*]

**Hoploscopa**

**astrapias** Meyrick, 1886: 268

**Hyalobathra**

**xanthocrossa** Meyrick, 1932: 244

**Hydriris**

**ornatalis** (Duponchel), 1832: 207 [*Asopia*]

**Hymenoptychis**

**sordida** Zeller, 1852: 65

**Lamprosema**

**allocosma** (Meyrick), 1886: 242 [*Semioceros*]

**foederalis** (Guenée), 1854: 228 [*Isopteryx*]

*epispila* (Meyrick), 1886: 257 [*Physematia*]

**leucostrepta** (Meyrick), 1886: 254 [*Omioides*]

**octasema** (Meyrick), 1886: 259 [*Notarcha*]

**Lipararchis**

**hyacinthopa** Meyrick, 1934: 506

**Lygropis**

**phaeoxantha** Meyrick, 1933: 405

**Macaretaera**

**hesperis** Meyrick, 1886: 255

**Maruca**

**vitrata** (Fabricius), 1787: 215 [*Phalaena*]

*testulalis* (Geyer in Hübner), 1832: 12 [*Crochiphora*]

**Meroctena**

**sirioxantha** (Meyrick), 1886: 262 [*Lygropis*]

**Oligostigma****barbaracha** Meyrick, 1932: 240**chrysotum** (Meyrick), 1886: 221 [*Paraponyx*]**polydectale** (Walker), 1859: 451 [*Cataclysta*]**Omiodes****diemenalis** (Guenée), 1854: 203 [*Asopia*]*absistalis* (Walker), 1859: 311 [*Pyrausta*]**Ostrinia****furnacalis** (Guenée), 1854: 332 [*Botys*]**Pagyda****tremula** Meyrick, 1932: 243**Palpita****spilogramma** (Meyrick), 1934: 503 [*Margaronia*]**Paracentristis****incommoda** Meyrick, 1934: 488**Parapoynx****unilinealis** (Snellen van Vollenhoven), 1876: 197 [*Prophantis*]**villidalis** (Walker), 1859: 435 [*Oligostigma*]**Parotis****niphopepla** (Meyrick), 1933: 406 [*Margaronia*]

sp. [Dugdale 1978: 68]

**Piletocera****argopis** (Meyrick), 1886: 248 [*Diplotyla*]**cyclospile** (Meyrick), 1886: 248 [*Diplotyla*]**dactyloptila** (Meyrick), 1886: 243 [*Semioceros*]**enneaspila** Meyrick, 1933: 398**erebina** Butler, 1886: 425**melanauges** (Meyrick), 1886: 246 [*Erebangela*]**microcentra** (Meyrick), 1886: 249 [*Strepsimela*]**nasonia** Meyrick, 1933: 398**nigrescens** (Butler), 1886: 424 [*Rhinecera*]**ocelligera** Meyrick, 1932: 241

**ochrosema** (Meyrick), 1886: 247 [*Diplotyla*]  
**pseudadelpha** (Meyrick), 1887: 223 [*Strepsimela*]  
**rhopalophora** Meyrick, 1934: 501  
**signiferalis** (Wallengren), 1860: 175 [*Isopteryx*]  
**ulophanes** Meyrick, 1886: 245

### **Pilocrocis**

**eriomorpha** Meyrick, 1933: 400

### **Prodelophanes**

**eucharis** Meyrick, 1937: 137

### **Prophantis**

**octoguttalis** (Felder & Rogenhofer), 1875: pl. 135 [*Thliptoceras*]

### **Prototyla**

**alopecopa** Meyrick, 1933: 399

### **Psara**

**acropila** (Meyrick), 1886: 261 [*Epichronistis*]  
**stultalis** (Walker), 1859: 669 [*Botys*]

### **Ptiladarcha**

**consularis** Meyrick, 1933: 399

### **Pycnarmon**

**caberalis** (Guenée), 1854: 284 [*Spilomela*]  
**cribrata** (Fabricius), 1794: 215 [*Phalaena*]

### **Pyrausta**

**homaloxantha** Meyrick, 1933: 411

### **Rehimena**

**infundibulalis** (Snellen van Vollenhoven), 1882: 64 [*Botys*]  
**phrynealis** (Walker), 1859: 630 [*Botys*]

### **Sameodes**

**cancellalis** (Zeller), 1852: 34 [*Botys*]

**Scirpophaga**  
**imparellus** (Meyrick), 1879: 176 [*Schoenobius*]

**Scoparia**  
**orthioplecta** Meyrick, 1937: 138

**Spoladea**  
**recurvalis** (Fabricius), 1775: 644 [*Phalaena*]  
*fascialis* (Stoll), 1782: 398 [*Phalaena*]

**Stemorrhages**  
**oceania** Meyrick, 1886: 222

**Sufetula**  
sp. [Dugdale 1978: 68]

**Syllepte**  
**cohaesalis** (Walker), 1865: 1418 [*Botys*]  
*halurga* (Meyrick), 1886: 259 [*Notarcha*]  
**derogata** (Fabricius), 1775: 641 [*Phalaena*]  
*multilinealis* (Guenée), 1854: 337 [*Botys*]  
**sabinusalis** (Walker), 1859: 708 [*Botys*]  
*butyrina* (Meyrick), 1886: 260 [*Notarcha*]

*Syngamia*  
*abruptalis* Walker [error, not Fijian]

**Tatobotys**  
**biannulalis** (Walker), 1866: 1439 [*Botys*]  
*picrogramma* (Meyrick), 1886: 226 [*Cometura*]

**Terastia**  
**meticulosalis** Guenée, 1854: 212

**Trigamozeucta**  
**radiciformis** Meyrick, 1937: 136

**EPEMENIIDAE****Epermenia****symmorias** Meyrick, 1923: 52**EPIPLEMIDAE****Epiplema****conchiferata** Moore, 1887: 403**cretosa** Swinhoe, 1902: 595**instabilitata** (Walker), 1866: 1646 [*Erosia*]**lomalangi** Robinson, 1975: 311**simmondsi** Robinson, 1975: 312**Gathynia****cythera** Swinhoe, 1902: 598**GELECHIIDAE****Anarsia****sp. near sagittaria** Meyrick [Dugdale 1978: 67]**Autosticha****demias** Meyrick, 1886: 281**solita** Meyrick, 1923: 45**Chelaria****brachyrrhiza** Meyrick, 1921: 431**mycetinopa** Meyrick, 1934: 451**tephroplintha** Meyrick, 1923: 30**Dichomeris****hieropla** (Meyrick), 1919: 235 [*Atasthalistis*]**siderosema** Turner, 1919: 166 [*Rhadinophylla*]**transecta** Meyrick [*nomen nudum* (Veitch 1924: 155)]**Idiophantis****chiridota** Meyrick, 1914: 201**disparata** Meyrick, 1923: 24**Mesophleps**

**epiochra** (Meyrick), 1886: 279 [*Brachyacma*]  
*epichroa* [misspelling of *epiochra*]

**Myconita**  
**lipara** Bradley, 1953: 110

**Pectinophora**  
**gossypiella** Saunders, 1843: 284 [*Gelechia*]

**Phthorimaea**  
**operculella** (Zeller), 1873: 262 [*Gelechia*]

**Scrobipalpa**  
**heliopa** (Lower), 1900: 417 [*Gelechia*]

**Sitotroga**  
**cerealella** (Olivier), 1789: 121 [*Alucita*]  
**horogramma** (Meyrick), 1921: 425 [*Nesolechia*]

**Thiotricha**  
sp. near *strophiacma* Meyrick [Dugdale 1978: 67]

## GEOMETRIDAE

**Agathia**  
**pisina** Butler, 1887: 243  
*asterias dimota* Prout, 1911: 26

**Anisodes**  
**compacta lautokensis** Prout, 1929: 595  
**decolorata** (Warren), 1897: 215 [*Brachycola*]  
**gloria** Robinson, 1975: 260  
**harrietae** Robinson, 1975: 260  
**monetaria** Guenée, 1858: 458  
**obliviaria** Walker, 1861: 643  
*suspicaria* Snellen van Vollenhoven, 1881: 80  
**porphyropis** Meyrick, 1888: 837  
**prionodes** Meyrick, 1886: 209  
**samoana** (Warren), 1897: 216 [*Brachycola*]

**Anisozyga**

*pieroides* (Walker), 1861: 580 [*Comibaena*]

*pacifica* (Felder & Rogenhofer), 1875: pl. 127 [*Comibaena*]

**Aplochora**

*vivilaca* (Walker), 1861: 545 [*Iodis*]

**Brabira**

*apatopleura* Prout, 1934: 256

**Bulonga**

*phillipsi* Prout, 1930: 695

**Casbia**

*aedoea* Robinson, 1975: 300

*alphitoniae* Prout, 1929: 595

*hemiprosopa* Turner, 1904: 230

**Chloroclystis**

*bosora* (Druce), 1888: 228 [*Larentia*]

*encteta* Prout, 1934: 254

*fluctuosa* Prout, 1934: 254

*hypotmeta* Prout, 1934: 255

*katherinae* Robinson, 1975: 271

*lepta aeneta* Prout, 1958: 409

*lepta fluctuosa* Prout, 1934: 254

*lepta lepta* Meyrick, 1886: 191

*lepta mempta* Prout, 1928: 136

*lepta rotumensis* Robinson, 1975: 272

*linda* Robinson, 1975: 273

*mariae* Robinson, 1975: 274

*nina* Robinson, 1975: 274

*pyrsodonta* Turner, 1922: 238

*rubicunda* Prout, 1934: 255

*scintillata* Prout, 1932: 107

**Cleora**

*diversa* Robinson, 1971: 73

*fowlesi* Robinson, 1971: 74

*lanaris* (Butler), 1886: 434 [*Aegitrichus*]

*munditibia lauensis* Robinson, 1975: 303

**munditibia munditibia** Prout, 1929: 71  
**nausori** (Bethune-Baker), 1905: 94 [*Alcis*]  
**ochricollis** (Prout), 1934: 261 [*Tolmera*]  
**perstricta** Prout, 1934: 260  
**samoana fijiensis** Robinson, 1975: 304  
**samoana noatau** Robinson, 1975: 304  
**vitensis** (Bethune-Baker), 1905: 93 [*Alcis*]

**Clepsimelia**  
**phryganeoides** Warren, 1897: 262

**Collix**  
**lasiospila** (Meyrick), 1886: 194 [*Cidaria*]  
**olivia** Robinson, 1975: 277  
**patricia** Robinson, 1975: 278

**Comibaena**  
**cheramota** (Meyrick), 1886: 203 [*Iodis*]

**Eoasthena**  
**catharia** Prout, 1934: 260  
**extranea** Prout, 1934: 259  
**gnophobathra** Prout, 1934: 258  
**quilla** Robinson, 1975: 280  
**rowena** Robinson, 1975: 281  
**stygna** Prout, 1934: 259

**Eois**  
sp. near *pyrauges* Prout [Robinson 1975: 282]

**Episteira**  
**nigrilinearia enochra** (Prout), 1897: 76 [*Sauris*]

**Eupithecia**  
**eupitheciata** (Walker), 1863: 1720 [*Philabapteryx*]  
    *delogramma* (Meyrick), 1886: 195 [*Cephalissa*]  
**vermiculata** Snellen van Vollenhoven, 1874: 76

**Gelasma**  
**albifulgens** Prout, 1934: 251

**quadrizona** Prout, 1934: 251

**Gonodonta**

**clelia** (Cramer), 1780: 172 [*Phalaena*]

**Gymnoscelis**

**concinna** Swinhoe, 1902: 651

**imparatalis** (Walker), 1865: 1416

**minutissima acidna** Turner, 1904: 227

**sara** Robinson, 1975: 286

**tylocera** Prout, 1930: 691

**Hemithea**

**stuhlmanni** (Prout *in* Seitz), 1933: 96 [*Gelasma*]

**Horisme**

**chlorodesma** (Meyrick), 1886: 194 [*Cidaria*]

**picta** (Butler), 1886: 429 [*Coremia*]

**rewaensis** (Bethune-Baker), 1905: 94 [*Larentia*]

**teresa** Robinson, 1975: 288

**Idaea**

**bathromyses** (Prout), 1934: 252 [*Sterrha*]

**dicenea** Prout, 1934: 253

**rhipistis** (Meyrick), 1886: 205 [*Pythodora*]

**Luxiaria**

**sesquilinea** Prout, 1930: 695

**Mesurodes**

**erichlora** (Meyrick), 1886: 203 [*Eucrostis*]

**Micrulia**

**tenuilinea** Warren, 1896: 391

**Nadagara**

**irretracta levuensis** Robinson, 1975: 306

**Pasiphila**  
*catastnepta* Meyrick [nomen nudum (Druce 1888: 228)]

**Petelia**  
**aesyla** Prout, 1930: 696

**Poecilasthena**  
**inhaesa** Prout, 1934: 257  
**leucydra** Prout, 1934: 257

**Polycysta**  
**gonycrota** Prout, 1932: 104

**Pseudoeryrthrolophus**  
**bipunctatus idmon** (Prout), 1930: 690 [*Erythrolophus*]

**Pyrrhorachis**  
**pyrrhogona augustata** Prout, 1917: 305  
**rhodoselas** Prout, 1928: 122

**Ruttelerona**  
**presbytica** Robinson, 1975: 307

**Sauris**  
**acanthina** Prout, 1930: 692  
**dentalineata** (Warren), 1905: 428 [*Holorista*]  
**elaica** (Meyrick), 1886: 193 [*Remodes*]  
**hirudinata** Guenée, 1858: 362  
**priva** Prout, 1930: 693  
**ursula** Robinson, 1975: 294  
**victoria** Robinson, 1975: 295  
**wanda** Robinson, 1975: 295  
**xissa** Robinson, 1975: 296

**Scardamia**  
**eucampta** Prout, 1930: 594

**Scopula**  
**cernea** (Druce), 1888: 227 [*Acidalia*]

**epigypsa** (Meyrick), 1886: 208 [*Trichoclada*]  
**homodoxa** (Meyrick), 1886: 208 [*Acidalia*]  
**julietae** Robinson, 1975: 266  
**nivipennis** (Butler), 1886: 436 [*Idaea*]  
**sublinearia ida** Robinson, 1975: 267

### **Scotocyma**

**miscix** Prout, 1934: 245

### **Strepsicrates**

**disparata** (Walker), 1861: 567 [*Eucrostis*]

### **Symmacra**

**solidaria baptata** (Warren), 1897: 224 [*Sterrha*]

### **Symmimetis**

**merceri** Robinson, 1975: 297  
**thorectes** Prout, 1934: 255

### **Thalassodes**

**chloropsis** Meyrick, 1886: 204  
**liquecens** Prout, 1934: 252  
**opalina** Butler, 1880: 214  
**pilaria** Guenée, 1858: 361  
**quadraria** Guenée, 1857: 360  
**timoclea** Druce, 1888: 227  
**veraria** Guenée, 1857: 360

## **GLYPHIPTERYGIDAE**

### **Ernolytis**

**chlorospora** Meyrick, 1922: 488

### **Glyphipteryx**

**isoclista** Meyrick, 1925: 136

## **GRACILARIIDAE**

### **Acrocercops**

**caerula** (Meyrick), 1912: 296 [*Cyphosticha*]

**caerulea** Meyrick, 1934: 473

**centrometra** (Meyrick), 1920: 296 [*Cyphosticha*]

**habroscia** Meyrick, 1921: 467

**macroclina** Meyrick, 1916: 2

**patellata** Meyrick, 1921: 415

**praesecta** Meyrick, 1922: 562

*prosecta*: [incorrect subsequent spelling of *praesecta*; (Dugdale 1978: 66)]

**sarcocrossa** Meyrick, 1924: 86

**sp.** near *albidorsala* Bradley [Dugdale 1978: 66]

**sp.** near *pavonicola* Vári [Dugdale 1978; 66]

### **Caloptilia**

**soyella** Van Deventer, 1904: 22 [*Gracilaria*]

**xanthopharella** Meyrick, 1880: 141

### **Conopomorpha**

**oceania** Bradley, 1986: 44

### **Cyphosticha**

**caerulea** Meyrick, 1912: 26

### **Gracilaria**

**glyphidopis** Meyrick, 1934: 474

### **Liocrobyla**

**paraschista** Meyrick, 1916: 5

### **Parectopa**

**phoenicaula** Meyrick, 1934: 473

### **Phyllonoryctery**

**aglaozona** (Meyrick), 1882: 199 [*Lithocolletis*]

### **Timodora**

**callicirrha** Meyrick, 1924: 86

## **HELIODINIDAE**

### **Stathmopoda**

**dracaenopa** Meyrick, 1933: 430  
**iocycla** Meyrick, 1933: 430  
**niphocarpa** Meyrick, 1937: 150  
**synchrysa** Meyrick, 1923: 66  
**trichrysa** (Meyrick), 1920: 319 [*Ulochora*]  
**xanthodesma** Meyrick, 1931: 175

## HEPIALIDAE

### Phassodes

**vitiensis** (Rothschild), 1895: 482 [*Leto*]  
    *bimorpha* Bethune-Baker, 1905: 91  
    *guthrei* Bethune-Baker, 1905: 90  
    *nausori* Bethune-Baker, 1905: 91  
    *odorevalvula* Bethune-Baker, 1905: 90  
    *rewaensis* Bethune-Baker, 1905: 91  
    *vitensis* Bethune-Baker, 1905: 92

## HERMINIIDAE

### Bocana

**manifestalis** Walker, 1858: 171

### Palaeocoleus

**sypnoides** (Butler), 1886: 416 [*Bocana*]

### Ragana

**gravatalis** (Walker), 1859: 75 [*Bocana*]

## HESPERIIDAE

### Badamia

**atrox subflava** Waterhouse, 1920: 451  
**exclamationis** (Fabricius), 1775: 530 [*Papilio*]

### Hasora

**chromus bilunata** (Butler), 1883: 391 [*Ismene*]  
**khoda** (Mabille), 1876: xxv [*Ismene*]

### Oriens

**augustula augustula** (Herrich-Schaeffer), 1869: 79 [*Pamphila*]

*chaura* Evans, 1934: 181 [Evans 1949: 373]  
**fitjensis** (Mabille), 1878: 238 [*Pamphila*]

## HYBLAEIDAE

### **Hyblaea**

**puera** (Cramer), 1777: pl. 103 [*Phalaena*]  
**sanguinea sanguinea** Gaede, 1917: 26  
**sanguinea vitiensis** Prout, 1919: 188

## IMMIDAE

### **Imma**

**autodoxa** Meyrick, 1886: 285 [*Thylacopleura*]  
**chlorospila** Meyrick, 1923: 616  
**leucomystis** Meyrick, 1923: 616  
**philonoma** Meyrick, 1925: 132  
**pyrophthalma** Meyrick, 1937: 153  
**trachyptila** Meyrick, 1921: 480

## LIMACODIDAE

### **Beggina**

**albifascia** Robinson, 1975: 317  
**bicornis** Clayton, 2002: 196  
**dentilinea** Robinson, 1975: 318  
**mediopunctata** Robinson, 1975: 318  
**minima** Robinson, 1975: 319  
**unicornis** Robinson, 1975: 319  
**zena** Robinson, 1975: 319

## LYCAENIDAE

### **Callophrys**

**rubi** (Linnaeus), 1758: 483 [*Papilio*]

### **Catochrysops**

**taitensis taitensis** (Boisduval), 1832: 77 [*Lycaena*]

### **Catopyrops**

**ancyra** (Felder), 1860: 457 [*Lycaena*]

**Cupido**

**hylax dampierensis** (Rothschild), 1915: 389 [*Zizera*]

**patala** (Kollar), 1844: 419 [*Lycaena*]

**Deudorix**

**epijarbas diovella** Waterhouse, 1920: 45

**Euchrysops**

*cneesus cneesus* (Fabricius) [error, not Fijian]

**cneesus samoae** (Herrich-Schaeffer), 1869: 73 [*Lycaena*]

**Famegana**

**alsulus alsulus** (Herrich-Schaeffer), 1869: 75 [*Lycaena*]

**alsulus lulu** (Mathew), 1889: 312 [*Lycaena*]

**Jamides**

*bochus* (Stoll in Cramer) [misidentification, not Fijian]

**candrena** (Herrich-Schaeffer), 1869: 74 [*Lycaena*]

*campanulata* Butler, 1884: 346

*lobelia* Butler, 1884: 347

*petunia* Druce, 1887: 203

*woodfordii* Butler, 1884: 346

**pulcherrima** Butler, 1884: 347

*kava* Druce, 1892: 443

**Lampides**

**boeticus** (Linnaeus), 1767: 789 [*Papilio*]

**Nacaduba**

**biocellata armillata** (Butler), 1875: 614 [*Lampides*]

**dyopa dyopa** (Herrich-Schaeffer), 1869: 75 [*Lycaena*]

*platissa* (Herrich-Schaeffer), 1869: 74 [*Lycaena*]

*vitiensis* Butler, 1883: 389 [*Catochrysops*]

**gemma** Druce, 1887: 204

**samoensis** Druce, 1892: 437

**Strymon**

*bazochii* (Godart) [misidentification, not Fijian]

**bazochii gundlachianus** Bates, 1935: 195

**Thecla****agra** Hewitson, 1868: 30**echion** (Linnaeus) [not established; Robinson 1975: 336]**Zizina****hylax** (Fabricius), 1775: 526 [*Papilio*]**labradus labradus** (Godart), 1824: 680 [*Polyommatus*]*communis* Herrich-Schaeffer), 1869: 72 [*Lycaena*]**labradus mangoensis** (Butler), 1884: 347 [*Lycaena*]**LYMANTRIIDAE****Adetoneura****lentiginosa** Collenette, 1933: 44**Dasychira****fidjiensis** Mabille & Vuillot, 1890: 5*vitensis* Bethune-Baker, 1905: 92**flavobrunnea** Robinson, 1969: 195**nandarivatu** Robinson, 1968: 253**LYONETIIDAE****Lyonetia****luxurians** Meyrick, 1922: 558**spinitarsis** Meyrick, 1922: 557**Phrixosceles****fibulatrix** Meyrick, 1922: 561**Phruriastis****meliphaga** Meyrick, 1923: 64**Pontodryas****loxosema** Meyrick, 1920: 362**Undetermined Genus****sp.** [Dugdale 1978: 66]

**Vanicela**

**sp.** [Dugdale 1978; 66]

**NEPTICULIDAE****Stigmella**

**sp.** [Nieuwkerken & Berg 2003: 32]

**NOCTUIDAE***Acanthodelta*

*pentasema* Prout [error, not Fijian]

**Achaea**

**fasciculipes** Walker, 1858: 1400

**janata** (Linnaeus), 1758: 527 [*Phalaena*]

**melicerta** (Drury), 1770: 42 [*Phalaena*]

**serva** (Fabricius), 1775: 593 [*Noctua*]

**Aedia**

**leucomelas** (Linnaeus), 1758: 518 [*Phalaena*]

**sericea** (Butler), 1882: 230 [*Anophia*]

**Aegilia**

**describens** Walker, 1857: 1139

**vitiscribens** Holloway, 1986: 234

**Agrapha**

**albostriata** (Bremer & Grey), 1853: 18 [*Plusia*]

**Agrotis**

**aneitura** Walker, 1865: 701

**ipsilon** (Hüfnagel), 1766: 416 [*Phalaena*]

*ypsilona* (Rottemberg), 1776: 141 [*Noctua*]

**munda** Walker, 1856: 358

**Amyna**

**abyssa** (Snellen van Vollenhoven), 1880: 56 [*Mesotrosta*]

**natalis** (Walker), 1858: 214 [*Berresa*]

**octo** (Guenée), 1852: 233 [*Perigea*]  
**punctum** (Fabricius), 1794: 34 [*Noctua*]

### Anigraea

**ochrobasis** Hampson, 1912: 95  
**pectinata** Robinson, 1975: 144

### Anomis

**editrix** (Guenée), 1852: 404 [*Gonitis*]  
**esocampta** Hampson, 1926: 345  
**vitiensis** (Hampson), 1900: 67 [*Cosmophila*] [Preocc. Butler, 1886]  
**figlina** Butler, 1889: 91  
**flava** (Fabricius), 1775: 601 [*Noctua*]  
    *xanthindyma* (Boisduval), 1833: 94 [*Cosmophila*]  
**fulvida** Guenée, 1852: 397  
**involuta** (Walker), 1858: 1003 [*Gonitis*]  
**nigritarsis** (Walker), 1857: 1006 [*Rusicada*]  
    *xanthochroa* (Butler), 1886: 459 [*Gonitis*]  
**revocans** (Walker), 1858: 1794 [*Gonitis*]  
**samoana** (Butler), 1886: 407 [*Gonitis*]  
**vitiensis** (Butler), 1886: 408 [*Gonitis*]  
**vulpina** (Butler), 1886: 408 [*Gonitis*]

### Anticarsia

**irrorata** (Fabricius), 1781: 506 [*Noctua*]  
**rubricans** (Boisduval), 1833: 106 [*Ophiusa*]

### Apothripa

**vailima** Tams, 1935: 208

### Araeopteron

**griseata** Hampson, 1907: 670

### Arcte

**coerulea** (Guenée), 1852: 41 [*Cocytodes*]  
**modesta** Van der Hoeven, 1840: 242 [*Catocala*]

### Argyrogramma

**signata** (Fabricius), 1792: 81 [*Noctua*]

**Arsacia**

**rectalis** (Walker), 1863: 21 [*Midea*]

**Athesis**

*reclusa* (Walker) [error not Fijian]

**striolata** (Butler), 1886: 393 [*Caradrina*]

**Attonda**

**adspersa** (Felder & Rogenhofer), 1874: pl. 117 [*Felinia*]

**Ausatrocarea**

**albipicta** (Hampson), 1905: 599 [*Carea*]

**Avatha**

**discolor** (Fabricius), 1794: 50 [*Noctua*]

**Avitta**

**lunifera** (Druce), 1888: 575 [*Toxocampa*]

**Barasa**

**triangularis** Robinson, 1975: 156

**Blenina**

**vatu** Robinson, 1975: 157

**Callopistria**

**argyrosemastis** (Hampson), 1918: 135 [*Eriopus*]

**exotica** (Guenée), 1852: 94 [*Eriopus*]

*maillardi* (Guenée) [error, not Fijian]

*meridionalis nauticorum* Tams [error, not Fijian]

**meridionalis rotumensis** Robinson, 1975: 123

**reticulata** (Pagenstecher), 1884: 226 [*Eriopus*]

**Catada**

**charalis** Swinhoe, 1900: 311

**Catadoides**

**fijiensis** Robinson, 1975: 217

**vunindawa** Robinson, 1975: 218

### **Chalciope**

**alcyona** (Druce), 1888: 225 [*Grammodes*]  
**hoplitis** Meyrick, 1902: 28 [*Grammodes*]

### **Characoma**

**nilotica** (Rogenhofer), 1882: 26 [*Sarrothripa*]

### **Chasmina**

**candida** (Walker), 1865: 638 [*Arbasera*]  
**tibialis** (Fabricius), 1775: 578 [*Bombyx*]  
**viridis** Robinson, 1975: 126

### **Chrysodeixis**

**acuta** (Walker), 1858: 922 [*Plusia*]  
**chalcites** (Esper), 1789: 447 [*Phalaena*]  
**eriosoma** (Doubleday), 1843: 285 [*Plusia*]  
    *verticillata* (Guenée), 1852: 344 [*Plusia*]  
**illuminata** (Robinson), 1968: 250 [*Plusia*]

### **Chrysopera**

**combinans** (Walker), 1858: 1399 [*Achaea*]

### **Condica**

**capensis** (Guenée) [error, not Fijian]  
**conducta** (Walker), 1857: 296 [*Caradrina*]  
**dolorosa** (Walker), 1865: 667 [*Mamestra*]  
**illecta** (Walker), 1865: 684 [*Perigea*]

### **Diarsia**

**intermixta** (Guenée), 1852: 337 [*Noctua*]  
    *compta* (Walker), 1857: 404 [*Graphiphora*]

### *Diastema*

*tigris* Guenée [not established; Robinson 1975: 323]

### **Diomea**

**fenella** Robinson, 1969: 194

**Dyrzela****trichoptera** Robinson, 1975: 127**Dysgonia****anetica** (Felder & Rogenhofer), 1875: pl. 116 [*Ophisma*]**arctotaenia** (Guenée), 1852: 272 [*Ophiusa*]**duplicata** (Robinson), 1975: 178 [*Parallelia*]**hicanora** (Turner), 1903: 9 [*Thyas*]**joviana** (Stoll in Cramer), 1782: 237 [*Phalaena*]    *myops* (Guenée), 1852: 265 [*Ophiusa*]**koroensis** (Robinson), 1969: 193 [*Parallelia*]**laetabilis** (Guenée), 1852: 241 [*Ophisma*]**prisca** (Walker), 1858: 1385 [*Ophisma*]**propyrrha** (Walker) [not established; Robinson 1975: 323]**vitiensis** (Butler), 1886: 414 [*Ophiusa*]**Earias****fabia** Stoll in Cramer, 1781: 124 [*Phalaena*]**lavida** Felder, 1861: 34**luteolaria** Hampson, 1891: 46**perhuegelii** Holloway, 1977: 78    *huegeli* Rogenhofer [misidentification, not Fijian]**vittella** (Fabricius), 1794: 393 [*Tinea*]**Echanella****hirsutipennis** Robinson, 1975: 219**Entomogramma****torsa** Guenée, 1852: 204**Ercheia****kebea** Bethune-Baker, 1906: 249**Ericeia****congregata** (Walker), 1858: 1847 [*Remigia*]*inangulata* (Guenée) [error, not Fijian]**leichardtii** (Koch), 1865: 108 [*Villosa*]**levuensis** Prout, 1929: 597**Etanna**

**mackwoodi** Hampson, 1902: 211 [*Dendrothripa*]

### **Eublemma**

**anachoresis** (Wallengren), 1863: 148 [*Xanthoptera*]

**baccalix** (Swinhoe), 1886: 452 [*Mestleta*]

**cochylioides** (Guenée), 1852: 245 [*Micra*]

**pudica** (Snellen van Vollenhoven), 1880: 63 [*Thalpochares*]

**ragusana** (Freyer), 1844: 92 [*Anthophila*]

### **Eublemmoides**

**crassiuscula** (Walker), 1864: 186 [*Thermesia*]

### **Eudocima**

**fullonia** (Clerck), 1764: pl. 68 [*Phalaena*]

*fullonica* (Linnaeus), 1767: 812 [*Phalaena*]

**materna** (Linnaeus), 1758: 840 [*Phalaena*]

**paulii** (Robinson), 1968: 251 [*Othreis*]

**salaminia** (Cramer), 1777: 117 [*Phalaena*]

### **Felinia**

**precedens** (Walker), 1857: 1098 [*Briarda*]

### **Gabala**

**australiata** Warren, 1916: 212

### **Grammodes**

**oculicola** Walker, 1858: 1446

### **Gyrtona**

**acutipennis** (Robinson), 1975: 152 [*Nigramma*]

**hopkinsi** Tams, 1935: 206

**perstrialis** (Hampson), 1918: 192 [*Nigramma*]

**purpurea** Robinson, 1975: 151

**rotundipennis** (Robinson), 1975: 153 [*Nigramma*]

### **Harita**

**nodynna** (Bethune-Baker), 1908: 229 [*Hypena*]

### **Helicoverpa**

**armigera conferta** (Walker), 1857: 690 [*Heliothis*]  
**assulta** (Guenée), 1852: 178 [*Heliothis*]  
**zea** (Boddie), 1850: 132 [*Phalaena*]  
*obsoleta* (Fabricius), 1793: 456 [*Bombyx*]

### **Hydrillodes**

*funestalis* Walker [error, not Fijian]  
**metisalis** (Walker), 1859: 183 [*Bocana*]  
**surata** Meyrick, 1910: 68

### **Hypena**

**commixtura** (Swinhoe), 1918: 93 [*Bomolocha*]  
**conscitalis** Walker, 1865: 1509  
**cryptica** Robinson, 1975: 222  
**duplicalis** (Walker), 1859: 16 [*Dichromia*]  
**ferriscitalis** Walker, 1865: 1142  
**fijiensis** Robinson, 1975: 223  
**gonospilalis** Walker, 1865: 1516  
**iconicalis** Walker, 1859: 61  
**laceratalis** Walker, 1859: 60  
**robustalis** Snellen van Vollenhoven, 1880: 120

### **Hypenagonia**

**anna** Robinson, 1975: 227  
**barbara** Robinson, 1975: 227  
**catherina** Robinson, 1975: 227  
**diana** Robinson, 1975: 228  
**emma** Robinson, 1975: 229

### **Hyperlopha**

**cristifera** (Walker), 1865: 1071 [*Ephyrodes*]

### **Hypocala**

**deflorata** (Fabricius), 1794: 127 [*Hyblaea*]  
*australiae* Butler, 1892: 21  
**plumicornis** Guenée, 1852: 75

### **Hypospila**

**similis** Tams, 1935: 226  
**similis fijiensis** Robinson, 1975: 201

**Lacera**

**alope** (Cramer), 1780: 168 [*Phalaena*]

**Leptotroga**

**costalis** (Moore), 1883: 28 [*Acharya*]

**armstrongi** Tams, 1935: 228

**Leucania**

**fiyu** Hreblay & Yoshimatsu, 1998: 413

**loreyi** (Duponchel), 1827: 81 [*Noctua*]

**pseudoformosana** Robinson, 1975: 116

**scotti** Butler, 1886: 391

**venalba** Moore, 1867: 48

**yu** Guenée, 1852: 78

**Leucocosmia**

**nonagrica** (Walker), 1864: 166 [*Curgia*]

**ceres** Butler, 1886: 394

**Lophocoleus**

**acuta** Robinson, 1975: 230

**albipuncta** Robinson, 1975: 231

**iridescent** Robinson, 1975: 231

**mirabilis** Butler, 1886: 416

**rubrescens** Robinson, 1975: 232

**suffusa** Robinson, 1975: 233

**Lophoptera**

**hemithyris** (Hampson), 1905: 534 [*Stictoptera*]

**Luceria**

**oculalis** (Moore), 1877: 614 [*Rivula*]

**Maceda**

**savura** Robinson, 1968: 249

**Maliattha**

**melanesiensis** Robinson, 1975: 141

**ritsemae** (Snellen van Vollenhoven), 1880: 57 [*Erastria*]

**vitiensis** (Butler), 1886: 399 [*Acontia*]

*Mecistognatha*  
*fijiensis* Hampson [manuscript name]

**Mecistoptera**  
sp. near *albisigna* Hampson [Robinson 1975: 234]

**Mecodina**  
**variata** Robinson, 1969: 194

**Microthripa**  
**buxtoni** Tams, 1935: 207  
**bradleyi** Fletcher, 1957: 42

**Mocis**  
**archesia** (Cramer), 1780: 145 [*Phalaena*]  
**discrepans** (Butler), 1886: 415 [*Remigia*]  
**frugalis** (Fabricius), 1775: 601 [*Noctua*]  
**trifasciata** (Stephens), 1829: 128 [*Catephila*]  
**vitiensis** Hampson, 1913: 89

**Nagia**  
**robinsoni** Holloway, 1982: 107

**Nanaguna**  
**albisecta** Hampson, 1905: 583  
**breviuscula** Walker, 1863: 85  
**vittalis** (Walker), 1866: 1733 [*Tamusida*]  
**plagiola** Wileman & West, 1929: 25

**Ophiusa**  
**coronata** (Fabricius), 1775: 596 [*Noctua*]  
**fijiensis** (Robinson), 1969: 193 [*Anua*]  
**magica** Hübner, 1827: 536 [*Corycia*]  
**tongaensis** (Hampson), 1913: 434 [*Anua*]

**Oruza**  
**cariosa** (Lucas), 1894: 8 [*Thermesia*]

**Oxyodes**

**clytia** (Stoll), 1782: 238 [*Phalaena*]  
**ochreata samoana** Tams, 1935: 229  
**ochreata tanymekes** Tams, 1935: 229

**Paectes**

**cristatrix fijiensis** Robinson, 1975: 146

**Pantydia**

**metaspila** (Walker), 1857: 1032 [*Toxocampa*]  
**sordida** (Butler), 1886: 414 [*Hypaetra*]

**Parilyrgis**

**concolor** Bethune-Baker, 1908: 205

**Pataeta**

**carbo** (Guenée), 1852: 302 [*Phlegetonia*]

**Penicillaria**

**dinawa** Bethune-Baker, 1906: 231  
**jocosatrix** Guenée, 1852: 304  
**magnifica** (Robinson), 1975: 148 [*Tibiocillaria*]  
**nugatrix** Guenée in Boisduval & Guenée, 1852: 303

**Plagideicta**

sp. nr. *leprosticta* (Hampson) [Robinson 1975: 129]

**Platysenta**

sp. [Robinson 1975: 131]

*Plusia*

*oxygramma* Geyer in Hübner [error, not Fijian]

**Plusiodonta**

**dimorpha** Robinson, 1975: 209

**Polydesma**

**boarmoides** Guenée, 1852: 441

*umbricula* Boisduval [misidentification, not Fijian]

### **Porphyrinia**

**innocens** (Butler), 1886: 405 [*Thalpochares*]

**rivula** (Moore), 1882: 140 [*Thalpochares*]

### **Progonia**

**micrastis** (Meyrick), 1902: 43 [*Simplicia*]

### **Prospalta**

**caerulea** Robinson, 1969: 191

### **Pseudaletia**

**separata** (Walker), 1864: 626 [*Leucania*]

**unipuncta** (Haworth), 1809: 174 [*Noctua*]

### **Ptochosiphla**

**oedipus** Meyrick, 1933: 438

### **Rhesalides**

**albizziae** (Prout), 1929: 598 [*Rhesala*]

### **Rivula**

**dipterygosoma** Tams, 1935: 223

**maxwelli** Robinson, 1975: 211

**polynesiana** Hampson, 1926: 256

### **Sarbissa**

**bostrychonota** (Tams), 1929: 252 [*Seudyra*]

### **Sasunaga**

**oenistus** (Hampson), 1908: 56 [*Masuga*]

**tenebrosa** (Moore), 1867: 59 [*Hadena*]

**tomaniiviensis** Robinson, 1975: 132

### *Savoca*

*divitalis* Walker, 1863: 91 [*Gyrtona*]

**Schinia**

**divergens** (Walker), 1857: 830 [*Anthophila*]

**Schrankia**

**furoroa** Robinson, 1975: 236

**vitiensis** Robinson, 1975: 237

**Serrodes**

**campana** Guenée, 1852: 252

*campana callipepla* Prout, 1929: 598

*inara* (Cramer) [error, not Fijian]

**mediopallens** Prout, 1924: 447

*Sesamia*

*inferens* (Walker) [error, not Fijian]

**Simplicia**

**caeneusalis** (Walker), 1859: 94 [*Sophoronia*]

*lautokiensis* Prout, 1933: 85

**Speiredonia**

**anops** Guenée, 1852: 173 [*Sericia*]

**mutabilis** (Fabricius), 1794: 12 [*Noctua*]

**obalauae** Bethune-Baker, 1915: 198 [*Sericia*]

**strigiformis** (Robinson), 1975: 213 [*Sericia*]

**Spodoptera**

**acronyctoides** Guenée, 1852: 154

**exigua** (Hübner), 1808: pl. 78 [*Noctua*]

**festiva** (Donovan), 1805: pl. 36 [*Phalaena*]

**infecta** (Walker), 1856: 196 [*Prodenia*]

**littoralis** (Boisduval), 1833: 239 [*Hadena*]

**litura** (Fabricius), 1775: 601 [*Noctua*]

*nubes* Guenée [error, not Fijian]

**Stenopterygia**

**nausoriensis** Robinson, 1975: 135

**Stictoptera**

**obalaui** Bethune-Baker, 1916: 380  
**stygia** Hampson, 1912: 168  
**subobliqua** (Walker), 1857: 1136 [*Steiria*]  
**variabilis** (Moore), 1882: 164 [*Steiria*]  
**vitiensis** Hampson, 1912: 159

**Symitha**  
**indicatana** (Walker), 1863: 333 [*Tortrix*]

**Targalla**  
**barbara** (Robinson), 1975: 147 [*Phlegetonia*]  
**delatrix** (Guenée), 1852: 304 [*Penicillaria*]

**Tholocoleus**  
**astrifer** (Butler), 1886: 417 [*Lophocoleus*]

**Thyas**  
**miniacea** (Felder & Rogenhofer), 1874: pl. 116 [*Lagoptera*]  
**regia** Lucas, 1894: 151

**Tiracola**  
**plagiata** (Walker), 1857: 740 [*Agrotis*]

**Trigonodes**  
**cephise** (Cramer), 1779: 59 [*Phalaena*]  
**hypasia** (Cramer), 1779: 99 [*Phalaena*]

**NOLIDAE**  
**Calathusa**  
sp. near *basicunea* Walker

**Giaura**  
**nigrostrigata** (Bethune-Baker), 1905: 93 [*Argyrothripa*]  
**sokotokai** Robinson, 1969: 192  
**spinosa** Robinson, 1975: 160  
**tetragramma** (Hampson), 1905: 549 [*Barasa*]

**Maurilia**  
**iconica** (Walker), 1857: 992 [*Anomis*]**Nola**  
**fijiensis** Robinson, 1975: 108  
**insularum** (Collenette), 1928: 469 [*Celama*]  
**lichenosa** Robinson, 1975: 109  
**samoana** Robinson, 1975: 109  
**transversata** Robinson, 1975: 110**Xanthodes**  
**congenita** (Hampson), 1912: 657 [*Acontia*]  
**intersepta** Guenée, 1852: 212**NOTODONTIDAE****Lasioceros**  
**aroa vitiensis** Robinson, 1975: 106**NYMPHALIDAE**  
**Acraea**  
**andromacha polynesiaca** Rebel, 1911: 412**Anosia**  
**menippe** Hübner, 1816: 16 [as *plexippus* ssp.]  
*petilia* (Stoll in Cramer) [error, not Fijian]*Cynthia*  
*kershawi* McCoy [not established; Robinson 1975: 330]**Danaus**  
**petilia** (Stoll), 1790: 132 [*Papilio*]  
**plexippus** (Linnaeus), 1758: 471 [*Papilio*]  
*archippus* (Fabricius), 1793: 49 [*Papilio*]**Doleschallia**  
*bisaltide bisaltide* Cramer [error, not Fijian]  
**bidsaltide vomana** Fruhstorfer, 1902: 354

**Euploea****boisduvalii boisduvalii** Lucas, 1853: 321*herrichii* Felder & Felder, 1865: 344 [*boisduvalii* f.]*eleutho* (Quoy & Gaimard) [error, not Fijian]*helcita helcita* Boisduval [error, not Fijian]*intermedia* (Moore), 1883: 258 [*Nipara*]*helcita lilybaea* Fruhstorfer [error, not Fijian]*iphianassa* Butler [error, not Fijian]*jessica* Butler [error, not Fijian]**leucostictos macleayii** Felder & Felder, 1865: 320*graeffiana*: Herrich-Schaeffer [not Heer, misidentification]**lewinii eschscholtzii** Felder & Felder, 1865: 345*lewinii walkeri* Druce [error, not Fijian]*montrouzieri* Felder & Felder [error, not Fijian]*nemertes* Herrich-Schaeffer [error, not Fijian]**proserpina** Butler, 1866: 300*mangoensis* (Butler), 1884: 344 [*Vadebra*; as *boisduvalii* f.]*simmondsi* Poulton, 1924: 564*rumpfii* Felder [error, not Fijian]*tulliolus adyte* Boisduval [error, not Fijian]**tulliolus forsteri** Felder & Felder, 1865: 322*protoforsteri* Poulton, 1924: 565*seriata* Herrich-Schaeffer, 1869: 69*incompta* Herrich-Schaeffer, 1869: 69**Hypolimnas****antilope lutescens** (Butler), 1874: 283 [*Diadema*]*auge* Cramer [error, not Fijian]**bolina pallescens** Butler, 1874: 282*crexa* Fruhstorfer, 1912: 553*hypna* (Swinhoe), 1916: 482 [*Apatura bolina pallescens* f.]*thomsonii* Butler, 1883: 414*tracta* (Swinhoe), 1916: 482 [*Apatura bolina pallescens* f.]*moseleyi* Butler, 1883: 414*murrayi* Butler, 1883: 413*pelva* Fruhstorfer, 1912: 553**inopinata** Waterhouse, 1920: 468**octocula octocula** Butler, 1869: 19*formosa* (Herrich-Schaeffer), 1869: 71 [*Diadema*]*porphyria* Cramer [error, not Fijian]**Junonia****villida villida** (Fabricius), 1787: 35 [*Papilio*]

**Melanitis**

- leda** *leda* (Linnaeus) [error, not Fijian]  
**leda levuna** Fruhstorfer, 1908: 87  
**leda solandra** (Fabricius), 1775: 500 [*Papilio*]

**Polyura**

- caphontis caphontis** (Hewitson), 1863: 66 [*Charaxes*]  
**caphontis excellens** Turlin, 2001: 244  
**caphontis nambavatua** Smiles, 1982: 136

**Taenaris**

- phorcas** Westwood, 1858: 182  
    *anableps* Snellen van Vollenhoven, 1860: pl. 1

**Tirumala**

- claribella** (Butler), 1882: 36 [*Danaus hamata neptunia* f.]  
**hamata mellitula** (HerrichSchaeffer), 1869: 70 [*Danais*]  
**hamata neptunica** (Felder & Felder), 1865: 349 [*Danais*]  
**moderata** (Butler), 1875: 611 [*Danais*]  
**protoneptunia** (Poulton), 1924: 565 [*Danaus hamata neptunia* f.]

**Vagrans**

- egista vitiensis** (Waterhouse), 1920: 469 [*Issoria*]

**Xois**

- fulvida** Butler, 1882: 411  
**sesara** Hewitson, 1865: 282  
    *diophthalma* von Prittitz, 1867: 274  
**vitiensis** Fruhstorfer in Seitz, 1911: 294

**OECOPHORIDAE****Autosticha**

- solita** Meyrick, 1923: 45

**Calicotis**

- praeusta** Meyrick, 1922: 584

**Heiromantis**

- ancylogramma** Meyrick, 1933: 430

**munerata** Meyrick, 1924: 66  
**praemiata** Meyrick, 1922: 460  
**tribolopa** Meyrick, 1924: 66

### **Peritorneuta**

**spilanthes** Meyrick, 1933: 475

### **Pseudaegeria**

**squamicornis** (Felder & Rogenhofer), 1875: pl. 139 [*Ochsenheimeria*]

### **Stoeberhinus**

**testacea** Butler, 1881: 402

## **PAPILIONIDAE**

### **Papilio**

**exclamationis** Fabricius, 1775: 530

*ladon* Cramer, 1780: 164

**godeffroyi** Semper, 1866: 469

**schmeltzi** Herrich-Schaeffer, 1869: 78

*victoriae* Gray [error, not Fijian]

## **PIERIDAE**

### **Anaphaeis**

**clarissa** Butler, 1883: 390

### **Appias**

**albina** (Boisduval), 1836: 480 [*Pieris paulina* ssp.]

**athama** (Lucas), 1852: 336 [*Pieris*]

*leis jacquinotii* (Lucas), 1852: 326 [*Pieris*]

*galathea* Felder [error, not Fijian]

### **Belenois**

**java micronesia** (Fruhstorfer), 1902: 357 [*Pieris*]

*java teutonia* (Fabricius) [error, not Fijian]

### **Catopsilia**

**pomona** (Fabricius), 1775: 479 [*Papilio*]

**pyranthe lactea** Butler, 1870: 361

**scylla gorgophone** (Boisduval), 1836: 632 [*Callidryas*]**Cepora***inopinata* (Butler) [error, not Fijian]*lanassa* (Boisduval) [error, not Fijian]**nabis** (Lucas), 1852: 326 [*Pieris*]*perimale perimale* (Donovan) [error, not Fijian]**perimale peritheia** (Felder & Felder), 1865: 169 [*Pieris*]**Delias****blanca nausicae** Fruhstorfer, 1899: 60**Eurema****briggata australis** (Wallace), 1867: 321 [*Terias*]**hecabe** (Linnaeus), 1758: 470 [*Papilio*]**hecabe aprica** (Butler), 1883: 420 [*Terias*]**hecabe sulphurata** (Butler), 1875: 617 [*Terias*]**Pieris****peristhene vitiensis** Fruhstorfer, 1902: 357**PLUTELLIDAE****Plutella****xylostella** (Linnaeus), 1758: 538 [*Phalaena*]*maculipennis* (Curtis), 1832: 420 [*Cerostoma*]**PSYCHIDAE****Narycia****ennomopis** Meyrick, 1934: 482**toxophragma** Meyrick, 1937: 155**Themeliotis****goniozona** Meyrick, 1922: 602**PTEROPHORIDAE****Alucita****pygmaea** Meyrick, 1890: 1112

**Imbophorus**  
**aptalis** (Walker), 1864: 950 [*Aciptilus*]

**Macropiratis**  
**halieutica** Meyrick, 1932: 249

**Marasmarcha**  
**pumilio** (Zeller), 1873: 324 [*Mimesoptylus*]

**Pterophora**  
**candidalis** (Walker), 1864: 948 [*Aciptilia*]  
**endogramma** (Meyrick), 1922: 549 [*Alucita*]

**Sphenarches**  
**caffer** (Zeller), 1852: 348 [*Pterophorus*]

**PYRALIDAE**  
**Acolastodes**  
**euryniphas** Meyrick, 1934: 492  
**oenotripta** Meyrick, 1934: 489

**Anydraula**  
**drusiusalis** Walker, 1859: 450  
    *drusialis* [incorrect subsequent spelling of *drusiusalis* (Meyrick, 1885: 429)]

**Aphomia**  
**isodesma** (Meyrick), 1886: 272 [*Melissoblaptes*]

**Cadra**  
**cautella** (Walker), 1863: 73 [*Pempelia*]

**Calguia**  
**hapalanthes** (Meyrick), 1932: 233 [*Salebria*]

**Cataclysta**  
**cyanolitha** (Meyrick), 1886: 220 [*Anydraula*]

**hexalitha** Meyrick, 1886: 219

**Ceratagra**  
**mitrophora** Meyrick, 1932: 236

**Ceratothalamia**  
**argosema** Meyrick, 1932: 246

**Citripestis**  
**pectinicornella** (Hampson), 1896: 88 [*Myelois*]

**Cleticaula**  
**philographa** Meyrick, 1937: 139

**Corcyra**  
**cephalonica** (Stainton), 1866: 172 [*Melissoblastes*]

**Cryptoblabes**  
**ardescens** (Meyrick), 1929: 160 [*Eurhodope*]  
**plagioleuca** Turner, 1904: 150  
sp. near *spodopetina* Tams [Dugdale 1978: 68]  
**trabeata** Meyrick, 1932: 239

**Endotricha**  
**capnospila** Meyrick, 1932: 247  
**mesenterialis** (Walker), 1859: 285 [*Doththa*]  
**puncticostalis** (Walker), 1866: 1324 [*Rhisina*]

**Ephestia**  
**elutella** (Hübner), 1796: 8 [*Tinea*]

**Etiella**  
**behrii** (Zeller), 1848: 883 [*Pempelia*]  
**drososcia** Meyrick, 1929: 158

**Eurhodope**  
**holocapna** Meyrick, 1932: 239  
**xanthosperma** Meyrick, 1934: 498

**Herculia**

**fusco-costalis** (Snellen van Vollenhoven), 1880: 199 [*Asopia*]  
**imbecilis** (Moore), 1885: 264 [*Pyralis*]

**Homoeosoma**

**cataphaea** Meyrick, 1886: 272  
**hypogypsa** Meyrick, 1932: 236  
**symmicta** Meyrick, 1932: 236  
**tepidia** Meyrick, 1932: 237

**Hylopercnas**

**eribolax** Meyrick, 1934: 494

**Hypantidium**

**albicostale** (Walker), 1863: 80 [*Assara*]

**Locastra**

**ardua** Swinhoe, 1902: 181  
*drucei* Bethune-Baker, 1905: 94

**Maxillaria**

**diaconopa** Meyrick, 1934: 493

**Nephopteryx**

**exotypa** Meyrick, 1933: 387  
**porphyrocapna** Meyrick, 1932: 234

**Platycrates**

**gypsopeda** Meyrick, 1932: 235

**Pyralis**

**compsobathra** Meyrick, 1932: 248

**Rhinaphe**

**nigricostalis** (Walker), 1863: 40 [*Trachonitis*]

**Salebria**

**eomichla** Meyrick, 1934: 491

**Spatulipalpia**

**leucomichla** Meyrick, 1934: 497

**sideritis** Meyrick, 1934: 497

**Thalamorrhyncha**

**zalorrhoa** (Meyrick), 1934: 489 [*Hypaulacistis*]

**Thialella**

**escigera** (Meyrick), 1932: 234 [*Phalobathra*]

**rhodoptila** Meyrick, 1932: 239

**Tirathaba**

**chionophthalma** Meyrick, 1934: 488

**complexa** (Butler), 1885: 242 [*Harpagoneura*]

**epichthonia** Meyrick, 1937: 139

**trichogramma** (Meyrick), 1886: 273 [*Heteromicta*]

**Tornocometis**

**chrysospila** Meyrick, 1934: 496

**Trissonca**

**lathraea** Meyrick, 1934: 494

**leucosymbola** Meyrick, 1932: 235

**Vitessa**

**vitialis** Hampson, 1906: 217

**SATURNIIDAE**

**Opodiphthera**

**eucalypti** (Scott), 1864: 1 [*Antheraea*]

**SPHINGIDAE**

**Agrius**

**convolvuli** (Linnaeus), 1758: 490 [*Sphinx*]

**Cephalodes**  
**armatus** Rothschild & Jordan, 1903: 470

**Daphnis**  
**placida torenia** Druce, 1882: 16

**Gnathothlibus**  
**erotus eras** (Boisduval), 1832: 185 [*Deilephila*]

**Hippotion**  
**celerio** (Linnaeus), 1758: 491 [*Sphinx*]  
**scrofa** (Boisduval), 1832: 185 [*Deilephila*]  
**velox** (Fabricius), 1793: 378 [*Sphinx*]

**Macroglossum**  
**corythus** Walker, 1856: 92  
    *cyniris* Boisduval, 1875: 350 ]  
**godeffroyi** (Butler), 1882: 157 [*Rhamphoschisma*]  
**hirundo samoanum** Rothschild & Jordan, 1906: 407  
**hirundo vitiense** Rothschild & Jordan, 1903: 184

**Psilogramma**  
**jordana** Bethune-Baker, 1905: 88

**Theretra**  
**nessus albata** Fukuda, 2003: 118  
**nessus nessus** (Drury), 1773: 46 [*Sphinx*]  
**pinastrina intersecta** (Butler), 1875: 623 [*Chaerocampa*]

**THYRIDIDAE**  
**Banisia**  
**anthina bella** Whalley, 1976: 147  
**myrtaea** (Drury), 1773: 4 [*Phalaena*]

**Hypolamprus**  
**hemicycla** (Meyrick), 1886: 216 [*Siculodes*]

**Morova**  
**subfasciata** Walker, 1865: 523

**Rhodoneura**  
**anticalis** (Walker), 1866: 1238 [*Pyralis*]

**Striglina**  
**scitaria** Walker, 1862: 1488  
**superior** (Butler), 1887: 433 [*Sonagara*]

**TINEIDAE**  
**Anastathma**  
**callichrysa** Meyrick, 1886: 290

**Anemerarcha**  
**entomaula** Meyrick, 1937: 154

**Catalectis**  
**drosoptila** Meyrick, 1924: 82  
**pharetropa** Meyrick, 1920: 362  
**ptilozona** Meyrick, 1923: 64

**Clepticodes**  
**clasmatica** Meyrick, 1934: 479

**Comodica**  
**polygrapta** Meyrick, 1924: 82

**Crypsithyrodes**  
**obumbrata** (Butler), 1881: 396 [*Blabophanes*]

**Dryadaula**  
**terpsichorella** (Busck), 1910: 134 [*Cyane*]  
**tetraglossa** (Meyrick), 1920: 263 [*Diachlastis*]

**Erechthias**  
**dissepta** Meyrick, 1931: 166  
**flavistriata** (Walsingham), 1907: 18 [*Ereunetis*]

**glyphidaula** (Meyrick), 1933: 412 [*Amphisyncentris*]  
**heterogramma** (Meyrick), 1921: 459 [*Decadarchis*]  
**minuscula** (Walsingham), 1897: 155 [*Ereunetis*]  
**psammaula** (Meyrick), 1921: 4459 [*Decadarchis*]  
**simulans** (Butler), 1882: 43 [*Tinea*]  
    *melanastra* (Meyrick), 1886: 291 [*Decadarchis*]  
**sisyranthes** (Meyrick), 1930: 9 [*Decadarchis*]  
**sphenacma** Meyrick, 1926: 275  
    *citrogramma* (Meyrick), 1931: 165 [*Decadarchis*]  
**subridens** (Meyrick), 1923: 64 [*Decadarchis*]  
**zebrina** (Butler), 1881: 403 [*Argyresthria*]

### **Monopis**

**pentadisca** Meyrick, 1924: 71  
**stichomela** Lower, 1900: 422

### **Opogona**

**allaini** Clarke, 1971: 227  
**amblyxena** Meyrick, 1920: 360  
**aurisquamosa** (Butler), 1881: 403 [*Argyresthia*]  
**citrinodes** (Meyrick), 1922: 559 [*Hieroxestis*]  
**dimidiatella** Zeller, 1853: 507  
**hapalopa** (Meyrick), 1922: 559 [*Hieroxestis*]  
**regressa** Meyrick, 1916: 620

### **Pherooeca**

**verna** (Meyrick), 1924: 72 [*Tinea*]

### **Proterospastis**

**wainimbuka** Robinson, 1980: 113

### **Setomorpha**

**rutella** Zeller, 1852: 94

### **Tinea**

**chlorospora** Meyrick, 1924: 71

### **Tiquadra**

**maculata** (Meyrick), 1886: 289 [*Cyathaula*]

**Trachycentra****calamias** Meyrick, 1886: 288**chlorogramma** Meyrick, 1907: 142**Triadogona****amphileucota** Meyrick, 1937: 153**Trichophaga****abruptella** (Wollaston), 1858: 120 [*Tinea*]**TORTRICIDAE****Adoxophyes****fasciculana** (Walker), 1866: 1785 [*Tortrix*]    *cyrtosema* Meyrick, 1886: 276**privatana** (Walker), 1863: 320 [*Dichelia*]**Ancylis****charisema** Meyrick, 1934: 484**Aphrozestis****scoriopa** Meyrick, 1931: 156**Argyroploce****immanis** (Meyrick), 1886: 275 [*Carpocapsa*]**Bactra****blepharopis** Meyrick, 1911: 255**Capua****endocypha** Meyrick, 1931: 148**Crocidosema****plebejana** Zeller, 1847: 271**Cryptophlebia****illepida** (Butler), 1882: 42 [*Teras*]**ombrodelta** (Lower), 1898: 48 [*Arctophora*]

**lasiandra** (Meyrick), 1909: 592 [*Argyroploce*]  
**pallifimbriata** Bradley, 1953: 688  
**rhynchias** Meyrick, 1905: 586  
sp. near *amblyona* Clarke [Dugdale 1978: 67]  
**vitiensis** Bradley, 1953: 683

### Dudua

**apro bola** (Meyrick), 1886: 275 [*Eccopsis*]

### Eucosma

**brachyphragma** Meyrick, 1937: 159  
**defensa** Meyrick, 1922: 517  
**eumarodes** Meyrick, 1924: 68

### Gnathmocerodes

**lecythocera** (Meyrick), 1937: 160 [*Argyroploce*]

### Heleanna

**physalodes** (Meyrick), 1926: 495 [*Acroclita*]

### Lobesia

**rhipidoma** (Meyrick), 1925: 142 [*Polychrosis*]

### Olethreutes

**anapro bola** (Bradley), 1953: 109 [*Argyroploce*]  
**ancosema** (Meyrick), 1932: 310 [*Argyroploce*]  
**pachypleura** Meyrick, 1924: 448 [*Argyroploce*]

### Pteridoporthis

**eryloxa** Meyrick, 1937: 156

### Spilonota

**cryptogramma** Meyrick, 1922: 520

### Strepsicrates

**ejectana** (Walker), 1863: 350 [*Sciaphila*]  
holotephras (Meyrick), 1924: 67 [*Spilonota*]  
**glaucothoe** (Meyrick), 1927: 70 [*Spilonota*]

**Tortrix****leucocharis** Meyrick, 1933: 423**Trymalitis****cataracta** Meyrick, 1907: 153**macarista** Meyrick, 1934: 489**Xenothictis****atriflora** Meyrick, 1930: 609**melananchis** Meyrick, 1933: 424**URANIIDAE****Cathynia****albibasis** Warren, 1896: 278**Phazaca****nacula** Clayton, 2002: 193**yasawa** (Robinson), 1975: 313 [*Gathynia*]**Urapteroides****anerces** (Meyrick), 1886: 201 [*Strophidia*]**hermaea** (Druce), 1888: 227 [*Micronia*]**YPONOMEUTIDAE****Atteva****aleatrix** Meyrick, 1922: 551**Bedellia****somnulentella** Zeller, 1847: 894*ipomoeae* Bradley, 1953: 114**Callithrinca****niphopyrrha** Meyrick, 1927: 361**Prays****citri** Millière, 1873: 310

**ZYGANEIDAE****Heteropan****dolens** Druce, 1888: 220**Levuana****iridescens** Bethune-Baker, 1906: 343

---

*Last revised 3 July 2007*

Supported in part by National Science Foundation grant DEB-0425790 "Fiji Terrestrial Arthropod Survey".